Vol. 87, Sect. 9, 1950

MOLLUSCA

COMPILED BY

A. E. SALISBURY, A.M.I.E.E.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON SOLD AT THEIR HOUSE IN REGENT'S PARK LONDON, N.W.8.

PRICE TEN SHILLINGS
February, 1953

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

1110	Tollowing a	TO OHO	DOCOLO	IID WIIG	OHOIL	Pricos,	1 121 1		
								8.	
1.	Comprehens	ive Zoo	ology	•••	***	***	***	2	6
2.	Protozoa			•••	***		•••	7	6
3.	Porifera				•••			2	0
4.	Coelenterata	a	•••					4	0
5.	Echinoderm	uf.		***	•••			2	6
6.	Vermes	•••				•••		10	0
7.	Brachiopoda	a						3	0
8.	Bryozoa			***	•••		•••	2	0
9.	Mollusca							10	0
10.	Crustacea							5	0
11.	Trilobita							3	0
12.	Arachnida							7	6
*13.	Insecta		•••					30	0
14.	Protochorda	ata			•••			2	0
15.	Pisces							7	0
16.	Amphibia a	nd Rep	tilia		•	•••		7	6
17.	Aves		***		•••			7	6
18.	Mammalia		***	•••				17	6
19.	List of New	Gener	a and	Subgen	era			3	0
				1					

^{*} Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

9. MOLLUSCA

COMPILED BY

A. E. SALISBURY, A.M.I.E.E.

CONTENTS

							1	AGE
I.	TITLES	•••	•••	•••		•••		2
II.	SUBJECT INDEX							40
III.	Systematic Index							57
	Aplacophora				***	1		57
	Polyplacophora							57
	Gastropoda		•••	2		4		57
	Prosobranchiata					J.J.	•••	58
	Ducoglossa							58
	Opisthobranchiata					1	• • • •	72
	Nudibranchiata						•••	73
	Pulmonata			•••	***	•••	•••	73
	Pelecypoda or Lamellibranchia			•••			•••	81
	Cephalopoda	•••						90
	Incertae Sedis						Carera	93

Vol. 87 i I

I-TITLES

- 1.—Recommendations and Opinions. Polymorphism in trivial names arising from use of the same word in noun and adjectival form. Bull. zool. Nomencl. London 4 7/9 1950 pp. 240-242.
- 2.—Recommendations and Opinions. Validation, under the plenary powers of long-established use of the generic names "Tethys" and "Aplysia" (Class Gastropoda) and matters incidental thereto. Bull. 2001. Nomenel. London 4 10/12 1950 pp. 301–304.
- 3.—Recommendations and Opinions. "Venus" Linnaeus 1758 (Class Pelecypoda): designation of type species, under the plenary powers [Venus verrucosa L. 1758]. Bull. zool. Nomencl. London 4 10/12 1950 pp. 304-305.
- 4.—Recommendations and Opinions. "Bulla" Linnaeus 1758 (Class Gastropoda) designation of type species of under the plenary powers [Bulla ampulla L. 1758]. Bull. zool. Nomenel. London 4 10/12 1950 p. 305.
- 5.—Recommendations and Opinions. "Gryphaea" Lamarck 1801 (Class Pelecypoda) problem of type species of: Bull. zool. Nomencl. London 4 10/12 1950 pp. 306–307.
- 6.—Recommendations and Opinions. Status of generic names published in Books dealing with classification of Taxonomic units down to the genus level but no further: case of Brunnich 1771 "Zoologiae Fundamenta. [This work complied with requirements of Act. 25 Règles]. Bull. zool. Nomencl., London 4 10/12 1950 pp. 307–310.
- 7.—Recommendations and Opinions. "Tonna" Brunnich 1771 (Class Gastropoda) placed on the "Official List of Generic Names in Zoology. [type Buccinum galea L. 1758]. Bull. zool. Nomencl., London 4 10/12 1950 p. 310.
- 8.—Recommendations and Opinions. Orders and Higher Taxonomic Units; problems of obtaining uniformity in nomenclature of. Bull. 2001. Nomencl. London 4 13/15 1950 p. 385.

- 9.—Recommendations and Opinions. Petalifera Gray, 1847, and Aphysiella Fischer 1872, Class Gastropoda Order Aphysiomorpha) relative status of. Bull. 2001. Nomencl. London 4 13/15 1950 pp. 387-389.
- 10.—Recommendations and Opinions. Acme Hartmann 1821, Acmea Hartmann 1821 and Acmaea Eschscholtz 1833 (Class Gastropoda); relationship of these names to one another under Article 34. [Not to be regarded as homonyms but? suppression of Acmea at present sub judice]. Bull. zool. Nomencl. London 4 13/15 1950 pp. 389.
- 11.—Anon. Oyster Pests. The American Whelk Tingle and Slipper Limpet. Ills. London News 217 5825 1950 pp. 964, 965 8 figs.
- 12.—Anon. The Phil. L. Marsh Collection. Nautilus, Philad. 63 2 1949 pp. 71–72.
- 13.—Anon. Terrestrial and freshwater ecology; interim notes. Rep. Lundy Fld. Soc. 1950 [1951] pp. 28-33.
- 14.—Abbott, R. T. The Molluscan fauna of the Cocos-Keeling Islands, Indian Ocean. Bull. Raffles Mus. Singapore No. 22 1950 pp. 68–98 text figs.
- **15.—Abbott,** R. T. Snail invaders. Nat. Hist. N.Y. **59** 1950 pp. 80–85 text-figs.
- 16.—Abbott, R. T. Sexual dimorphism in Indo-Pacific Strombus. Nautilus, Philad. 63 1949 pp. 58-61 graph.
- 17.—Abbott, R. T. An Indian species of Clenchiella. Nautilus, Philad. 63 1949 p. 62.
- Abbott, R. T. see G. W. Hunter III and others.
- 18.—Abbott, R. T. & Hunter, III G.W. Studies on potential snail hosts of Schistosoma japonicum 1. Notes on The Amnicolid snails Blanfordia Tricula and a new genus Fukuia from Japan. Proc. helminth. Soc. Washington 16 1949 pp. 73–86 pl. 1, 2.

- 19.—Abdel-Malek, E. T. Susceptibility of the snail Biomphalaria boissyi to infection with certain strains of Schistosoma mansoni Amer. J. Trop. Medicine 30 6 Nov. 1930 pp. 887-894 tables.
- 20.—Abrard, R. Developments aberrants chez *Orbitolites complanatus* Lamarck. C.R. Acad. Sci. Paris 230 1950 pp. 2220–2221 4 figs.
- 21.—Adam, W. Notes sur les Céphalopodes XXII. Deux nouvelles espéces de la côte africaine occidentale. Bull. Mus. Hist. nat. Belg. 26 45 1950 pp. 1–9.
- 22.—Adam, W. Un cephalopode nouveau: *Philidoteuthis boschmai* gen. et sp. nov. Proc. K. ned. Akad. Wet. 53 10 1950 pp. 1592-1598 pls. i-iii 6 figs.
- 23.—Agard, J., Termier, H. & G. La série jurassique du Jebel Tirremi et de ses abords, près de Taourirt (Maroc oriental) [List in text]. C.R. Acad. Sci. Paris 231 1950 pp. 1515-1516.
- 24.—Aguayo, C. G. Caracoles trotamundos. [map of invasion of *Achatina*]. Bol. Hist. nat. Habana 1 2 1950 pp. 75–82 5 figs. 1 map.
- 25.—Aguayo, C. G. Malacology and the Official List of Generic names. Nautilus, Philad. 63 1949 pp. 17-19.
- 26.—Aguayo, G. Don Carlos de la Torre y Huerta 1858-1950. Rev. Soc. malac. Habana 7 1950 pp. 41-43 1 port.
- 27.—Alberici, E. Contributo alla conoscenza dei cefalopodi Cretacici della Libia. Ann. Mus. libico Stor. nat. 2 1940 pp. 165–188 1 pl., 4 figs.
- 28.—Alemagna, C. Fossili dei livello bituminifero di Ragusa (Sicilia) Nota preliminare [Lists]. Boll. Accad. gioenia 4 1 1948 pp. 3-11.
- 29.—Allan, J. Australian Shells, with related animals living in the sea, in freshwater and on land. Melbourne (Georgian House) 1950 pp. xix + 470, frontis. col. 43 pls. (11 col.) 112 figs.
- 30.—Allan, J. Land Shells of Australia. Aust. Mus. Mag. 10 1950 pp. 50-54 5 figs.
- 31.—Allan, J. Land shells of Australia Part II. Aust. Mus. Mag. 10 1950 pp. 80–83 4 figs.

- 32.—Allan, F. E. Investigations on underwater fouling. III Note on the fouling organisms attached to Naval mines in North Queensland Waters. Aust. J. Mar. Freshwater Res. 1 1950 pp. 106–109 pl. 1.
- 33.—Allan, F. E. & Wood, E. J. F. Investigations on underwater fouling. II The biology of fouling in Australia: Results of a year's research [Mollusca p. 100]. Aust. J. Mar. & Freshwater Res. 1 1950 pp. 92–105 graphs.
- 34.—Almeida, F. F. Marques de. Acantholeaia, um novo gênero de Leaiadidae. Notas Prelim. Est. Serv. Geol. Min. Brasil 51 1950 pp. 1-6 1 pl. text-figs. 1-5.
- 35.—Almela, A. El eoceno de San Lorenzo de Morunys (Lérida). Notas Com. Inst. geol. España 18 1948 pp. 43-65 (1-25) 2 plates.
- 36.—Altena, C. O. v. R. The genus Antemetula Rehder in the Indo-West-pacific area, with the description of two new fossil species. Bijdr. Dierk. 28 1949 pp. 385–393 7 figs.
- 36a.—Altena, C. O. van Regteren. The marine mollusca of the Kendeng Beds (East Java), Gastropoda, Part V (Families Muricidae—Volemidae inclusive). Leidsche geol. Meded. 15 1950 pp. 205—240 text-figs. 1–24.
- 37.—Altena, C. O. v. R. The Limacidae of the Canary Islands. Zool. Verh., Leiden 11 1950 pp. 1–34 7 figs. 1 tab.
- 38.—Ambroggi, R. & Basse, É. Sur le Crétacé supérieur de la vallée der Sous (Sud morocain). C.R. Acad. Sci. Paris 231 1950 pp. 449-451.

Anderson, N. G. see Wilbur, K. M.

Angel, L. M. see Johnson, T. H. and others.

- 39.—Ankel, W. E. Die Nahrungsaufnahme der Pyramidelliden. Remane and others, Verh. Deuts. Zool. in Kiel 1948, Leipzig (Geest-Portig) 1949 pp. 478–484 3 figs.
- 40.—Ankel, W. E. Über die relative Grösse und die ökologische Bedeutung des Radula-Apparates bei *Littorina*-Arten und anderen Prosobranchiern. Zool. Anz. 145 Ergänzungsb. 1950 pp. 19–27 2 figs.

41.—Arias, S. Algunas instruccionès para le recolección y conservación de moluscos. Mem. Soc. Cienc. nat. La Salle, Caracas 9 25 1949 pp. 363–365 2 figs.

Arkell, W. J. see Cox, L. R.

- 42.—Arvy, L. Données histologiques sur l'ovogénèse chez *Dentalium entale* Deshayes. Arch. Biol., Liège 61 1950 pp. 187-195 1 fig. pl. iv.
- 43.—Arvy, L. Activité nucléolaire et vitellogenèse chez *Eolis papilosa* L. Bull. Soc. zool. Fr. 75 1950 pp. 159–160.
- 44.—Astre, G. Pliocène marin sous les limons de Salses. Bull. Soc. Hist. nat. Toulouse 85 1950 pp. 26–32.
- 45.—Astre, G. Les collections conchyliologiques du Museum de Toulouse. J. Conchyliol., Paris 90 1950 pp. 143–146.
- 46.—Atanasov, N. & Stefanov, A. The cave "Seeva Dupka" [In Bulgarian with Russian & German sumary]. Izv. zool. Inst. Sofiya 1 1951 pp. 234–275 16 figs. I map.
- 47.—Avery, A. C. Fish Processing Handbook for the Philippines. Res. Rep. U.S. Fish Surv. 26 1950 pp. 1–149 (Moll. pp. 15, 45, 58, 92–99) 77 text-figs. + 17 pp. of figs. of fish.
- 48.—Baily, jr., J. L. Some preliminary notes on the distribution of mollusca in the lakes of the western states. Nautilus, Philad. 63 1950 pp. 73–78.
- 49.—Baily, jr., J. L. Locomotion in Lima. Nautilus, Philad. 63 1950 p. 112.
- **50.—Baily**, jnr., J. L. *Maxwellia* genus novum of Muricidae. Nautilus, Philad. **64** 1950 pp. 9-14.
- 51.—Baker, B. B. Some mollusks near St. Petersburg, Florida. Nautilus, Philad. 63 1950 pp. 123–125.
- 52.—Baker, G. Geology and physiography of the Moonlight Head District, Victoria [List of fossils p. 28]. Proc. roy. Soc. Vict. N.S. 60 1950 pp. 17–43 pls. 1-iv 4 figs. [map].
- 53.—Baker, H. B. Chondropoma (s.s.) schaliei new species. Nautilus, Philad. 63 1950 p. 108.
- 54.—Baker, H. B. Science and legality. Nautilus, Philad. 63 4 1950 pp. 128.

- 55.—Baker, H. B. Chondropoma schaliei. Nautilus, Philad. 64 1950 pp. 17-19.
- **56.—Baker,** H. B. The type of a species. Nautilus, Philad. **64** 1950 pp. 27–28
- 57.—B[aker], H. B. Dates of the Nautilus. Nautilus, Philad. 64 1950 p. 35.
- 58.—Baker, H. B. Subdivisions of Sagda. Nautilus, Philad. 64 1950 p. 36.
- **59.—B[aker]**, H. B. & B. B. Cerion incanum [an accidental escape]. Nautilus, Philad. **63** 1950 p. 108.
- 60.—Barlow, C. H. Snail ponds. [Experiments and construction of ponds for rearing material.] J. Parasit, Lancaster, Pa. 36 1950 pp. 447-450 3 figs.
- 61.—Barnes, H. F. Worm eating slugs in Bedford gardens. Bedford. Nat. No. 4 1950 pp. 24–26 1 pl.
- 62.—Barnes, H. & Powell, H. T. Some observations on the effect of fibrous glass surfaces upon the settlement of certain sedentary marine organisms. J. Mar. biol. Ass. Plymouth 29 1950 pp. 299–302 1 pl. 1 fig.
- **63.—Bartsch**, P. A new terrestrial mollusk from Mexico. J. Wash. Acad. Sci. **40** 1950 p. 265 1 fig.
- 64.—Bartsch, P. New west American Turrids. Nautilus, Philad. 63 1950 pp. 87–97 pl. 6.
- 65.—Basse, É. Quelques mollusques du Crétace de Colombie. Bull. Soc. géol. Fr. 5 20 4–6 1950 pp. 245–255 pl. 11 1 text-fig.

Basse, E. see Ambroggi, R.

- 66.—Bayer, C. Les Collections malacologiques du Rijksmuseum van Natuurlijke Historie, Leiden. J. Conchyliol., Paris 90 1950 pp. 56-58.
- 67.—Beets, C. Précis des espèces fossiles du genre *Cryptomya* Conrad Basteria, Lisse 14 1–2 1950 pp. 16–20 text-fig.
- 68.—Beets, C. On Quaternary mollusca from the islands of Boenjoe and Tarakan, E. Borneo. Leidsche géol. Meded. 15 1950 pp. 241–264 text-figs. 1–2.

- 69.—Beets, C. On probably young Miocene fossils from the coal concession Batoe Panggal, near Tenggarong (Samarinda), Eastern Borneo. Leidsche géol. Meded. 15 1950 pp. 265–281 text-figs. 1–11.
- **70.—Beets,** C. On lower Tertiary mollusca from S.W. and Central Celebes. Leidsche géol. Meded. **15** 1950 pp. 282–290 1 pl.
- 71.—Beets, C. On fossil mollusca from the island of Mandul, East-Borneo. Leidsche géol. Meded. 15 1950 pp. 291– 304.
- 72.—Beets, C. Pliocene mollusca from a coral limestone of a hill near Sekoerau, E. Borneo, Leidsche géol. Meded. 15 1950 pp. 305-318 text-figs. 1-4.
- 73.—Belloc, G. Catalogue des types de Cephalopodes du Musée Océanographique de Monaco. Bull. Inst. océanogr. Monaco No. 970 1950 pp. 1–10.
- 74.—Belyaev, G. M. Normal indicators of the osmotic pressure in the coelomatic liquid of the invertebrate in Barents Sea. [In Russian.] C.R. Acad. Sci. Moscou N.S. 71 1950 pp. 569-572.
- 75.—Bemmelen, J. F. v. Biology-Segmentatie. [Summary in English, French and German.] Proc. K. ned. Akad. Wet. Amst. 52 1949 pp. 819–828.
- 76.—Benson, W. N. & Finlay, H. J. A Post-Tertiary micro-fauna in a concretion containing Cancer novae-zeylandiae [fragments of Lasaea noted]. Trans. roy. Soc. N.Z. 78 2-3 1950 pp. 269-270.
- 77.—Bequaert, J. C. Studies in the Achatininae, a group of African land snails. Bull. Mus. comp. Zool. Harv. 105 1950 pp. 1–216, pls. 1–81.
- 78.—Berg, W. E. Lytic effects of sperm extracts on the eggs of *Mytilus edulis*. Biol. Bull. Woods Hole 98 1950 pp. 128–138 text-figs. tables.
- 79.—Bidder, A. M. The digestive mechanism of the European Squids Loligo vulgaris, Loligo forbesii, Alloteuthis media, and Alloteuthis subulata. Quart. J. micr. Sci. London 91 1950 pp. 1-43 pls. i, ii.

- 80.—Bigarella, J. J. Nota prévia sôbre a composição dos sambaqués do Paraná e Santa Caterina [Lists pp. 98– 99]. Arq. Biol. Tecnol. Curitiba 4 1949 pp. 95–105 6 pls.
- 81.—Bigarella, J. J. Contribução av estudo da planicie sedimentar da parte Norte da Ilha de Santa Caterina (Lists pp. 112-113). Arq.—Biol. Tecnol. Curitiba 4 1949 pp. 107-140 6 pls. figs.
 - Birot, P. see Fallot, P. & others.
- 82.—Birshtein, Y. A. Cave-fauna in the Western Transcaucasus. [In Russian]. Zool. Journ., Moscow 29 1950 4 pp. 354–366.
- 83.—Blaauw-Jansen, G. On the influence of temperature and of lithium chloride on the amoeboid mobility of unsegmented eggs of *Limnaea stagnalis* L. Proc. K. ned. Akad. Wet. Amst. 53 1950 pp. 910–912 2 figs.
- 84.—Blaisdell, K. M. Arion circumscriptus, a new intermediate host of the cat lungworm, Acturostrongylus abstrasus. Cornell Vet. 40 2 1950 pp. 197–200 figs.
- 85.—Blanckenhorn, M. Das Tertiär Niederhessens. Endergebnisse der geologischen Aufnahmen in Niederhessen von 1911–1946. Notizbl. hess. Landesamt. 6 1 1950 pp. 7–82 8 figs.
- 86.—Blok, A. An attached pearl in a *Tellina*. J. Conch., London 23 1950 p. 98.
- 87.—Boettger, C. R. Analyse einer bemerkenswerten Population der Schnirkelschnecke Cepaea hortensis Müller. Analysis of a remarkable population of the garden snail. [Summary in English.] Abh. braunschw. Wiss. Ges. 2 1950 pp. 1–12.
- 88.—Boettger, C. R. Ein Albino der Nacktschnecke *Limax cinereoniger* Wolf. Arch. Molluskenk., Frankfurt a. M. 79 1950 pp. 127–128.
- 89.—Boettger, C. R. Die westeuropäische Landschnecke Zonitoides excavatus Bean in Deutschland. Arch. Molluskenk., Frankfurt a. M. 79 1950 pp. 129–130.
- 90.—Boettger, C. R. Ein Beitrag zur Frage des Ertragens von Brackwasser durch Molluskenpopulationen. Hydrobiologia, Den Haag 2 1950 pp. 360–379 pls. viii–xiv.

- 91.—Boettger, C. R. Faunistische Neuerscheinungen im Mittelandkanal nördlich Braunschweigs. Beitr. Naturk. Niedersachs. 3 4 1950 pp. 116–124.
- 92.—Boettger, C. R. Die seit dem Pleistozän erfolgte Änderung in der geographischen Verbreitung je einer bestimmten Mutante der Landschneckenarten Cepaea nemoralis L. und Bradybaena fruticum Möll. Kleinschmidt, O., Syllegomena Biologica, Leipzig (Geest & Portig) 1950 pp. 56-67.
- 93.—Boettger, C. R. Zur Nomenklatur der deutschen Arten der Prosobranchiergattung Viviparus Montfort. Zool. Anz. 127 1939 pp. 174-176.

Bogdanovitch, A. K. see Dmitryeva, R. G.

- 94.—Böhm, K. E. Beitrag zur stratigraphischen Gliederung des Jungtertiärs in Kroatien, Slavonien und auf der Murinsel. Mitt. Reichsamts Bodenforsch. 6 1943 pp. 101–107 1 table.
- 95.—Bondesen, P. A comparative morphological-biological analysis of the egg capsules of freshwater pulmonate Gastropods Hygrophila, Basommatophora Pulmonata. Natura Jutlandica, Aarhus 3 1950 pp. 1–208 69 text-figs. pls. i–ix graph.
- 96.—Bondesen, P. Egg capsules of river Limpet snails: material for experimental biology. Science 111 1950 pp. 603–605 figs.
- 97.—Bonnot, P. The Abalones of California. Calif. Fish Game 34 1948 pp. 141–169 1 pl. 14 figs.

Boreti, G. see Erspamer, V.

- 98.—Borghi, P. Fossili paleozoici marini della serie dell' Uadi Ubarracàt (Fezzan) [short list]. Ann. Mus. libico Stor. nat. 2 1940 pp. 93–122 3 pls. 5 figs.
- 99.—Borghi, P. & Chiesa, C. Cenni geologici e paleontologici sul paleozoico dell' Egghidi Uan Caza nel deserto di Tàita (Fezzan Occidentale). Ann. Mus. libico Stor. nat. 2 1940 pp. 123–137 1 pl., 2 figs.
- of Benhamina obliquata (Sowerby), a basommatophorous pulmonate in Otago Harbour. Trans. roy. Soc. N.Z. 78 1950 pp. 385–393 4 pls.

- Bose, A. see Ghosh, A. K.
- 101.—Bougis, P. Observations sur la ponte de quelques mollusques Gastéropodes en aquarium. Vie et Milieu, Paris 1 1950 pp. 99–100.
- 102.—Bourdillon, A. Note sur le commensalisme des *Modiolaria* et des Ascidies. Vie et Milieu, Paris 1 pp. 198–199.
- 103.—Bouxin, H. La notion d'individualité chez les Lamellibranches; son importance taxonomique. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 449-450.
- 104.—Bowden, B. J. Some observations on a luminescent freshwater limpet from New Zealand. Biol. Bull. Woods Hole 99 No. 3 1950 pp. 373–380 7 figs.
- 105.—Boycott, B. B. & Young, J. Z. The comparative method in study of the higher nervous activities. Symposia Soc. exp. Biol., Cambridge No. 4 1950 pp. 432-453 text-figs. pls. 1, 2.
- 106.—Brakman, C. Over het voorkomen van Nassa reticulata in de kanalen van Walcheren. Basteria, Lisse 14 1950 pp. 9-10.
- 107.—Brehm, V. Nochmals die Biocoenosen der Lunger Gewässer. Nach Mitteilungen verschièdener Besucher der Biologischen Station Lunz zusammengestellt und mit einem allgemeinen Vorwort versehen. Int. Rev. Hydrobiol. 42 1942 pp. 289–316.
- 108.—Breistroffer, M. Notes de nomenclature paléozoologique. I.— Ammonites jurassiques et crétacées. Bull. Soc. sci. Dauphiné 62 2 1949 pp. 99-102.
- 109.—Breistroffer, M. Révision des Ammonites du Vraconien de Salazac (Gard) et considérations générales sur ce sous-étage albien. [Lists in text]. Trav. Lab. Géol. Univ. Grenoble 22 1940 pp. 71–171.
- 110.—Breistroffer, M. Description de quelques Gastéropodes albiens du Sud-Est de la France. Trav. Lab. Géol. Univ. Grenoble 23 1942 pp. 97-110.
- 111.—Bresse, G. Role des moules d'eau douce dans la reproductión des Bouvières. Bull. Mus. Hist. nat. Paris (2) 22 1950 pp. 333-335.

- 112.—Brinck, P. & Wingstrand, K. G. The mountain fauna of the Virihaure area in Swedish Lapland. [Moll. Lists pp. 22, 23, 27, 53, 55, 57, 59-61.] Acta Univ. Swed. N.F. 45 2 1949 pp. 1-69 24 text-figs. graphs maps.
- 113.—Broek, A. N. Ten. On some brackish water Mollusca from the Lake of Maracaibo. Zoöl. Meded. 31 1950 pp. 79–87 1 fig. 1 map.
- 114.—Brooks, J. L. Speciation in Ancient Lakes [Lake Baikal] Moll. pp. 36, 37. Quart. Rev. Biol. 25 1950 pp. 30-60 plates & text-figs.
- 115.—Brooks, J. L. Speciation in ancient lakes. Quart. Rev. Biol. 25 1950 pp. 131-176 8 figs. tables.
- 116.—Bruggen, A. C. v. Een merkwaardige afzetting van landmollusken in de Slufter op Texel. Basteria, Lisse 14 3-4 1950 pp. 60-62 text map.
- 117.—Burg, W. J. v. d. Over enige tot nu toe uit het Middenplioceen van Nederland onbekende molluskensoorten. [English summary p. 26.] Basteria, Lisse 14 1–2 1950 pp. 20–27 text-fig. & pl. 3.
- 118.—Bury, H. Blaskenwell Tufa. [Pleistocene S. of Corfe Castle.] Proc. Bournemouth nat. Sci. Soc. 39 1950 pp. 48-51.
- 119.—Bushey, C. J. Land snails from Grant County, Indiana. Nautilus, Philad. 63 1950 pp. 119-121.
- 120.—Bushey, C. J. Land snails from Clifty Falls State Park, Jefferson County, and from Versailles State Park, Ripley County, Indiana. Nautilus, Philad. 64 2 1950 pp. 54–55 list.
- 121.—Cahn, A. R. Conchological monuments in Japan. Nautilus, Philad. 64 1950 pp. 1–4 pl. 1.
- 122.—Cahn, A. R. Oyster culture in Japan. Rep. Nat. Resources Section H.Q. Allied Powers, Tokyo No. 134 1950 pp. 1–80 frontis. 40 figs. map.
- 123.—Cain, A. J. & Sheppard, P. M. Selection in the polymorphic land snail Cepaea nemoralis. Heredity, London 4 1950 pp. 275-294 3 figs. tables.
- 124.—Camacho, H. H. Sobre "Panope princetoniana" N.N. Riv. Asoc. Geol. Argentina 4 3 1949 p. 180.

- 125.—Camacho, H. H. La fáunula cretácica del Hito XIX (Tierra del Fuego). Riv. Asoc. Geol. Argentina 4 4 1949 pp. 249-254 1 pl.
 - Camacho, H. H. see Furque, G.
- 126.—Cambridge, P. Hascot, a new crag-pit. [List of fossils in text.] Trans. Suffolk Nats. Soc. 7 2 1950 pp. 66-67.
- 127.—Carrasco, I. P. & de Lizaur y Roldán, J. Estudios sobre prolongación de cuencas hulleras. Notes sobre el Mioceno del Vallee Bético (sondeo de Bujalance). Bol. Inst. Geol. Esp. 62 1949 pp. 273–296 (1–24) pls. 1–5 1 map & 1 geol. section.
- 128.—Carriker, M. R. Killing and preservation of bivalve larvae in fluids. Nautilus, Philad. 64 1950 pp. 14–17.
- 129.—Caruthers, M. A Collecting trip to Trinidad. [List.] Min. Conch. Club, S. Calif. 101 June 1950 pp. 2–4.
- 130.—Caspers, H. Die tierische Lebensgemeinschaft in einem Röhricht der Unterelbe. [Moll. pp. 42, 43]. Verh. Ver. naturw. heimatforsch. Hamburg 30 1949 pp. 41-
- 131.—Cassara, A. Sui molluschi d'acqua dolce della Sicilia con i loro nidamenti. Atti Accad. Palermo sci. Lett. Arti (4) 7 1 1948 pp. 51-82 pls. i-ix.
- 132.—Catala, R. Contribution a l'étude écologique des îlots coralliens du Pacifique Sud. Premiers éléments d'écologie terrestre et marine des îlots voisins du littoral de la Nouvelle Calédonic. [Lists pp. 276, 290, 305–307]. Bull. biol., Paris 84 1950 pp. 234–315 2 pls., 19 figs.
 - Certain, P. see Le Calvez, J.
- 133.—Chao, K. Notes on the "Gastrioceras" Liui Grabau. Contr. Nat. Res. Inst. Geol. Acad. Sinica 8 1948 pp. 303–306 1 fig.
- 134.—Chari, V. K. Breeding habits of *Thais bufo* (Lamarck). J. Bombay nat. Hist. Soc. 49 1950 pp. 317–318 5 pls.
- 135.—Chatton, M. Géologie des préalpes médianes entre Gruyères et Charmey. [Lists of spp. in text.] Mem. Soc. fribourg. Sci. nat. Geol. Geogr. 13 1947 pp. 1–131 3 pls., 11 figs.
- 136.—Chavan, A. Deux interessants Lamellibranches des sables Astartiens de Cordebugle (Calvados). J. Conchyliol., Paris 90 1950 pp. 207–212 text-figs.

- 137.—Chen, P. On the Marine Triassic fauna of Lungyen and Ningyang, Fukien. Quart. J. Taiwan Mus. 3 1950 pp. 82–100 pl. i.
- 138.—Chenevart, C. Problèmes de géologie du pétrole. A propos de l'usage des cartes à isopaques: quelques faits observés dans la Crétacé de Palmyrène, Syrie. Mem. Soc. vaud. Sci. nat. 9 1950 pp. 243–273 l pl., 4 figs.
- 139.—Chenevart, C. S. Les nappes des préalpes médianes et de la Simme dans la région de la Hochmatt (préalpes fribourgeoises). [Lists of spp. in text.] Mem. Soc. fribourg. Sci. nat. Geol. Geogr. 12 1945 pp. 1-213 2 pls., 16 figs.
- 140.—Chestnut, A. F. The uses of a fathometer for surveying shellfish areas. Science 111 1950 p. 677 fig.
- 141.—Chiesa, C. La serie Eocenica del Gebel Uaddàn nella Giofra (Libia). Ann. Mus. libico Stor. nat. 2 1940 pp. 189–202 4 figs.

Chiesa, C. see Borghi, P.

- 142.—Cleave, A. B. The Oriskany Group in Willard, B. The Devonian of Pennsylvania. Bull. Geol. Surv. Pennsylvania G19 1939 pp. 92–130 pl. 13.
- 143.—Cleland, K. W. Effect of cryptopleurine on cell division. Aust. J. Sci. 12 1950 pp. 144-145.
- 144.—Cleland, K. W. Respiration and cell division in developing oyster eggs. Proc. Linn. Soc. N.S.W. 75 1950 pp. 282–295 5 figs. tables.
- 145.—Cleland, K. W. The intermediary metabolism of unfertilized oyster eggs. Proc. Linn. Soc. N.S.W. 75 1950 pp. 296-319 3 figs. tables.
- 146.—Clench W. J. & Turner, R. D. The genera Sthenorytis, Cirsotrema, Acirsa, Opalia and Amaea in the Western Atlantic. Johnsonia, Cambridge Mass. 2 29 1950 pp. 221–246 pls. [text-figs.] 96–107.
- 147.—Coe, W. R. Nutrition and sexuality in protandric gastropods of the genus *Crepidula*. Biol. Bull. 94 1948 pp. 158-160.
- 148.—Coe, W. R. Variations in the expression of sexuality in the normally protandric gastropod *Crepidula plana* Say. J. exp. Zool. 108 1948 pp. 155-170.

- 149.—Coe, W. R. Divergent methods of development in morphologically similar species of prosobranch gastropods. J. Morph. 84 1949 pp. 383-400.
- 150.—Coe, W. R. Nutrition, environmental conditions, and growth of marine bivalve mollusks. J. mar. Biol. 7 3 1948 pp. 586-601 graphs.
- 151.—Coe, W. R. & Fitch, J. E. Population studies, local growth rates and reproduction of the Pismo clam (*Tivela stultorum*). J. mar. Res. 9 1950 pp. 188–210 4 figs.
- 152.—Coen, G. S. Morio echinophora monstr. ruggeri di un individuo mostruoso della Morio (Cassidaria echinophora L. Acta pont. Acad. Scient. 13 14 1950 pp. 197–198 pl. 1.
- 153.—Coen, G. S. Di un esemplare anomalo di *Haliotus* (*Teinotis*) asinina: L. Natura, Milano 41 3-4 1950 pp. 99-100 2 figs.
- 154.—Coggi, L. Fossili Triassici della Gefara Tripolina. Ann. Mus. libico Stor. nat. 2 1940 pp. 139–156 pl. xviii 1 fig.
- 155.—Cole, H. A. Cine-film on Oyster Culture. Challenger Soc. London 3 2 1950 pp. 15–16.
- 156.—Cole, H. A. Shell disease in re-laid French Oysters. Nature, Lond. 166 1950 pp. 19-20 text-fig.
- 157.—Cole, H. A. & Jones, E. W. K. The setting behaviour of larvae of the European Flat Oyster Ostrea edulis L., and its influence on methods of cultivation and spat collection. Fish. Invest. London (2) 17 No. 3 1949 pp. 1–39 4 figs. 22 tables.
- 158.—Collier, A., Ray, S. & Magnitzky, W. A preliminary note on naturally occurring organic substances in sea water affecting the feeding of Oysters. Science 111 1950 pp. 151-152 graph.

Collinson, C. see Miller, A. K.

Colom, G. see Fallot, P. & others.

159.—Comfort, A. Acid soluble pigment of shells. 1. The distribution of porphyrin fluorescence in molluscan shells. Biochem. J. Cambridge 44 1 1949 pp. 111–117 tables.

- 160.—Comfort, A. Acid-soluble pigments of molluscan shells. 2. Pigments other than porphyrins. 3. The indigoid character of the blue pigment of Haliotis crackerodii Leach. Biochem. J., Cambridge 45 1949 pp. 199–210 figs.
- 161.—Comfort, A. Acid-soluble pigments of molluscan shells. 5. Identity of some subsidiary fractions derived from *Pinctada vulgaris*. Biochem. J. 47 2 1950 pp. 254–255 1 fig.
- 162.—Comfort, A. Hygromia cinctella (Draparnaud) in England. J. Conch., London 23 1950 pp. 99–100 text-figs.
- 163.—Comfort, A. A subsidiary Shell Pigment in *Haliotis cracherodii* Leach. Nature, Lond. 166 1950 pp. 194–195 graph.
- 164.—Comfort, A. Biochemistry of molluscan shell pigments. Proc. Malac. Soc., London 28 1950 pp. 79–85.
- **165.—Comfort,** A. Molluscan shells as a practical source of uroporphyrin I. Science **112** 1950 pp. 279–280.

Comfort, A. see Nicholas A. E. H.

- 166.—Cooke, C. W. Geology of Florida. [Lists of molluscan spp. in text.] Geol. Bull. Florida Geol. Surv. Tallahassee 29 1945 pp. 1-119 figs. 15, 18, 19, 20, 22-23, 27-30.
- 167.—Coombs, D. S. The geology of the northern Taringatura hills, Southland. Trans. roy. Soc. N.Z. 78 1950 pp. 426-448 1 pl. table.
- 168.—Cotton, B. C. Mollusca from Western Australia. Rec. S. Aust. Mus. Adelaide 9 1950 pp. 333–338.
- 169.—Cotton, B. C. Pleistocene land and fresh water shells from South Australia. Rec. S. Aust. Mus. Adelaide 9 1950 p. 352.
- 170.—Cotton, B. C. Records of snails and slugs introduced to South Australia. S. Aust. Nat. 16 1937 pp. 58-60 1 pl.
- 171.—Cotton, B. C. The Southern Bailer Shell. S. Aust. Nat. 21 1942 p. 14.
- 172.—Cotton, B. C. An old mangrove mud-flat exposed by wave scouring at Glenelg, South Australia. Trans. roy. Soc. S. Aust. 73 1950 pp. 59-61.
- 173.—Cotton, B. C. Fossil oysters used for road metal. Trans. roy. Soc. S. Aust. 73 1950 p. 62 2 pls.

- 174.—Cox, L. R. & Arkell, W. J. A survey of the mollusca of the British Great Oolite Series. Primarily a nomenclatorial revision of the monographs by Morris and Lycett (1851–55), Lycett (1863) and Blake (1905–1907). Part II, Revised Explanation of Plates, Morris & Lycett (Univalves) I–XV; Lycett Supplement XXXI–XLV; and Blake (Cornbrash) II–IX. Mon. Paleont. Soc., London Jan. 1950 pp. xiv–xxiv 49–105 + 28 pp.
- 175.—Crespin, I. Some Tertiary Pelecypoda, from the Lakes Entrance Oil Shaft, Gippsland, Victoria. Proc. roy. Soc. Vict. N.S. 60 1950 pp. 149– 156 pls. xiv-xvii.
- 176.—Daniel, R. J. Distribution of Ascorbic acid in the common Mussel (Mytilus edulis L.). Proc. Lpool. biol. Soc. 57 1950 pp. 5-16 text-figs.
- 177.—Dartevelle, E. La côte et l'estuaire du Congo. [List of fossils and subfossils pp. 15, 16.] Mém. Inst. R. Colon. Belge Sci. nat. méd. 8° 19 2 1950 pp. 1–59 4 pls.
- 178.—Dartevelle, E. Les mollusques des environs de Léopoldville. Zooleo, Leopoldville N.S. No. 4 1950 pp. 3–16 text-figs.
- 179.—Dathe, H. Über Schuls-Missbildungen bei Sepia officinalis. Arch. Mollusk. 79 1950 pp. 21–24 pls. 2–5.
- 180.—Daugherty, F. M., J. The effects of sodium acid pyrophosphate on *Ostrea virginiea* Gmelin. Texas J. Sci. 2 1950 pp. 539-540.
- 181.—Davis, A. G. Notes on the Holocene and later mollusca. [London S.E.1. List.] London Nat. No. 29 1950 pp. 40–41 figs.
- 182.—Davis, A. G. Notes on the presence of freshwater mollusca in lime concrete. [List of spp.] London Nat. No. 29 1950 pp. 41-42.
- 183.—Davis, A. G. List of fossils from the London Clay, Waterloo Station Shaft. London Nat. No. 29 1950 p. 43.
- 184.—Davis, H. C. On interspecific hybridization in *Ostrea*. Science 111 1950 p. 522.

Davis, H. C. see Loosanoff, V. L. Deboutteville, C. D. see Petit, G.

- 185.—Decary, R. La faune Malgache, son rôle dans les croyances et les usages indigenes. Paris (Payot) 1950 pp. 236 22 figs.
- 186.—Degner, E. Zuchtversuche mit Laciniaria biplicata Mtg. monstr. dextrorsa (Gastrop. Pulm.). Zool. Anz. 145 Erganzungsb. 1950 pp. 115–126.
- 187.—Delépine, G. Sur la présence à Tournai de *Pericyclus impressus* de Koninck. Ann. Soc. géol. Nord 70 1950 pp. 128–130 pl. 6 figs. 7–8.
- 188.—Delépine, G. Description d'une goniatite nouvelle du Westphalien du Sud Oranais. Eoparalegoceres inflatum Ann. Soc. géol. Nord. 70 1950 pp. 179–184 pl. 6 figs. 1-6.
- 189.—Dell, R. K. Notes on the taxonomy and distribution of some New Zealand mollusca with description of four new species. Dominion Mus. Rec. Zool., Wellington N.Z. 1 1950 pp. 21–28 figs. 1–7.
- 190.—Dell. R. K. A tertiary molluscan fauna from Waikowhai, Manukau Harbour, Auckland. Dominion Mus. Rec. Zool., Wellington N.Z. 1 1950 pp. 29–37 figs. 1–10.
- 191.—Dell, R. K. Two new species of land snails from the Snares Islands. Dominion Mus. Rec. Zool., Wellington N. Z. 1 1950 pp. 55-58 figs. 1-6.
- 192.—Dellow, V. Inter-tidal ecology at Narrow Neck Reef, New Zealand (studies in inter-tidal zonation: 3). Pacific Sci., Honolulu 4 1950 pp. 355–374 13 figs. map 1 & tables.
- 193.—Delpey, G. Études sur les Gastéropodes albiens de Sud-Est de la France. Trav. Lab. Géol. Univ. Grenoble 23 1942 pp. 73–96 figs.1–25.
- 194.—Derrien, Y., Roche, J. & Laurent-Tabusse, G. Étude de la dissociation de l'hémocyanine d'Helix pomatia par la méthode des courbes de relargage. C.R. Acad. Sci., Paris 231 1950 pp. 926–928 3 graphs.
- 195.—Devidts, J. Notes sur quelques coquilles nouvellement trouvées dans les tufs quarternaires de Saint-Pons-Gémenos (B.-du-R.), Bull. Mus. Hist. nat. Marseille 9 1949 pp. 117-121.
- 196.—Dexter, R. W. Distribution of the Mollusks in a basic bog lake and its margins. Nautilus, Philad. 64 1950 pp. 19-26.

- 197.—Dieuzeide, R. La faune du fond chalutable de la Baie de Castiglione. [Moll. pp. 28-34.] Bull. Sta. Aquic. Pêche Castiglione (N.S.) 2 1950 pp. 9-86 6 figs.
- 197a.—Dmitryeva, R. G. & Bogdanovitch, A. K. Types of strata of the Kubansk Bay in the Tchokraks period. C.R. Acad. Sci., Moscou N.S. 73 1950 pp. 557-560. [In Russian.]
- 198.—Dodge, H. Hiatella Daudin versus Saxicava Bellevue. Nautilus, Philad. 63 1950 pp. 138.
- 199.—Dodge, H. Hiatella Daudin versus Saxicava Bellevue. Nautilus, Philad. 64 1950 pp. 29–33.
- 200.—Dodge, H. The plate headings of Bruguière. Nautilus, Philad. 64 1950 pp. 68-69.
- 201.—Domínguez, N. Los caracoles o conchas de los moluscos. Bol. Hist. nat. Habana 1 1950 pp. 135–136.
 - O'Donnel, H. see Torres, A. S.
- 202.—Dörries, F. Über Haltung und Wachstum der Riesenschnecke Achatina perdix. Zool. Gart., Lpz. 16 1950 pp. 204–205.
- 203.—Dowdy, W. W. A community study of an Oak-Hickory association with special reference to Invertebrates. [Mollusca Listed p. 687.] Amer. midl. Nat. 43 1950 pp. 667-695 graphs.
 - Downs, A. R. see Miller, A. K.
- 204.—Drake, R. J. Holospira kriegeri, new species, from Tamaulipas. Nautilus, Philad. 64 1950 51-53 pl. 4 fig.
- Duchâteau, G. see Florkin, M. & others.
- 205.—Ducke, H. Die mathematische Behandlung der Spiralen von Conchilien. Z. Biol., München 103 1950 pp. 273–277 tables.
 - Dudok de Wit, S. see Raven, C. P.
- 206.—Dulzetto, F. Sull' origine e la struttura delle capsule ovifere di *Murex trunculus* L. Arch. zool. (ital.), Napoli 35 1950 pp. 83–100 10 figs.
- 207.—Durham, J. Wyatt. Cenozoic marine climates of the Pacific coast. Bull. geol. Soc. Amer. 61 1950 pp. 1243-1264 figs. 1-3.

- 208.—Dvořák, J. The line of demarcation between the lower and the middle Turonian in Orliskoždárská area. [Lists of spp.] Acta Acad. Sci. nat. Moravo-Siles 21 7 1949 pp. 1-31 pls. i-v tables map. [English summary.]
- 209.—Eales, N. B. Torsion in Gastropoda (Presidential address Feb. 1949). Proc. Malac. Soc. London 28 1950 pp. 53-61 text-figs. pls. 4, 5.
- 210.—Eales, N. B. Secondary symmetry in Gastropods (Presidential Address Feb. 1950). Proc. Malac. Soc. London 28 1950 pp. 185–196 text-figs,
- 211.—Eames, F. E. New name for a Paris Basin Upper Eocene Turritellid. Proc. Malac. Soc. London 28 1950 p. 62.
- 212.—Eames, F. E. New names for some tertiary and possible Danian mollusca from the Indo-Pacific region. Proc. Malac. Soc. London 28 1950 pp. 86–87.
- 213.—Eames F. E. Notes on some Caenozoic molluscan species from the Far East. Proc. Malac. Soc. London 28 1950 pp. 145–155.
- 214.—Eberzin, A. G. The stratigraphical position of the sites of the ancient Hipparions in Moldavian Soviet Republic. C.R. Acad. Sci. Moscow N.S. 75 2 1950 pp. 283–286. [In Russian.]
- 215.—Ellis, A. E. Succinea putris (L.) parasitized by Leucochloridium. J. Conch., London 23 1950 p. 107.
- 216.—Ellis, A. E. The type species of *Testacella*. J. Conch., London 23 1950 p. 115.
- 217.—[Ellis, A. E.]. A. G. Stubbs 1871–1950. J. Conch., London 23 1950 p. 120.
- **218.**—[Ellis, A. E.] Editorial Notes. J. Conch., London **23** 1950 p. 117.
- 219.—Ellison, N. F. Lesser Octopus [Eledone cirrosa] on the coast of Wirral Cheshire. North Western Nat., Arbroath 22 [1949] p. 276.
 - Elst, W. H. r. d. see Raven, C. P.
- 220.—Erspamer, V. & Boretti, G. Identification of enteramine and enteramine-related substances in extracts of posterior salivary glands of Octopus vulgaris by paper chromatography. Experientia, Basel 6 9 1950 pp. 348–349 2 figs.

- 221.—Erspamer, V. & Ottolenghi, A. Antidiuretic action of enteramine [from Octopus, Eledone, and Murex for experimental purposes]. Experientia, Basel 6 11 1950 p. 428.
- 222.—Evans, T. J. A review of Pease's genus Volvatella, together with a preliminary report on a new Sacoglossan genus. Proc. Malac. Soc., London 28 1950 pp. 102–106 text-figs.
- 223.—Eyerdam, W. J. West Indian marine mollusks from southern Brazil. Nautilus, Philad. 63 4 1950 pp. 113-115.
- 224.—Faber, J. Induced rotation of cleavage spindles in *Limnaea stagnalis* L. Proc. K. ned. Akad. Wet. Amst. 53 1950 pp. 1490–1497 10 figs. tables.
- 225.—Fairbridge, R. W. The geology and geomorphology of Point Peron, Western Australia. [Molluscan Lists pp. 66–69.] J. Roy. Soc. W. Aust. 34 1950 pp. 35–72 text-figs. map.
- 226.—Falconer, B. Notes on Argonauta. Min. Conch. Club S. Calif. 98 March 1950 pp. 9–10.
- 227.—Fallot, P., Solé, L., Colom, G. & Birot, P. Sur l'âge des couches de Baza et de la formation de Guadix (Province de Grenade). C.R. Acad. Sci. Paris 231 1950 pp. 504-507.
- 228.—Fargo, W. G. Daniel Littlefield Emery. Nautilus, Philad. 64 1950 61-62 frontispiece.
- 229. Faure, M.-L. Note préliminaire sur le Zooplancton de la Zone côtière du Maroc. Bull. Soc. Sci. nat. Maroc 28 1950 pp. 197-201 1 fig.
- 230.—Faure, M.-L. Note préliminaire sur le Zoplancton de la Zone côtière du Marco (Année 1947). Rapp. Cons. Explor. Mer Copenh. 126 1950 pp. 44-51 8 figs.
- 231.—Favre J. & Jayet, A. un nouveau gisement post-glaciaire ancien à Pisidium vincentianum et Pisidium lapponicum aux environs de Genève. J. Conchyliol., Paris 90 1950 pp. 42-47.
- 232.—Fedorov, P. V. Ancient-Caspian coastal lines of the eastern part of the Northern Precaspia. C.R. Acad. Sci., Moscou N.S. 74 1950 pp. 353–355. [In Russian.]
- 233.—Feliksiak, S. Essai sur la régénération de la tête chez *Physa acuta* Drap. Ann. Mus. zool. polon. 14. 1947 pp. 7–11 pl. ii.

234.—Feliksiak, S. Anomalies and deformations of the genital organs in Helicigona (Arianta arbustorum (L.) with an attempt to explain the mechanism of their origin. [English with Polish résumé.] Ann. Mus. zool. polon. 14 1950 pp. 141–166 6 text-figs. table pls. xi–xvi.

Ferguson, J. H. see George, W. C.

235.—Fernando, H. E. Note on an Abnormality in the reproductive system of *Achatina fulica*. Ceylon J. Sci. Zool. (B) 24 1950 1 p. 61 text-fig.

236.—Fernando, W. The vesicula seminalis of Glessula ceylanica (Mollusca -Pulmonata). Ceylon J. Sci. (B) 24 1950 pp. 123-125 pls. viii.

Feugueur, L. see Grangeon, M.

237.—Feyling-Hanssen, R. W. & Jørstad, F. A. Quaternary fossils from the Sassen-area in Isfjorden, West-Spitsbergen. (The Marine Mollusc fauna). [Lists.] Skr. Norsk. Polarinst. Oslo No. 94 1950 pp. 1–85 text-figs, tables & map.

238.—Fez, S. de. Contribucion a la malacologia de Valencia. Bol. Soc. esp. Hist. nat. 47 1950 pp. 279–281.

239.—Fields, W. G. A preliminary report on the fishery and on the biology of the Squid Loligo opalescens. Calif. Fish Game 36 1950 pp. 366-377 6 figs.

Finlay. H. J. see Benson, W. V.

240.—Fischer-P., H. Historique du Journal de Conchyliologie. J. Conchyliol., Paris 90 1950 pp. 5-8.

241.—Fischer-Piette, E. Liste de types descrits dans le Journal de Conchyliologie et conservés dans la collection de ce Journal. J. Conchyliol., Paris 90 1950 pp. 8-23 plate.

242.—Fischer-Piette, E. Liste de types descrits dans le Journal de Conchyliologie et conservés dans la collection de ce Journal. [Col. of types.] J. Conchyliol., Paris 90 1950 pp. 65–82 pls. ii–iv.

243.—Fischer-Piette, E. Liste de types descrits dans le Journal de Conchyliologie et conservés dans la collection de ce Journal. [Col. of Types.] J. Conchyliol. Paris 90 1950 pp. 149–180 pl. v.

244.—Fischer-Piette, E. Mollusques terrestres de Madagascar genre *Helico*phanta. J. Conchyliol., Paris 90 2 1950 pp. 32–106 text maps and figs. plate.

245.—Fischer-Piette, E. Au sujet de la répartition de *Pupoides coenopictus* Hutton. J. Conchyliol., Paris **90** 1950 p. 221.

Fischer, K. G. A. see Zilch, A.

Fiscon, F. see Leonardi, P.

246.—Fisher, W. D. Mollusca of a Sewage Works. J. Conch., London 23 1950 pp. 113-115.

247.—Fitch, J. E. The Pismo Clam [Biology & Economics of *Tivela stulto-rum* Mawe.] Calif. Fish Game 36 1950 pp. 285–312 figs. 116–128 tables.

Fitch, J. E. see Coe, W. R.

248.—Fleming, C. A. The molluscan fauna of the fiords of Western Southland. N.Z. J. Sci. Tech. 31B 5 1950 pp. 20-40 1 map.

249.—Fleming, C. A. The molluscan fauna of the Pahi Greensands, North Auckland. Trans. roy. Soc. N.Z. 78 1950 pp. 236–250 1 pl., 1 fig.

250.—Fleming, C. A. New Zealand recent Thyasiridae (Mollusca). Trans. roy. Soc. N.Z. 78 1950 pp. 251–254 pl. 25

251.—Fletcher, H. O. Australia's oldest fossils. The winged-snail, *Biconulites*, and the Archaeocyathinae sponges. [Lower Cambrian]. Aust. Mus. Mag. 10 1950 pp. 107–112 4 figs. 2 maps.

252.—Florian, S. Die Molluskenfauna des Uttentales. [List]. Mem. Mus. Stor. nat. Venez. trident. 8 3 1948 pp. 55–64.

253.—Florkin, M. Température et hydratation, chez un mollusque dulcicole (*Anodonta cygnea*). C.R. Soc. Biol., Paris 144 1950 pp. 976–977 table.

254.—Florkin, M. & Duchâteau, G. Concentrations cellulaire et plasmatique du potassium, du calcium et du magnésium chez Anodonta cygnea. C.R. Soc. Biol., Paris 144 1950 pp. 1131–1132.

255.—Florkin, M. & Duchâteau, G. Concentrations cellulaire et plasmatique du potassium, du calcium et du magnésium chez une série d'animaux dulcicoles. C.R. Soc. Biol., Paris 144 1950 pp. 1132–1133.

- 256.—Florkin, M., Duchâteau, G. & Leclercq, T. Les constituants inorganiques basiques et les chlorures du plasma sanguin e l'anodonte au cours de l'inanition. C.R. Soc. Biol., Paris 144 1950 pp. 977-978.
- **257.—Flower**, R. H. New genera of Devonian Nautiloids. J. Paleont. **23** 1 1949 pp. 74–80 pls. 18–20.
- 258.—Flügel, H. Eine neue Megalodontenfauna aus dem Hauptdolomit von Bleiberg-Kärnten, Carinthia II 139-140 1950 pp. 126-129.
- 259.—Fonton, M. E. de. Les grottes de Riaux (Massif de la Nerthe-Marseille). [List pp. 25–26]. Bull. Mus. Hist. nat. Marseille 9 1949 pp. 21–63 2 pls. 95 figs.
- 260.—Forcart, L. Von Dr. H. P. Schaub auf der Insel Cuba gesammelte Land- und Susswasserschnecken. Arch. Molluskenk. 79 1950 pp. 67–72.
- 261.—Forcart, L. Was ist *Helix limosa* Linnaeus 1758? Arch. Molluskenk. **79** 1950 pp. 73–75.
- 262.—Forcart, L. Der Genotypus von *Plotia* Bolten & Röding 1798. Arch. Molluskenk. **79** 1950 pp. 77–78.
- 263.—Forcart, L. Wiederbeschreibung von Pagodulina pagodula (Des Moulins) aus dem Dep. Dordogne und Bemerkungen zur rassenmässigen Gliederung der Gattung Pagodulina. Arch. Molluskenk. 79 1950 pp. 167–172.
- 264.—Forcart, L. Systématique des Mollusques en forme de Daudebardia et Revision des espèces d'Anatolie et de l'He de Crête. J. Conchyliol., Paris 90 1950 pp. 107–117 plate.
- 265.—Forcart, L. Les Collections malacologiques du Musée l'Histoire naturelle de Bâle et de quelques autres Musées suisses. J. Conchyliol., Paris 90 1950 pp. 222–224.
- 266.—Fowler, T. G. W. Further note on Divaricella divaricata (L.). J. Conch., London 23 1950 p. 98.
- 267.—Fox, D. L. Comparative metabolism of organic detritus by inshore animals. Ecology, Lancaster, Pa. 31 1950 pp. 100–108 2 pls. 1 fig. tables.
- 268.—Franc, A. Ponte et larves planctoniques de *Philbertia purpurea* (Montagu). Bull. Lab. marit. Dinard No. 33 1950 pp. 23–25 2 figs.

- 269.—Franc, A. Structure et particularités histochimiques du nucléole des ovocytes de Mollusques Prosobranches. C.R. Acad. Sci., Paris 231 1950 pp. 1162-1163 5 figs.
- 270.—Franc, A. Présence d'acide thymonucléique diffus dans le nucléoplasme des ovocytes chez certains gastéropodes Prosobranches. C.R. Acad. Sci., Paris 231 1950 pp. 1562–1563.
 - Franz, E. see Kräusel, R. & others.
- 271.—Freas, D. D. Some snails in the City Parks. Nautilus, Philad. 63 1950 pp. 140, 141.
- 272.—Freas, D. L. Viviparus chinensis. Nautilus, Philad. 64 1950 pp. 35-36.
- 273.—Frömming, E. Physa acuta Drap. in Berlin eingebürgert. Arch. Hydrobiol., 43 1950 pp. 304–316.
- 274.—Frömming, E. Untersuchungen über die Farbvarietäten und die Ernährung der Nacktschnecke Arion empiricorum. Arch. Molluskenk. 79 1950 pp. 117–126 table.
- 275.—Frömming, E. Untersuchungen über die mengenmässige Nahrungsaufnahme der Weinbergschnecke Helix pomatia. Arch. Molluskenk. 79 1950 pp. 175–177.
- 276.—Frömming, E. Die postembryonale Entwicklung einer Nacktschnecke (*Limax flavas* L.) Z. Naturf., Tübingen 5B 7 1950 pp. 398–399.
- 277.—Fry, T. R. Temporary exposures and borehole records in the Bristol area. V. Section of Lower Lias and Rhaetic at Stanton Wick. [Moll. listed]. Proc. Bristol Nat. Soc. 28 1950 pp. 133–134.
- 278.—Fukada, A. On the occurrence of *Perisphinctes* (s.s.) from the Ozika Peninsula in the Southern Kitakami Mountainland. J. Fac. Sci. Hokkaido Univ. Geol. & Min. 4 7 3 1950 pp. 211–216 pl. 1.
- 279.—Furon, R. & Kouriatchy, N. La faune Éocène du Togo. Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 pp. 95-114 2 pls.
- 280.—Furon, R. Les grandes lignes de la paléogéographie de la Méditerranée (Tertiaire et Quaternaire). [Short List of Tyrrhescian spp. p. 154]. Vie et Milieu, Paris 1 1950 pp. 131–162 5 figs.

- ,14
- 281.—Furque, G. & Comacho, H. H. El cretácico superior de la costa átlantica Tierra del Fuego. Riv. Asoc. Geol. Argentina 4 4 1949 pp. 263–297 pls. 1–4 text-figs. & map.
- 282.—Gabe, M. & Prenant, M. Recherches sur la gaine radulaire des Mollusques. I.—La gaine radulaire de Dentalium entale Deshayes. Arch. zool. exp. gén. Paris 86 1950 pp. 487-498 fig. pl. xv.
- 283.—Gabe, M. & Prenant, M. Particularites histologiques de la glande repulsive chez *Oncidiella celtica* Cuv. Bull. Soc. 2001. Fr. 75 1950 p. 162.
- 284.—Gabe, M. & Prenant, M. Recherches sur la gaine radulaire des Mollusques. 2.—Données histologiques sur l'appareil radulaire des Hetéropodes. Bull. Soc. 2001. Fr. 75 1950 pp. 176–1841 pl. 2 figs.
- 285.—Geib, K. W. Neue Erkenntnisse zur Paläogeographie des westlichen Mainzer Beckens. Notizbl. hess. Landesamt. 6 1 1950 pp. 101–111 5 figs.
- 286.—Gelding, R. Etude comparée sur les formes macroscopique et microscopique du barrage de tchoubouk et du lac d'Emir (voisinage d'Ankara). Commun. Fac. Sci. Univ. Ankara 2 1949 pp. 151-199 23 pls. 25 figs. tables, maps.
- 287.—George, W. C. & Ferguson, J. H. The blood of Gastropod molluses. J. Morph. 86 1950 pp. 315-324 pl. i.
- 288.—Germain, J. Note sur un gisement fossilitère Bathonien à St. Martin-des-Pallieres (Var.) [Short list.] Ann. Soc. Hist. nat. Toulon No. 21 1937 pp. 60–61.
- 289.—Gerichter, C. B. Observations on the life history of living nematodes using snails as intermediate hosts. Amer. J. vet. Res. 9 30 1948 pp. 107–112
- 290.—Gersch, M. Über Zellwicherungen und Geschwalstbildung in der Lunge von *Helix*. Biol. Zbl. 69 1950 pp. 500-507 8 figs.
- 291.—Ghosh, A. K. & Bose, A. Microfossils from the Vindhyans. Sci. & Culture, Calcutta 15 1950 pp. 330-331 text-fig.
- 292.—Gigout, M. Sur la paléogeographie du Crétacé dans la partie occidentale de la Méséta marocainè. C.R. Acad. Sci., Paris 231 1950 pp. 1249–1251.

- 293.—Gill, E. B. A study of the Palaeozoic genus Hercynella, with description of three species from the Yeringian (Lower Devonian) of Victoria. Proc. roy. Soc. Vict. N.S. 59 2 1950 pp. 80-92 pl. vii.
- 294.—Gilmore, R. M. Fauna and ethnozoology of South America. [Moll. pp. 422, 423]. Bull. Bur. Amer. Ethn. No. 143 1950 pp. 345–464 12 pls., 7 maps.
- 295.—Gimmelfarb, B. M. On the question of the growth of phosphorites in Karatau. C.R. Acad. Sci. Moscou N.S. 71 1950 pp. 127-128. [In Russian].
 - Giovine, A. see Leanza, A. F.
- 296.—Giuliano, O. Sulla natura degli estratti acetonici di ghiandole salivari di Sepia, Ricerche preliminari. Boll. Accad. gioenia 3 20 1943 pp. 6-8.
- 297.—Goodrich, C. Goniobasis prox-, ima (Say). Nautilus, Philad. 633 1950 pp. 78–80.
- 298.—Goodwin, T. W. Caratenoid distribution in the gonads of the limpets Patella vulgata and Patella depressa. Biochem. J., London 47 1950 pp. 249—251 tables.
- 299.—Goodwin, T. W. & Take, M. M. The caratenoids of the gonads of the limpets Patella vulgata and Patella depressa. Biochem. J., London 47 1950 pp. 244–249 6 figs. 1 table.
- 300.—Gorodiski, A. Etude sur les Ostreidae du Nummulitique du Sénégal. Bull. Soc. géol. Fr. 5 20 7-9 1950 pp. 353-374 pls. 18-19.
- Gorshenin, T. A. see Khain, V. E. & others.
- 301.—Gould, H. N. Culturing Crepidula plana in running sea water. Science 111 1950 pp. 602-603.
- 302.—Graham, A. The molluscan stomach. Trans. Roy. Soc. Edinb. 61 3 (27) 1949 pp. 737–778 24 text-figs.
 - Graham, O. H. see McMullen, D. B.
- 303.—Granaglia, G. Il lacunoma della cellula intestinale di *Helix (pomatia* et *aspersa*). Monit. zool. ital. 58 1950 pp. 100-104.
- 304.—Grangeon, M. & Feugueur, L. Sur le Bartonien d'Hadancourt-Le-Haut-Clocher (Oise). [Lists in Text]. Bull. Mus. Hist. nat., Paris (2) 22 5 1950 pp. 639-642.

- 305.—Grau, G. A short discussion on the Pectinidae. Mins. Conch. Club, S. Calif. 106 Dec. 1950 pp. 2-7.
- 306.—Gregg, W. O. A new and unusual helicoid snail from Los Angeles County, California. Proc. Calif. Acad. Sci. 47 3 1949 pp. 100–102 text-figs.
- **307.**—Guillot, L. Le bassin Oligocène de Couleuvre (Allier). Rev. sci. Bourbon. **1944**–46 1946 pp. 7–9.
- **308.**—Gunter, G. The generic status of living oysters and the scientific name of the common American species. Amer. Midl. Nat. **43** 1950 pp. 438–449.
- 309.—Gunter, G. Seasonal population changes and distributions as related to salinity, of certain invertebrates of the Texas coast including the commercial shrimp. [Moll. pp. 10–12.] Publ. Inst. Mar. Sci. Univ. Tex. 1 No. 2 1950 pp. 7–51 8 figs. 18 tabs.
- 310.—Haas, F. Hermit crabs in fossil snail shells in Bermuda. Ecology, Lancaster, Pa. 31 1950 p. 152.
- 311.—Haas, F. An overlooked Chinese Unionid. Nautilus, Philad. 63 1949 p. 70.
- 312.—Haas, F. Some Land and Fresh-water Mollusks from Pará State, Brazil. Nautilus, Philad. 64 1950 pp. 4–6.
- 313.—Haas, F. On some Bermudian Ellobiidae. Proc. Malac. Soc. London 28 1950 pp. 197–199 pl. 22.
- 314.—Haas, O. Ammonites: Tetra branchiata or Dibranchiata? J. Paleont. 24 1950 pp. 109-110.
- 315.—Habe, T. On the ecological distribution of molluscan shells in Tanabe Bay. Jap. J. Malac. 16 1950 pp. 13-18. [In Japanese].
- 316.—Hamai, I. & Ito, K. Systematic relative growth in molluscan shells. (2) Potamididae. Jap. J. Malac. 16 1950 pp. 57-63 2 figs. I tab. [Japanese with English résumé].
- 317.—Hamon, M. Recherches sur les Spermatophores. i. Partie La Spermatophores des Pagurides (pp. 1-121); ii. Partie La Spermatophore des Mollusques Cephalopodes (pp. 123-155); iii. Partie Considérations gérérales sur les Spermatophores (pp. 157-176). Résumé & Bibliography 179-190. Theses Fac. Sci. Univ. Alger. 1942 pp. i-xiii, 1-190 69 text-figs. pl. 1.

- 318.—Hana, K. Zeedieren—Arnhem, Gouda. Quint-Brouwer Publisher. 144 pp. many plates 1950 [non vidi].
- 319.—Hanna, G. D. Some shells of Clear Lake, northern Modoc County, California. Nautilus, Philad. 63 1950 pp. 97-99.
- 320.—Haranghy, L. v. Die Muschelvergiftung als biologisches Problem auf Grund der neueren diesbezüglichen Ursachenforschung. Helgol. wiss. Meeresuntersuch. 2 1942 pp. 279–35341 figs. graphs.
- 321.—Harper, F. J. The Great West African snail [note only Achatina]. Nigerian Field 15 1950 p. 43.
- 323.—Harry H. W. Studies on the nonmarine mollusca of Yucatan. Occ. Pap. Mus. Zool. Univ. Michigan No. 524 May 1950 pp. 1–34 3 figs. tables.
- 324.—Hartog, C. d. De verspreiding van de Mollusken in de duinplasjes tussen Den Helder en Schoorl. [Summary in English p. 59]. Basteria, Lisse 14 1950 pp. 53–59 text-map.
- 325.—Hässlein, L. Trichia hispida L., T. sericea Drap. und Zenobiella rubigenosa A. Schm., ein Beitrag zur Schneckenfauna des Rieses. Ber. naturf. Ges. Augsburg 3 1950 pp. 101– 119.
- 326.—Hässlein, L. Bemerkungen zum Erstnachweis von Sennilimax kotulae Westerlund im Allgäu. Ber. naturf. Ges., Augsburg 3 1950 pp. 119– 123.
- 327.—Hatai, K. Cenozoic Mollusca from Aomori Prefecture Japan. J. Conchyliol., Paris 90 1950 pp. 128–136 text-map.
 - Hatai, K. M. see Yabe, H.
- 328.—Hatai, K., & Nisiyama, S. New Tertiary Mollusca from Japan. J. Paleont. 23 1949 pp. 87-94 pls. 23, 24.
- 329.—Hatai, K. & Kamada, Y. Fossil evidence for the geological age of the Uchigo Group, Jôban coal-field. Short Pap. Inst. Geol. Paleont. Tôhoku Univ. No. 2 1950 pp. 58-74 3 tables I geol. map.
- 330.—Hedgpeth, J. W. Notes on the marine invertebrate fauna of salt flat areas in Aransas National Wildlife Refuge, Texas. [Moll. pp. 117-118]. Publ. Inst. Mar. Sci. Univ. Tex. 1 No. 2 1950 pp. 103-119 2 figs.

- Hedgpeth, J. W. see Whitten, H. L. & others.
- 331.—Henri, M. & Termier, G. Sur l'organisation palléale des Bellérophontidés. C.R. Acad. Sci., Paris 230 1950 pp. 1681–1682 text-figs.
- 332.—Hepworth, J. V. & Stride, A. H. Temporary exposures and borehole records in the Bristol area. VI. A sequence from the Old Red Sandstone to Lower Carboniferous, near Burrington, Somerset. Proc. Bristol Nat. Soc. 28 1950 pp. 135-138.
- 333.—Hermaden, A. W. Tertiäre Ablagerungen und junge Ländformung im Bereiche des Längstales der Enns. Sitz. Ber. öst. Akad. Wiss. Abt. I. 159 1950 pp. 255–280 map.
 - Herrera, F. V. see Maldonado, J. F.
- **334.**—**Herrington**, H. B. Some wrong identifications of Sphaeriidae. Nautilus, Philad, **63** 1950 pp. 115–119.
- 334a.—Herrington. H. B. Sphaeriidae of Athabaska and Great Slave Lakes Northwestern Canada. Canad. Field Nat. 64 1950 pp. 25–32 Tables graph.
- 335.—Hertlein, L. G. & Strong, A. M. Eastern Pacific expeditions of the New York Zoological Society. XLII. Molusks from the West Coast of Mexico and Central America. Part IX. Zoologica, N.Y. 35 1950 pp. 217–252 pls. i, ii.
- 336.—Hescheler, K. & Kuhn, O. Die Tierwelt in Tschumi, O. Urgeschichte der Schweig. 1 1949 pp. 121-368 [Moll. pp. 176-181] 1 pl. [vide pp. 180/1].
- 337.—Hill, D. K. Advances in the Physiology of Peripheral nerve. J. Mar. biol. Ass. Plymouth 29 1950 pp. 241–246.
- 338.—Hill, D. K. The volume change resulting from stimulation of a giant nerve fibre. J. Physiol., Cambridge 111 1950 pp. 304–327 10 figs., tables.
- 339.—Hirshfield, H. I. The Protozoan fauna of some species of intertidal invertebrates in Southern California. J. Parasit., Lancaster, Pa. 36 2 1950 pp. 107–112 table.
- 340.—Hiscock, I. D. Shell movements of the freshwater mussel, *Hyridella australis* Lam. (Lamellibranchiata) Aust. J. Mar. Freshwater Res. 1 1950 pp. 259–268 4 figs. graphs.

- 341.—Hodgkin, A. L. & Katz, B. The effect of sodium ions on the electrical activity of the giant axon of the squid. J. Physiol., Cambridge 108 1949 pp. 37-77 figs. tables.
- 342.—Hodgkin, A. L. & Katz, B. The effect of temperature on the electrical activity of the giant axon of the squid. J. Physiol., Cambridge 109 1949 pp. 240-249 figs. tables.
- 343.—Hoffmann, H. Über einige Vaginuliden auf Grund bisher für verschollen gehaltener Typstücke. Zool. Anz., Leipzig 136 1941 pp. 229-242 3 figs.
- 344.—Hoffman, H. Über einige Limaciden. [Anatomy]. Zool. Anz., Leipzig 136 1941 pp. 243–259 12 figs.
- 345.—Hoffman, S. Studien über das Integument der Solenogastren nebst Bemerkungen über die Verwandtschaft zwischen den Solenogastren and Placophoren. Zool. Bidr. Uppsala 27 1949 pp. 293–427 52 figs.
- 346.—Holme, N. A. The bottom fauna of Great West Bay. [List pp. 167, 169, 170, 171, 173, 174, 175, 177, 178, 179]. J. Mar. biol. Ass. Plymouth 29 1950 pp. 163–181 map. table.
- 347.—Holme, N. A. Population—dispersion in *Tellina tenuis* da Costa. J. Mar. biol. Ass. Plymouth 29 1950 pp. 267–280 8 figs. tables.
- 348.—Hornell, J. Fishing in many waters, Cambridge (University Press) 1950 pp. xv + 210, frontis. 36 pls. 44 figs.
- 349.—Howard, A. D. A new Verticordia from the Pacific Coast. Nautilus, Philad. 63 1950 pp. 109-110.
- 350.—Hromeda, K. Fossil remains of the Kalm in the vicinity of Nemojamy and Opatovice, Moravia. Bull. int. Acad. Prague 49 1950 pp. 69-79 4 pls.
- 351.—Hromeda, K. Kulmaká zkamenčliny z okolé Nemojan a Opatovio na. jv. okraji Drahanské plošiny. Rozpr. české Akad. (2) 58 6 1950 pp. 1–13 pls. i–iv.
- 352.—Hsiao, S. C. Effect of silt upon Ostrea virginica. Proc. Hawaiian Acad. Sci. No. 25 1950 pp. 8-9.

- 353.—Hsü, H. F. A preliminary study of the bionomics of Oncomelania snails, intermediate hosts of Schistosoma japonicum in Kiangsu and Chekiang provinces, China. Amer. J. trop. Med. Baltimore 30 1950 pp. 397–410 text-figs. & text-map.
- 354.—Hsu, S. C. & Ma, C. T. The I-Chang formation and the Ichangian fauna. Contr. Nat. Res. Inst. Geol. Acad. Sinica 8 1948 pp. 1-51 pl. 9 2 tables.
- 355.—Hubendick, B. Geographical Variation of Siphonaria pectinata (L.) Brunn, A. F. Atlantide Reports 1 Copenhagen (Danish Science Press) 1950 pp. 151–166 4 pls. 10 figs.

356.—Hubendick, B. The Anatomy of *Plesiophysa ornata* (Haas). Ark. Zool., Stockholm 42A 3 1950 pp. 1–10

pl. 1.

- 357.—Hubendick, B. A photographical method of studying morphological variation. Ark. Zool., Stockholm 42A 5 1950 pp. 1-3 pl. i.
- **358.—Hubendick**, B. An extensive biographic investigation; its purpose and organization. J. Conchyliol., Paris **90** 1950 pp. 35-41.
- 359.—Hubendick, B. The validity of Vallonia excentrica Sterki. Proc. Malac. Soc., London 28 1950 pp. 75–78 text-figs. tables & graphs.
- 360.—Hubendick, B. The effectiveness of passive dispersal in *Hydrobia jenkinsi*. Zool. Bidr. Uppsala 28 1950 pp. 493-504 3 maps.
- 361.—Hubricht, L. Notes on Pallifera. Nautilus, Philad. 63 1950 p. 106.
- 362.—Hubricht, L. Mesodon andrewsae normalis (Pils.) in Kentucky. Nautilus, Philad. 63 1950 p. 106.
- 363.—Hubricht, L. The Polygyridae of Pittsylvania County, Virginia. Nautilus, Philad. 64 1950 pp. 6–9.
- 364.—Hubricht, L. The status of Vallonia excentrica Sterki. Nautilus, Philad. 64 1950 p. 35.
- 365.—Hubricht, L. The distribution of *Triodopsis soelneri* (J. B. Henderson) in North Carolina. Nautilus, Philad. 64 1950 p. 67.
- 366.—Hucke, K. Weitere Vorkommen der Paludinenbank im Osten von Berlin. [Short list of moll.] Z. Geschieberforsch. 17 2 1941 pp. 49-61.

- 367.—Humphrey, G. F. The metabolism of Oyster spermatozoa. Aust. J. exp. Biol. med. Sci. 28 1950 pp. 1-13.
- 368.—Humphrey, G. F. Glycolysis in oyster muscle. Aust. J. exp. Biol. med. Sci. 28 1950 pp. 151-162 1 fig. tables.
- 369.—Hunter III, G. W., Abbott, R. T., Pan, C. & Stray, E. Studies on potential snail hosts of Schistosoma japonicum. II. Infection Experiments on Amnicolid snails of the genera Blanfordia, Tricula, & Fukuia. Proc. Helminth. Soc. Washington 16 1949 pp. 86–89.

Hunter III, G. W. see Abbott, R. T.

- Hunter, G. W. see Ritchie L. S. & others.
- 370.—Ichikawa, K. Sakawanetla, new genus, and some other Pelecypods from the Upper Triassic Kochigatani group in the Sakawa basin, Shikoku, Japan. J. Fac. Sci. Tokyo Univ. Sect. II. Geol. etc. 7 3–5 1950 pp. 245–256 pl. v.

Ichikawa, K. see Kobayashi I.,

- 371.—Ihm, P. Infestation par des métacercaires et variation de la coquille chez *Littorina neritordes* Linné. Vie et Milieu, Paris 1 1950 pp. 279–283 2 figs. tables.
- 372.—Ingle, R. M. Summer growth of the American oyster in Florida waters. Science 112 1950 pp. 338–339.
- Ingle, R. M. see Owen, H. M. & others.
- **373.—Ingram,** W. M. Feeding of the beetle, *Calosoma* on snails. Nautilus, Philad. **63** 1950 pp. 142, 143.
- 374.—Ingram, W. M. The Cypraeid fauna of the Galapagos Islands. Proc. Calif. Acad. Sci. (4) 26 7 1948 pp. 135-145 pl. 2 f. 10, 11.
- 375.—Ingram, W. M. & Lotz, C. Land Mollusks of the San Francisco Bay Counties (to be contd.). J. Ent. Zool., Claremont, Cal. 42 1950 pp. 5–27 pls. 4, 5.
- 376.—Ingram, W. M. & Lotz, C. Land mollusks of the San Francisco Bay Counties. J. Ent. Zool., Claremont, Cal. 42 1950 pp. 20–39 9 figs.
- 377.—Iredale, T. The Marine Mollusca of New Caledonia. J. Conchyliol., Paris 90 1950 pp. 52-55.

- 378.—Iwai, J. Kameno-o formation (Tertiary) of the Jôban Coal-field. Short Pap. Inst. Geol. Paleont. Tôhoku Univ. No. 1 1950 pp. 59-77 1 map.
- 379.—Jachowski, L. A. jr. & Stirewalt, M. A. Toxicities of some organic chemicals to Australorbis glabratus, a snail vector of Schistosoma mansoni. J. Parasit., Lancaster, Pa. 36 1950 pp. 152-154 table.
- **380.—Jackson**, J. W. W. Thurgood 1876–1949. J. Conch., London 23 1950 pp. 119–120.
- 381.—Jackson, R. W. Mesodon appressus form sculptior Chadwick in Maryland. Nautilus, Philad. 64 1950 67.
- 382.—Jacobson, M. K. More of the status of *Vallonia excentrica* Sterki. Nautilus, Philad. 64 1950 70.
- 383.—Jaeckel, S. (jun.) Die Mollusken der Schlei. [Lists of spp. pp. 216-219]. Arch. Hydrobiol. 44 1950 pp. 214-270 3 figs. tables.
- 384.—Jaeckel (sen.) S. Die Mollusken eines tropischen Flussgenistes aus Tonkin. Arch. Molluskenk. 79 1950 pp. 15-20 pl. 1.
- 385.—Jaeckel (sen.) S. Über einige neotropische Landschnecken. Arch. Molluskenk. 79 1950 pp. 131–134 2 textfigs.
- 386.—Jaeckel, S. Zur Land und Süsswasser-Molluskenfauna der Krim. Zool. Anz. 145 Enganzungsb. 1950 pp. 343–363 2 figs. Lists.

Jayet, A. see Favre, J.

- 387.—Jeletzky, J. A. Actinocamax from the Upper Cretaceous of Manitoba. Bull. Geol. Surv. Can. 15 1950 pp. 1–27 pls. 1–3 text-figs. 1–2.
- 388.—Jeletzky, J. A. Some Nomenclatorial and Taxonomic problems in Paleozoology with a discussion of the correlation of some uppermost Jurassic and Cretaceous faunas on both sides of the Atlantic. J. Paleont. 24 1950 p. 19.
- 389.—Jensen, A. J. C. Kaempeblaek-sprutten. Flora og Fauna, Kjøbenh. 1950 1-2 pp. 49-50.
- 390.—Jodrey, L. H. & Wilbur, K. M. Phosphorus Exchange in the shell of the Oyster. J. Elisha Mitchell Sci. Soc. 66 2 1950 p. 120.

- 391.—Johansson, J. On the embryology of *Viviparus* and its significance for the phylogeny of the Gastropoda. Ark. Zool., Stockholm 2nd Ser. 1 1950 pp. 173-177 text-figs.
- 392.—Johansson, J. Über die weiblichen Geschlecktsorgane von Hyala vitrea, einer von dem Rissoa-Typus stark abweichenden Form der Gruppe Rissoacea. Ark. Zool., Stockholm 42A 7 1950 pp. 1–6 9 text-figs.
- 393.—Johnson, R. I. On the selection of lectotypes. Nautilus, Philad. 63 1950 pp. 125.
- 394.—Johnson, T. H., Angel, L. M. & Muirhead, N. G. Larval trematodes from Australian freshwater molluses Part XIV. Trans. roy. Soc. S. Aust. 73 1950 pp. 102-108 1 pl. 14 figs.
- 395.—Jones, N. S. Marine bottom communities. [Lists]. Biol. Rev., Cambridge 25 1950 pp. 283–313.
- 396.—Jones, E. W. K. Oyster production in Essex rivers in 1947 and 1948. Challenger Soc. London 3 2 1950 pp. 13–14.
 - Jones, E. W. K. see Cole, H. A.
- 397.—Jones, S. Observations on the bionomics and fishery of the brown mussel (*Mytilus* sp.) of the cape region of peninsular India. J. Bombay nat. Hist. Soc. 49 1950 pp. 519-528 2 pls. text-map.
- Jørstad, F. A. see Feyling-Hanssen, R. W.
- 398.—Jullien, A. & Ripplinger, J. Les excitations faibles du nerf cardiaque d'Helix pomatia produisent de l'acétylcholine sans modifications apparentes du rythme cardiaque. C.R. Soc. Biol., Paris 144 1950 pp. 544-545 graph.
- 399.—Jullien, A. & Ripplinger, J. Sur le production d'acétylcholine par le coeur isolé; Ses rapports avec les positions fonctionnelles de l'organe et la composition du milieu de perfusion. Ann. Scient. Univ. Besançon Zool. Physiol. 5 1 1950 pp. 7–12.
- 400.—Jullien, A. & Ripplinger, J. Sur la production d'acétylcholine par la coeur isolé: ses rapports avec les positions fonctionelles de l'organe et la composition du milieu des perfusion. Bull. Soc. Hist. nat. Doubs No. 53 1950 pp. 19–24.

- 401.—Jullein, A. & Ripplinger, J. Liberation d'acétylcholine par protéolyse à partir du coeur isolé de *Murex trunculus*. C.R. Soc. Biol., Paris 144 1950 pp. 546-548 tables.
- 402.—Jullien, A. & Ripplinger, J. Plusieurs nerfs élémentaires, à fonctions distinctes, entrent dans la constitution du nerf cardiaque des mollusques et du rameau cardiaque du vague chez les poissons. C.R. Soc. Biol., Paris 144 1950 pp. 1069–1071 2 figs.
- 403.—Jullien, A. & Ripplinger, J. Effets de la section des nerfs viscéraux sur le comportement des coeurs branchiaux et sur la survie de la seiche. C.R. Soc. Biol., Paris 144 1950 pp. 1072–1073.
- 404.—Jullien, A. & Ripplinger, J. Sur l'existence de fibres specifiquement tonotropes non cholinergiques dans le trone de nerf cardiaque chez *Helix pomatia*. C.R. Acad. Sci., Paris 230 1950 pp. 467-469.
- 405.—Jutting, W. S. S. van B. Ornamental use of Opercula of *Turbo marmoratus*. Amsterdam Nat. 1 1950 pp. 93-94 2 figs.
- **406.**—Jutting, W. S. S. v. B. What is *Zonites omicula* Mousson? Basteria, Lisse **14** 3-4 1950 p. 63.
- 407.—Jutting, W. S. S. v. B. Revised list of the specimens of *Conus gloria-maris* Chemnitz in the collections of the world. Bijdr. Dierk. 28 1949 pp. 153–163 pls. viii, ix.
- 408.—Jutting, W. S. S. van B. The Malayan species of Boysidia, Paraboysidia, Hypselostoma and Gyliotrachela, (Gastropoda, Pulmonata, Vertiginidae) with a catalogue of all the species hitherto described. Bull. Raffles Mus. Singapore No. 21 1950 pp. 5–47. [pre-issue dated 1949] text-figs.
- 409.—Jutting, W. S. S. v. B. Anatomie comparée de l'appareil génital chez les Pulmonés terrestres de Java, attribués jusqu'ici au genre Hemiplecta Albers 1850. J. Conchyliol., Paris 90 1950 pp. 124–127 text figs.
- 410.—Jutting, W. S. S. v. B. Aperçu sur les Collections malacologiques du Musée zoologique d'Amsterdam. J. Conchyliol., Paris 90 1950 pp. 139-143.
- 411.—Jutting, W. S. S. v. B. Systematic studies on the non-marine mollusca of the Indo-Australian Archi-

- pelago. II Critica Revision of The Javanese Pulmonate Land-shells of the families Helicarionidae, Pleurodontidae, Fruticicolidae and Streptaxidae. Treubia, Buiténzorg 20 1950 pp. 381–505 map & 107 text-figs.
- 412.—Kaiser, E. W. Ancylus fluviatilis O. F. Müller i danske søer. Flora og Fauna, Kjøbenh. 1950 1–2 pp. 69–72.
- 413.—Kaltenbach, H. Ergebnisse zoologisch-geologischer Sammelreisen in NO-Afrika, 2 Helix nucula, Helix aspersa und Eobania vermiculata. Arch. Molluskenk. 79 1950 pp. 55–65 pl. 10.
- 414.—Kaltenbach, H. Ergebnisse zoologisch-geologischer Sammelreisen in NO-Afrika, 3. Die Gattung Sphincterochila Ancey. Arch. Molluskenk. 79 1950 pp. 155–166 pl. 13.
- 415.—Kamada, Y. A preliminary report on a Pleistocene marine fauna from Fukushima Prefecture. Short Pap. Inst. Geol. Paleont. Tôhoku Univ. No. 1 1950 pp. 48-53 1 text-fig.

Kamada, Y. see Hatai, K.

- 416.—Kanakoff, G. P. Contributions from Los Angeles County Museum-Channel Islands biological survey. No. 34. Some observations on the land snails of San Clemente Island. Bull. S. Calif. Acad. Sci. 49 1950 pp. 79–89 9 figs. & graphs.
- 417.—Kanamaru, T. A history of the collection of shells in Province Kü. Jap. J. Malac. 16 1950 pp. 18-25. [In Japanese.]
- 418.—Karlov, N. N. The presence of the marine upper Oligocene deposits in Pre-Black-Sea Cavity. C.R. Acad. Sci. Moscou N.S. 75 1950 pp. 745-746. [In Russian].

Kato, K. see Tanita, S & others.

Katz, B. see Hodgkin, A. L.

- 419.—Kessel, E. Zum Strukturproblem der Molluskenschale. Zool. Anz. 145 Erganzungeb. 1950 pp. 373–379 5 figs.
- 420.—Kawaguti, S. Observations on the Heart Shell, Corculum cardisea (L.), and its associated Zooxanthellae. Pacific Sci., Honolulu 4 1 1950 pp. 43–49 textfigs. tables.

- 421.—Keen, A. M. Notes on the history of *Nemocardium* [Family Cardiidae]. J. Conchyliol., Paris 90 1950 pp. 23-29.
- 422.—Khain, V. E., Tikhomirov, V. V. & Gorshenin, T. A. Upper Pliocene of the western periphery of the small Caucasus. C.R. Acad. Sci. Moscou N.S. 72 1950 pp. 755-758. [In Russian.]
- 423.—Khanin, A. A. Lithological characteristic of the Sarmatian formation of Preazovsk. C.R. Acad. Sci. Moscou N.S. 72 1950 pp. 377–380. [In Russian.]
- 424.—Khanin, A. A. The relation of the Paleogenic deposits of Preazovye with the strata of Maykopsk. C.R. Acad. Sci. Moscou N.S. 72 1950 pp. 569-571. [In Russian].

Kigawa, K. see Nomura, S.

425.—King, P. B. Geology of the Southern Guadalope Mountains Texas. Prof. Pap. U.S. Geol. Surv. 215 1948 pp. vi, 1-183 23 plates 24 text-figs.

Kinoshita, T. see Nishioka, C. & others.

- 426.—Kisch, B. S. Growth stages of Cyclope neritea (L.). J. Conch., London 23 1950 p. 108 pl. 4.
- 427.—Kisch, B. S. Odostomia eulimoides Hanley on Chlamys varia (L.). J. Conch., London 23 1950 p. 109.
- 428.—Klinghardt, F. von. Das geologische Alter der grossen Rudistenriffes vom "Hörnerberg" bei Chironäa unweit Livadia in Böotien (Griechenland). Z. dtsch. geol. Ges. 95 3-4 1943 pp. 121-132 pls. 7-8 text-figs. 1-6.
- 429.—Knudsen, J. Notes on Danish Cephalopods. 1. Records of Sepia officinalis L. from the Danish waters. Flora og Fauna 56 3–5 1950 pp. 141–147 2 figs. [English summary.]
- 430.—Kobayashi, T. & Ichikawa, K. On the Upper Triassic Kochigatani series in the Sakawa Basin, in the Province of Tosa, (Kochi Prefecture) Shikoku Island, Japan, and its Pelecypod faunas. J. Fac. Sci. Tokyo Univ. Sect. II. Geol. 7 3–5 1950 pp. 179–206 2 maps.

- 431.—Kobayashi, T. & Ichikawa, K. Late Triassic Mytilus, Volsella, Pleurophorus and Mycconcha from the Sakawa basin in Shikoku, Japan. J. Fac. Sci. Tokyo Univ. Sect. II. Geol 7 3-5 1950 pp. 207-215 pl. i.
- 432.—Kobayashi, T. & Ichikawa, K. Triassie Oxytoma from the Sakawa Basin in Shikoku, Japan. J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950 pp. 217-229 pl. ii, iii.
- 433.—Kobayashi, T. & Ichikawa, K. Anodontophora and some other Carnic Pelecypods from the Sakawa Basin, in Shikoku, Japan. J. Fac. Sci. Tokyo Univ. Sect. II. Geol. etc. 7 3–5 1950 pp. 231–243 pl. iv.
- 434.—Koch, H. J. The marine mollusca of South Africa. African Wildlife 4 1950 pp. 243-247 4 figs.
- 435.—Kokoszyńska, B. Stratigraphy of the Lower Cretaceous in the Northern Flysch Carpathians. Trav. Serv. géol. Pologne 6 1949 pp. 1–99 5 plates 1 text-fig. [English summary p. 86.]
- 436.—Kolb, H. Die Belemniten des jüngeren Lias & in Nordbayern. Z. dtsch. geol. Ges. 94 3-4 1942 pp. 145-168 pls. 5-11.
- 487.—Kolosváry, G. v. Beiträge zur Kenntnis der Tierassoziationen an Mytilus galloprovincialis Lamarck in der Adria. Zool. Anz. 131 1940 pp. 205– 208 2 figs.
- 438.—Kondo, Y. Charles Montague Cooke jr. Nautilus, Philad. 63 1949 pp. 33–36.
- 439.—Kopsch, Fr. Beobachtungen und Erfahrungen beim Züchten des Limnaea stagnalis. Anat. Anz., Jena 97 1949 pp. 145–151 table.
- 440.—Korobkov, I. A. Possibility of the generic relationship explanation in some bivalve Mollusca according to shells bearing traces of injuries. C.R. Acad. Sci. Moscou N.S. 73 1950 pp. 1279-1282. [In Russian.]
- 441.—Korringa, P. More light upon the problem of the Oyster's nutrition. Bijdr. Dierk. 28 1949 pp. 237-248.
- 442.—Korringa, P. A review of the papers on Mollusca presented at the special scientific meeting on Shellfish of the International Council for the exploration of the Sea, Edinburgh, 10th October 1949. J. Conseil, Copenhague 17 1950 pp. 44-59.

- 443.—Korringa, P. De canval van de parasiet *Mytilicola intestinalis* og de Zeeuwse mosselcultuur. Visserij Nieuws No. 7 1950 Supp. p. 1–7. [non vidi].
- 444.—Kotaka, T. Paleogene Turritella of Japan. Short Pap. Inst. Geol. Paleont. Tôhoku Univ. No. 1 1950 pp. 32-41 pl. 5.
- 445.—Kotaka, T. A new Clinocardium from Aomori Prefecture. Short Pap. Inst. Geol. Paleont. Tôhoku Univ. No. 2 1950 pp. 46-50 pl. 5.
- 446.—Krause, H. R. Quantitative Schilluntersuchungen im See- und Wattengebiet von Norderney und Juist und ihre Verwendung zur Klärung hydrographischer Fragen. Arch. Molluskenk. 79 1950 pp. 91-116 tables & graphs, list.
- 447.—Kräusel, R., Zilch, A., Triebel, E. & Franz, E. Pflanzen- und Tier-Reste aus dem Schwemmlöss von Bad Soden am Taunus. [Molluscan List pp. 352–353]. Senckenbergiana 31 1950 pp. 349–354.

Krausp, C. see Schlesch, H. & others.

- 448.—Krauss, M. Lytic agents of the sperm of some marine animals. I. The egg membrane lysin from sperm of the giant keyhole limpet Megathura crenulata. J. exp. Zool. 114 1950 pp. 239-278 5 figs. 15 tabs.
- 449.—Krimgoltz, G. Y. The sea, Jurassic deposits in the reservoir of the river Vilny. C.R. Acad. Sci. Moscou N.S. 74 1950 pp. 345–348. [In Russian.]
- 450.—Krüger, F. Zur Physiologie des Haemoglobins wirbelloser Tiere. Remane and others, Verh. Deuts. Zool. in Kiel 1948, Leipzig (Geest & Portig) 1949 pp. 340-344 3 graphs.
- 451.—Krimgoltz, G. Y. The age of the oldest deposits in the Great Balkhan. C.R. Acad. Sci. Moscou N.S. 75 1950 pp. 101-102. [In Russian.]
- 452.—Kruizinga, P. Agathiceras sundaicum Han., a Lower Permian fossil fròm Timor. Proc. K. ned. Akad. Wet. Amst. 53 7 1950 pp. 1056–1063 1 pl. tables.
- 453.—Krumbeck, L. Die Fauna des Turonsandsteins von Seugast bei Vilseck (Obpfz). Z. dtsch. geol. Ges. 93 1 1941 pp. 1–24 pls. 1–2 1 text-fig. 1 table.

454.—Krumbeck, I.. Zur Stratigraphie und Faunenkunde des Lias & in Nordbayern, Teil I. Z. dtsch. geol. Ges. 95 7–8 1943 pp. 279–340 pls. 12–13.

Krywienczyk, J. see Ludwig, W.

- 455.—Kuadzhe, M. I. The age of Naltchiksk clays of the Northern Caucasus. C.R. Acad. Sci. Moscou N.S. 74 1950 pp. 995–997. [In Russian.]
- 456.—Kubista, V. Flavones in *Helix pomatia* L. [English & German summary.] Experientia, Basel 6 3 1950 p. 100 fig.
- 457.—Kühn, A. Uber Farbwechsel und Farbensinn von Cephalopoden. Z. vergl. Physiol. 32 1950 pp. 572–598 17 figs. tables.
- 458.—Kühnelt, W. Bodenbiologie, Wien 1950 pp. 1–368 3 pls. 63 figs. [numerous Molluscan examples discussed].

Kuhn, O. see Hescheler, K.

- 459.—Kuiper, J. G. Verspreidingsschets van het landslakje *Clausilia* dubia Drap. Levende Nat. 53 1950 pp. 234–238 4 figs.
- 460.—Küpper, H. Eiszeitspuren im Gebiet von Wien. [List p. 201.] Sitz. Ber. öst. Akad. Wiss. Abt. I. 159 6-10 1950 pp. 199-206.
- 461.—Kurasawa, H. The seasonal changes of the vertical distribution of benthic animals on the coast of Lake Suwa, with special reference to the migration of molluscs. Misc. Rep. Res. Inst. nat. Resourc. Tokyo No. 15 1950 pp. 28-40 5 figs. tables. [English summary.]
- 462.—Kuriyan, G. K. The fouling organisms of pearl oyster cages. J. Bombay nat. Hist. Soc. 49 1950 pp. 90-92 1 fig.
- 463.—Kuroda, T. An outline of the recent molluscan fauna of Japan. Jap. J. Malac. 16 1950 pp. 1-12. [In Japanese.]
- 464.—Kuroda, T. Descriptions of two new species of Marine Gastropods, dedicated to Mr. K. Kauda on his 77th birthday. Jap. J. Malac. 16 1950 pp. 49-52 3 figs. [In Japanese.]
- 465.—Kuroda, T. The recent molluscan fauna of Japan. J. Conchyliol., Paris 90 1950 pp. 200-207.

- **466.**—[**Kuroda**, T.] Genus *Ena* (Leach) Turton, 1831 Man. Shells Brit. Islands p. 81. Venus, Tokyo **14** 1-4 [1946] 50-62.
- 467.—Laidlaw, F. F. A list of the species referred to the genus *Diplommatina* (Mollusca, Prosobranchia Cyclophoridae) recorded from Borneo. Bull. Raffles Mus. No. 23 1950 pp. 212–229 3 figs.
- 468.—Laidlaw, F. F. Description of a new genus of land-molluse, belonging to the family Streptaxidae, from the Bau district of Sarawak. Sarawak Mus. J. 5 1950 pp. 370-372 1 fig.
- 469.—Lamotte, M. Observations sur la sélection par les Prédateurs chez Cepaea nemoralis. J. Conchyliol., Paris 90 1950 pp. 180–190.
- 470.—Lange, W. H. Life history and feeding habits of the giant African snail on Saipan. Pacific Sci. Honolulu 4 1950 pp. 323–335 9 figs.
- 471.—Langer, J. Gliederung des Tschenstochauer Juras. Ber. Reichstelle Bodenforsch. 1942 4-6 pp. 85-97.
- 472.—Langmead, L. B. Slugs & Snails. [Ecological notes and influence of man]. Scient. J. roy. Coll. Sci. London 19 1949 pp. 81–87.
- 473.—Lanza, B. Speleofauna Toscana.—I. Cenni storici ed elenco ragionato dei Protezoi dei Molluschi, dei Crestacei, dei Miriapori e chegli Aracnidi (Acari esclusi) cavernicoli della Toscano. Arch. zool., Torino 1949 34 Suppl. pp. 159–223. [Moll. pp. 177–185].
- 474.—Larambergue, M. de. Hermaphrodisme et Différenciation sexuelle chez les Gastropodes. C.R. 13e Congr. int. Zool., Paris 1948 [1949] pp. 171–173.
- 475.—Laseron, C. F. New South Wales Marginellidae. Rec. Aust. Mus., Sydney 22 1948 pp. 35–48 pls. v, vi 1 fig.
- 476.—Laursen, D. The stratigraphy of the marine Quaternary deposits in West Greenland. Medd. Grønland 151 1 1950 pp. 1-144 3 pls. 29 figs.
- Laurent-Tabusse, G. see Derrien, Y. & others.
- 477.—Laviolette, P. Sur un retard de la maturile genitale observe chez Arion rufus L. Bull. Soc. linn. Lyon 19 3 1950 pp. 52-56 text-figs.

- 478.—Laviolette, P. Différenciation des gamètes et cycle de la glande hermaphrodite chez Arion rufus L. C.R. Soc. Biol., Paris 144 1950 pp. 134-135.
- 479.—Laviolette, P. L'évolution de la glande hermaphrodite d'*Arion rufus* et ses rapports avec la croissance. C.R. Soc. Biol., Paris 144 1950 pp. 135–136.
- 480.—Laviolette, P. Régénération de la gonade aprés castration chez le Mollusque Gastropode Arion rufus L. C.R. Acad. Sci., Paris 231 1950 pp. 1168–1170 1 fig.
- 481.—Laviolette, P. Rôle de la gonade dans la morphogenèse du tractus génital, chez que ques mollusques Limacidae et Arionidae. C.R. Acad. Sci., Paris 231 1950 pp. 1567–1569 2 figs.
- 482.—Leanza, A. F. & Giovine, A. Paleontologie Mesozoica. II. Leopoldias neuevas en el Supravalsuginiano de Neuquén. Riv. Asoc. Geol. Argentina 4 4 1949 pp. 255–262 pls. 1–3.
- 483.—Le Calvez, J. & Certain, P. Données caryologiques sur quelques Pulmonés basommatophores. C.R. Acad. Sci., Paris 231 1950 pp. 794–795 3 figs.
- 484.—Leckwyck, W. van., Snel, M., Pastiels, A., & Willière, Y. Contribution a l'étude stratigraphique et paléontologique du Westphalien B inférieur la zone d'Asch. Publ. Assoc. Étude Stratigraph. Houillères Bruxèlles 4 1949 pp. 1–192 24 plates.
 - Leclercq, T. see Florkin, M. & others.
- 485.—Le Danois, E. Les profondeurs de la mer. Trente ans de recherches sur la faune sous-marine au large des côtes de France. Paris (Payot) 1948 pp. 1-303 8 pls. 56 figs. [Molluscan List pp. 136-138].
 - Lederer, E. see Tixier, R.
- 486.—Lee, C. B. Ecological aspects of Stenotrema hirsutum Say in the region of Ann Arbor, Michigan. Amer. Midl. Nat. 47 1 Jan 1952 pp. 55-60.
- 486a.—Lee, C. B. Some new records for exotic slugs in the United States Nautilus, Philad. 64 1950 pp. 58-59.
- 487.—Le Fevre, P. G. Excitation characteristics of the squid giant axon: a test of excitation theory in a case of rapid accommodation. J. gen. Physiol. 34 1950 pp. 19-36 7 figs.

- 488.—Leitch, D. Biometrics and systematics in relation to palaeontology. Proc. Linn. Soc. Lond. 162 2 1951 pp. 159–170 9 text-figs.
- 489.—Leloup. E. A Propos de certains Acanthochitons hotoplax H. Adams 1861. Bull. Mus. Hist. nat. Belg. 26 1 1950 pp. 1–5 1 pl. 1 fig.
- 490.—Leloup, E. Meromenia hirondellei g. nov., sp. nov., Solénogastre du Golfe de Gascogne. Bull. Sci. nat. Belg. 25 No. 1 1949 pp. 1-6 18 figs.
- 491.—Leloup, E. Relation entre la consistance du fond et la forme, des coquilles chez les Lamellibranches du Lac Tanganika. J. Conchyliol., Paris 90 1950 pp. 29–35.
- 492.—Leloup, E. Contributions à l'etude de la Faune Belge. XVII.— Recherches sur une moulière naturelle de la côte belge. Bull. Mus. Hist. nat. Belg. 26 30 1950 pp. 1–56 3 figs. 5 tabs.
- 493.—Leloup, E. L'Institut royal de Sciences naturelles de Belgique et ses Collections conchyliologiques. J. Conchyliol., Paris 90 1950 pp. 60-61.
- 494.—Leloup, E. Solénogastres provenant des campagnes du Prince Albert 1er de Monaco. Rés. Camp. Sci. Monaco No. 110 1950 pp. 1–38 pls. i–viii.
 - Lemon, J. McW. see Tressler, D. K.
- 495.—Leonard, A. B. A Yarmouthian molluscan fauna in the Midcontinent Region of the United States. Palaeont. Contr. Univ. Kansas 1950 Mollusca Art. 3 pp. 1–48 plates 1–6 text-figs. 1–4.
- 496.—Leonardi, P. & Fiscon, F. Nuove forme di gasteropodi della fauna Cassiana di Cortina d'Ampezzo. Mem. Mus. Stor. nat. Venez. trident. 8 3 1948 pp. 41-54 2 pls.
- 497.—Leone, C. A. A serological study of some invertebrata. C.R. 13e Congr. int. Zool., Paris 1948 [1949] pp. 425-429.
- 498.—Leontiev, L. N. New data on chalk of the southern part of Sevano-kurdistan Zone (Small Caucasus). C.R. Acad. Sci. Moscou N.S. 70 1950 pp. 291–294 fig. [In Russian.]
- 499.—Leontiev, L. N. The paleography of the south Transcaucasus in the period of gypsum and salt formation. C.R. Acad. Sci. Moscou N.S. 73 1950 pp. 789-792. [In Russian.]

- 500.—Levi, L. R. & H. W. New records of land snails from Wisconsin. Nautilus, Philad. 63 1950 pp. 131–138.
- 501.—Likharev, I. M. Ancient element among the brackish-water Mollusca in the Far-East. Zool. Zh. 31 1952 pp. 305-307. [In Russian.]
- Lizáur, y Roldán, J. de see Carrasco, I. P.
- 502.—Llabador, F. Les Albées du Rif oriental. J. Conchyliol., Paris 90 1950 pp. 214-221 plate.
- 503.—Loosanoff, V. L. & Davis, H. C. Conditioning V. mercenaria for spawning in winter and breeding its larvae in the laboratory. Biol. Bull. Woods Hole 98 1950 pp. 60–65 text-figs.
- 504.—Loosanoff, V. L. & Davis, H. C. Spawning of oysters at low temperatures. Science 111 1950 pp. 521-522.
- 505.—Loosjes, F. E. Some new gastropods of the family Clausiliidae from the Philippine Islands and Siam. Proc. U.S. nat. Mus. 100 1950 pp. 539-545 3 figs.
- **506.—Lopez,** M. V. y. Una nueva especie Sahariana la *Helicella (Jacosta) gineria* V. y L. J. Conchyliol., Paris **90** 1950 pp. 213–214.
- 507.—Loss, R. Un'ammonite giurassica del Monte Bondone di Trento. Studi trentini 26 1–2 1949 pp. 3–10 pls. i, ii 1 fig.
 - Lotz, C. see Ingram, W. M.
- 508.—Ložek, V. Étude des steppes en Bóhême sur la base des mollusques recents et fossiles. [List.] Bull. int. Acad. Prague 49 1950 pp. 179-219 3 pls. 17 maps.
- 509.—Ložek, V. Revue critique des mollusques de la République Tchécoslovaque. Sborn. nar. Mus. Praha 5B Zool. 1 1949 pp. 1–43 1 map.
- 510.—Ludwig, W. & Krywienczyk, J. Körpergrösse, Körperzeiten und Energiebilanz III. Mitteilung. Der Sauerstoffverbrauch von Muscheln in Abhängigkeit von der Körpergrösse. Z. vergl. Physiol. 32 1950 pp. 464—467 4 figs. tables.
- 511.—Lutz, L. A list of the land Mollusca of Claiborne County, Tennessee, with description of a new subspecies of *Triodopsis*. Nautilus, Philad. 63 1950 pp. 99–105.

- 512.—Lutz, L. A list of land Mollusca of Claiborne County, Tennessee, with description of a new subspecies of *Triodopsis* (contd.). Nautilus, Philad. 63 1950 pp. 121–123 pl. 5 f. 5 5b.
- 513.—Macan, T. T. Ecology of fresh-water Mollusca in the English Lake District. J. Anim. Ecol. 19 1950 pp. 124-146 5 figs. map 1 tab.
- 514.—McColl, J. D. & Rossiter, R. J. Lipids of Squid nerve. Nature, London 166 1950 pp. 185–186 tables.
 - McCleskey, C. S. see Wilson T. E.
- 515.—Macey, W. H. The case for the aquatic snail. Aquarist, London 15 1950 pp. 15-16 text-figs.
- 516.—McGowan, H. Notes on Dentaliidae. Min. Conch. Club S. Calif. 98 March 1950 pp. 6-7.
- 517.—McLearn, F. H. Jurassic formations of Maude Island and Alliford Bay, Skidegate Inlet, Queen Charlotte Islands, British Columbia. Bull. Geol. Surv. Can. 12 1949 pp. 1-19 2 geol. maps.
- 518.—McLellan, J. H. Texas snails. Nautilus, Philad. 63 1950 p. 141.
- 519.—McMichael, D. F. A molluscan "Moby Dick". An albino snail [Helix aspersa]. Aust. Mus. Mag. 10 1950 pp. 59-60 2 figs.
- 520.—MacMillan, G. K. The land snails of West Virginia. [Annotated Catalogue]. Ann. Carneg. Mus. 31 1950 pp. 89–238 15 pls.
- 521.—MacMillan, G. K. Additional record of *Gastrodonta fonticula* Weirtz in West Virgina. Nautilus, Philad. 63 1949 pp. 63-65.
- 522.—MacMillan, G. K. The occurrence of *Hendersonia occulta* (Say) in Pennsylvania. Proc. Pa. Acad. Sci. 24 1950 pp. 113–115 1 map.
- 523.—McMillan, N. F. The alleged occurrence of *Helix aspersa* Müller in Kitchen middens in Cheshire. J. Conch., London 23 1950 pp. 105-106.
- 524.—McMillan, N. F. The resistance of *Littorino saxatilis* (Olivi) to lowered Salinity. J. Conch., London 23 1950 pp. 106, 107.
- 525.—McMillan, N. F. Additional notes on Joseph Wilcock. J. Conch., London 23 1950 p. 107.

- 526.—McMullen, D. B. & Graham, O. H. The control of Schistosomiasis japonica. II. Studies on the control of Oncomelania quadrasi, the molluscan intermediate host of Schistosoma japonicum in the Philippine Islands. Amer. J. Hyg. 45 1947 pp. 274–293 table.
- 527.—Magne, A. Les Ringicardium néogènes du Bassin d'Aquitaine. J. Conchyliol., Paris 90 1950 pp. 122-124.
- 528.—Magne, A. Les Collections de Mollusques fossiles tertiares Aquitains de la Faculté des Sciences et du Muséum d'Histoire naturelle de Bordeaux. J. Conchyliol., Paris 90 1950 pp. 146, 147.
- **529.**—**Magne**, A. Les Collections de Mollusques actuels conservées au Museum de Bordeaux. J. Conchyliol., Paris **90** 1950 p. 147.
 - Magnitzky, W. see Collier, A. & others.
- 530.—Mahler, F. & Morton, F. Beitrag zur Molluskenfauna des Hallstätter Sees. Arch. Hydrobiol. 44 1950 pp. 333–337.
- 531.—Malaroda, R. Le Pleurotomarie del terziario veneto. Atti Soc. ital. Sci. nat. 89 1950 pp. 181-194 pls. v, vi.
- 532.—Mandahl-Barth, G. Systematische Untersuchungen über die Heliciden-Fauna von Madeira. Abh. Senckenb. naturf. Ges. No. 469 1943 pp. 1–93 pls. 1–17 8 figs.
- 533.—Mandahl-Barth, G. Danmarks Fauna. [Land & Freshwater]. Danmarks Fauna 54 1949 pp. 1–249 text-figs.
- 534.—Mandahl-Barth, G. Danske landsnegle. Flora og Fauna 56 3-5 1950 pp. 81-95 7 figs.
 - Ma, C. T. see Hsu, S. C.
- 535.—Mandra, Y. T. Paleontological notes—A new species of *Mytilus* from the Pléocene of Humboldt County, California. J. Paleont. 23 1949 pp. 104–105.
- 536.—Mansour, K. The morphological and biological peculiarities of *Tridacna elongata* and *T. squamosa*. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 441-444.
- 537.—Mansour, K. The digestive organs and the process of digestion in some Lamellibranchs. C.R. 13e Congr. int. Zool., Paris 1948 [1949] pp. 444—447.

- 538.—Marcuzzi, G. Problemi inerenti al popolamento animale della selva pluviale in Venezuela. [Short par. on Moll. p. 302.] Arch. zool. (ital.), Napoli 35 1950 pp. 297–324 2 figs.
- 539.—Margalef, A. Datos para la hidrobiologia de la cordillerá cantábrica, especialmente del macizo de los Picos de Europa. Publ. Inst. Biol. apl. Barcelona 7 1950 pp. 37-76 6 figs. [English summary.]
- **540.**—Marks, E. S. New subgenera of *Busycon* Roeding. Nautilus, Philad. **64** 1950 p. 34.
- 541.—Mars, P. Contributions à l'étude biologique des étangs méditerranéens. Faune malacologique de l'etang de Berre [Lists]. Bull. Mus. Hist. nat. Marseille 9 1949 pp. 65-116 5 pls.
- 542.—Mars, M. P. Observations sur les variations de *Cardium edule* L. C.R. 13e Congr. int. Zool., Paris 1948 [1949] p. 457.
- 543.—Mars, P. Contributions a l'etude biologique des etangs Mediterraneens. Euryhalinité de quelques mollusques Méditerranéens [Lists]. Vie et Milieu, Paris 1 1950 pp. 441-448.
- **544.**—Martinson, G. G. Tertian freshwater mollusca from the Eastern Transbaical. C.R. Acad. Sci. Moscou N.S. **74** 1950 pp. 573–576 fig. [In Russian.]
- 545.—Mateykin, P. V. The fauna of terrestrial Mollusca in the lower Volga district and its importance to the history of the contemporary forests of the area. Zool. Journ., Moscow 29 1950 pp. 193–205. [In Russian.]
- **546.**—Matsui, Y. On the formation of Pearls in the Pearl Oyster. Jap. J. Malac. **16** 1950 pp. 25-32. [In Japanese.]
- 547.—Matutani, K. & Mori, S. Daily rhythmic activity of a land snail, Fruticicola (Acusta) sieboldiana (2). Jap. J. Malac. 16 1950 pp. 52–57 3 figs. [In Japanese with English résumé.]
- 548.—Matveeva, T. A. Influence of freshwater on propagation of mussel in Eastern Murman. C.R. Acad. Sci., Moscou, N.S. 75 1950 pp. 123-124. [In Russian.]

- 549.—Mauberg, P. L. Notes géologiques.—I. [Moll. refs. in text]. Bull. Soc. Sci., Nancy N.S. 9 3 1950 pp. 38-45.
- 550.—Mauberg, P. L. Sur l'âge de la Grober Oolith du Jura-Suisse et des Ferrugineus-Schichten de Bade [short list in text]. C.R. Acad. Sci., Paris 231 1950 pp. 1253–1255.
- 551.—Mawatari, S. Analytical study of various methods for the protection of wooden ships against marine borers. Misc. Rep. Res. Inst. nat. Resourc. Tokyo No. 13 1949 pp. 17–30 6 figs.
- 552.—Mead, A. R. Comparative Genital Anatomy of some African Achatinidae (Pulmonata). Bull. Mus. comp. Zool. Harv. 105 1950 pp. 119–291 pls. 1 fig.
- 553.—Meeuse, A. D. J. Rapid methods for obtaining permanent mounts of radulae (to be continued). Basteria, Lisse 14 1950 pp. 28-32.
- 554.—Meeuse, A. D. J. Rapid methods for obtaining permanent mounts of radulae. Basteria, Lisse 14 1950 pp. 33-43 text-figs. (pl. 4 in pt. 1-2) pls. 5, 6.
- **555.—Meeuse**, A. D. J. Verborgen Schoonheid. Levende Nat., Amsterdam **53** 1 1950 pp. 9–15 text-figs.
- 556.—Meijer, W. De Kierse Wijde een Plassenlandschap in de Kop van overijssel. Levende Nat., Amsterdam 53 1950 pp. 68–75 text-figs. & map.
- 557.—Mendes, J. C. Nooos Lamelibrânquios Fósseis da Série Passa Dois, Sul do Brasil. Bol. Serv. geol. min. Brasil 133 1949 pp. 7-40 (sum. p. 5) 5 plates 1 geol. sect.
- **558.—Mehl,** S. Wie viele Arten Leberegelschnecken gibt es? Zool. Anz., Leipzig **135** 1941 pp. 142–143.
- 559.—Mennessier, G. Comparaison entre les faunes des bassins a lignites cénomaniens du Sud-Est de la France. Bull. Mus. Hist. nat., Paris (2) 22 1 1950 pp. 142-146.
- 560.—Mennessier, G. Sur deux Rudistes appartenant au genre *Mitroca*prina Boehm. Bull. Mus. Hist. nat. Paris (2) 22 4 1950 pp. 529-535 8 figs.
- 561.—Merle, R. Les nuits de la Limace. Nature, Paris No. 3168 1949 pp. 97-99.

561a.—Merle, R. Un couquérant du monde, l'Achatine. Nature, Paris No. 3169 1949 pp. 151-152 text-figs.

26

- **562.**—**Mermod**, G. Les Collections malacologiques du Musée d'Histoire naturelle de Genève. J. Conchyliól., Paris **90** pp. 58-59.
- **563.**—**Mermod**, G. Les Types de la Collection Lamarck au Muséum de Genève. Mollusques vivants, 1. Rev. suisse Zool. **57** 1950 pp. 687–756 50 figs.
- **564.**—**Millar**, R. H. Recent oyster research in Scotland. Challenger Soc. London **3** 2 1950 p. 14.
- 565.—Miller, A. K. & Downs, H. R. Tertiary Nautiloids of the Americas: Supplement. J. Paleont. 24 1950 pp. 1–18 pl. 1–10.
- **566.**—Millot, J. O'N. The non-marine mollusca of the Caerwys Tufa deposit. Proc. Chester Soc. nat. Sci. **1950** 1951 pp. 138–142.
- **567.**—**Milman**, P. P. *Crepidula fornicata* (L.) in Torbay. J. Conch., London **23** 1950 p. 100.
- 568.—Minganti, A. Acidi nucleici e fosfatasi nello sviluppo della *Limnaea* p. 318]. Riv. Biol. Perugia N.S. 42 3 1950 pp. 295–319 l fig. [English summary.]
- 569.—Mislin, H. Nachweis einer reflektorischen Regulation des peripheren Kreislaufs bei den Cephalopoden. Experientia, Basel 6 12 1950 pp. 467-468 1 fig. [English summary.]
- **570.—Modell, H.** Tertiäre Najaden IV. Arch. Molluskenk. **79** 1950 pp. 25–36 4 text-figs. pls. 6–7.
- **571.**—**Modell,** H. Tertiäre Najaden V. Nordamerikanische Najaden in den Haushamer Cyrenenschichten. Arch. Molluskenk. **79** 1950 pp. 37–44 pls. 8–9 4 text-figs.
- 572.—Modell, H. Südamerikanische Najaden der Gattungen Castalia, Schleschielle und Ecuadorea. Arch. Molluskenk. 79 1950 pp. 135–146 pl. 11.
- 573.—Modell, H. Eine bisher übersehene Arbeit über nordamerikanische Najaden. Arch., Molluskenk. 79 1950 pp. 173–174.
- **574.**—**Monné**, L. Über Farben und Farbenveränderungen lebenden Zellen im Dunkelfeld. Protoplasma **36** 1941 pp. 222–246.

- 575.—Montalenti, G. Recherches récentes sur la sexualité dans les crustacés et les mollusques. C.R. 13e Congr. int. Zool., Paris 1948 [1949] pp. 162-163.
- 576.—Moore, E. W. J. The genus Sudeticeras and its distribution in Lancashire. J. Manchr. geol. Ass. 2 1 1950 pp. 31-50 pls. 1-3.
- 577.—Morehouse, E. M. Conchology [Yorkshire report]. Naturalist, London No. 828 1949 pp. 28–29.
- 578.—Morehouse, E. M. Conchology [report for Yorkshire]. Naturalist, London No. 832 1950 pp. 27–28.
 - Mori, S. see Matutani, K.
- 579.—Morris, M. C. Dilation of the foot in *Uber (Polinices) strangei* (Mollusca, Class Gastropoda,) Proc. Linn., Soc., N.S.W. 75 1950 pp. 70–80 text-figs. & tables.
 - Morton, F. see Mahler F.,
- 580.—Morton, J. E. Feeding mechanism in the Vermetidae (Order Mesogastropoda). Nature, Lond. 165 1950 pp. 923-924 text-figs.
- 581.—Morton, J. E. The Struthiolariidae: reproduction, life history and relationships. Trans. roy. Soc. N.Z. 78 1950 pp. 451-463 1 pl., 8 figs.
- 582.—Moses, S. T. Pearls and pearl fisheries in Baroda State. Bull. Dep. Fish., Baroda 12 1947 pp. 1-11.
- 583.—Moses, S. T. A preliminary report on the Cephalopods of Baroda. Bull. Rep. Fish. Baroda 13 1948 pp. 1–3.
- 584.—Moussa, T. A. A. The cytology of the neurones of *Limnaea stagnalis*. J. Morph. 87 1950 pp. 27-59 3 pls.
- Muirhead, N. G. see Johnson, T. H. & others.
- 585.—Müldner, A. Die ersten Vertreter der Gattung *Ischyrinia* in norddeutschen. Z. Geschiebeforsch. **18** 2 1942 pp. 93-96 figs. 1-7.
- 586.—Mullerried, F. K. G. Radiolitido supracretacico de Tlaquiltenango, Estado de Morelos. Rev. Soc. Mex. Hist. nat. 11 1950 pp. 223–238 2 figs.
- 587.—Muraour, P. L'Oligocene des environs de Tizi-Ouzou (Algérie). Bull. Soc. géol. Fr. 5 20 4–6 1950 pp. 225–229 figs. 1–7.

- **588.—Murphy**, R. C. Frank Michler Chapman, 1864–1945. Auk. **67** 1950 pp. 307–315 portrait.
- 589.—Nagao, T. *Pholadomya* from Japan. J. Geol. Soc., Japan 50 1943 pp. 153-160 2 plates abstract 68. Jap. & Geol. Geog. Tr. & Abst. 19 1-4 1944.
- Nagamina, S. see Nishioka, C. & others.
- **590.—Naldini,** E. Fauna cretacee della Cirenaica. Palaeontogr. ital., Pisa **45** (N.S. 15) 1949 pp. 85–110 pl. xiii [i] 1 text-fig.
- 591.—Nalivkin, V. D. Solikamsk formation—important marking of the horizon of Preural. C.R. Acad. Sci., Moscou N.S. 72 1950 pp. 105–108. [In Russian.]
- 592.—Neubauer, W. Das Alter der Tuffe im Gebiet Friedberg-Grafendorf (Nordosteiermark) mit einem Beitrag zur Geologie der Friedberger Tertiärbucht [Lists in text]. Sitz. Ber. öst. Akad. Wiss. Wien Abt. I 158 7–8 1949 pp. 585–591 1 fig.
- 593.—Newcombe, C. L. An analysis of certain dimensional relationships of the Virginia Oyster, *Crassostrea virginica* (Gmelin). Amer. Nat. 84 1950 pp. 203–214 tables.
- 594.—Newcombe, C. L. Treasures in troubled waters. The plight of the oyster. Scient. Monthly, Lancaster, Pa. 70 2 1950 pp. 105-110 figs.
- 595.—Nguyen,-van-Thoai & Pin, P. Sur l'adénylpyrophosphatase de divers invertébrés marins. C.R. Acad. Sci., Paris 231 1950 pp. 1580-1582.
- 596.—Nicholas, R. E. H. & Comfort, A. 4. Identification of shell porphyrins with particular reference to conchoporphyrin. Biochem. J., Cambridge 45 1949 pp. 210 fig.
- 597.—Nickèls, M. Mollusques testacés marins de la Côte occidentale d'Afrique Preface by E. Fischer-Piette. Manuels Ouest-Africains 2 Paris 1950 pp. 6 + 1-269, 464 text-figs.
- 598.—Nicol, D. Origin of the Pelecypod family Glycymeridae. J. Paleont. 24 I 1950 pp. 89–98 text-figs. & pls. 20–22.

- 599.—Nicol, D. Recent species of the lucinoid pelecypod *Fimbria*. J. Wash. Acad. Sci. 40 1950 pp. 82–87 text-figs.
- 600.—Nicolai, M. Paléontologie de Madagascar, XXIX. Étude de quelques gisements fossilifères du Sud-Ouest de Madagascar. Ann. Paléont. 36 1950 pp. 141–168 plates i-v.
- 601.—Nierstrasz, H. F. & Stork, H. A. Monographie der Solenogastren des Golfes von Neapel. Zoologica, Stuttgart 36 Hft. 99 1940 pp. 1–92 249 figs. on pls. i–xv.
- 602.—Nishioka, C., Yamamoto, G., Nagamina, S., Kinoshita, T. & Nomura, S. Studies on the scallop of Mutsu Bay Sci. Rep. Tôhoku Univ. (4) 18 2 1949 pp. 177–184 tables.
 - Nisigama, S. see Hatai, K.
- 603.—Nomura, S. Energetics of the heart muscle of the oyster. Work performed and oxygen consumption. Sci. Rep. Tôhoku Univ. (4) 18 3 1950 pp. 279–285 I table.
- 604.—Nomura, S. Molluscan fauna of the Moniwa Shell Bed exposed along the Natori-Gawa in the vicinity of Sendai, Miyagi Prefecture, Japan. Sci. Rep. Tôhoku Univ. (ser. 2) 21 1 1940 pp. 1–4 5pls. 1–3.
 - Nomura, S. see Nishioka C. & others.
- 605.—Nomura, S. & Kigawa, K. Studies on the physiology of ciliary movement. IV. Effect of acetylcholine and eserine. Sci. Rep. Tôhoku Univ. (4) 18 4 1950 pp. 437–445 2 figs. tables.
- 606.—Odhner, N. Collections malacologiques du Musée de l'Etat (Riksmuseum) à Stockholm. J. Conchyliol., Paris 90 1950 pp. 136-138.
- 607.—Odhner, N. H. Succineid studies: Genera and species of subfamily Catinellinae nov. Proc. Malac. Soc., London 28 1950 pp. 200–210 text-figs.
- 608.—Ohuye, T. Preliminary note on the survey of peroxidase-distribution in the blood and coelomic cells of various invertebrates. Mem. Ehime Univ. Ser. I. 1 1950 pp. 21-26 3 figs.
- 609.—Okada, K. An improved method of artificial insemination of some marine eggs. Sci. Rep. Tôhoku Univ. (4) 18 1950 pp. 262–269 tables.
 - Okuda, T. see Tanita, S. & others.

610.—Oliveira, L. de. Levantamento biogeográfico de Baia de Guanabara. [Lists, Moll. pp. 372–374]. Mem. Inst. Osw. Cruz 48 1950 pp. 363–391 2 pls. 19 figs.

28

- 611.—Omodeo, P. Documenti per la storia della Scienze naturale al principio del XIX secolo. Boll. 2001. 16 (1949) pp. 107-112.
- 612.—Ord, M. J. & Watts, A. H. G. New records for the distribution of certain land Mollusca in Nova Scotia. Proc. N.S. Inst. Sci. 22 3 1950 pp. 16-34 1 pl. 12 figs. tables.

Ord, M. J. see Watts, A. H. G.

- 613.—Orton, J. H. Failure of spatfall of *C. fornicata* on the Essex Oyster beds in 1945. Challenger Soc., London 3 2 1950 p. 16.
- 614.—Orton, J. H. Recent breeding phenomena in the American Slipper Limpet, *Crepidula fornicata*. Nature, London 165 1950 pp. 433-434.
- 615.—Orton, J. H. & Rogers, A. H. The recent extension in the distribution of the American slipper Limpet, *Crepidula fornicata*, into Lyme Bay in the English Channel. Proc. Malac. Soc. London 28 1950 pp. 168–184 text-maps tables.
- 616.—Ostergaard, J. M. A new species of *Cypraea* from Hawaii. Nautilus, Philad. 63 1950 pp. 111-112.
- 617.—Ostergaard, J. M. Spawning and development of some Hawaiian marine gastropods. Pacific Sci., Honolulu 4 2 1950 pp. 75–115 42 figs.

Otto, E. see Precht, H.

Ottolenghi, A. see Erspamer, V.

- 618.—Owen, H. M., Maduell, C. R. Jr. & Ingle, R. M., Jr. An Ostreodynamometer for studying the activities inside the shell of bivalve mollusks. Science 109 1949 pp. 148-149 text-figs.
- 619.—Pain, T. A new species of *Pomacea* (*Limnopomus*) from Venezuela. J. Conch., London 23 1950 pp. 109–111.
- 620.—Pain, T. Pomacea (Ampullariidae) of British Guiana. Proc. Malac. Soc., London 28 1950 pp. 68-74 text-map, pls. 6-8.

- 621.—Palmer, K. v. W. Notes and illustrations of type and comparative specimens of recent Pacific Pelecypods. J. Conchyliol., Paris 90 3 1950 pp. 190–194 plate.
 - Pan, C. see Hunter III G. W. & others.

Pan, C. see Ritchie, L. S.

- 622.—Papp, A. Übergangsformen von Congeria zu Dreissena aus dem Pannon des Wiener Becken. Ann. naturf. Mus. Wien 57 1950 pp. 148–156 10 figs.
- 623.—Papp, A. Bemerkungen über eine Molluskenfauna aus Karaman in Cilicien. [List.] Sitz. Ber. öst. Akad. Wiss. Wien. Abt. I 158 8-9 1949 pp. 663-665.
- 624.—Papp, A. Über Lebenspuren aus dem Jungtertiär des Wiener-Beckens. Sitz. Ber. öst. Akad. Wiss. Wien Abt. I 158 8-9 1949 pp. 667-670.
- 625.—Paraense, W. L. & Santos, J. M. Dados negativos sobre a ocorrência do *Tropicorbis centimetralis* em Belo Horizonte (Estado de Minas Gerais). Mem. Inst. Osw. Cruz 48 1950 pp. 199–218 8 figs. 1 graph tables. [English summary.]
- 626.—Parodiz, J. J. Contribuciones al conocimento de los Moluscos terrestres sudamericanos, VI. Comun. Zool. Mus. Hist. Nat. Montevideo 2 1948 No. 46 4 figs.
- 627.—Parona, C. F. & Zuffardi-Comerci, R. Osservazioni paleontologiche su facies particolari del Cretacio della Tripolitania. Ann. Mus. libico Stor. nat. 2 1950 pp. 157–164 3 figs.
- 628.—Pasteels, J. Mouvements localisés et rythmiques de la membrane de fécondation chez des oeufs fécondés ou activés. (Chaelopterus, Mactra, Nereis) Arch. Biol., Liége 61 1950 pp. 197–220 1 pl. 5 figs.

Pastiels, A. see Leckwyck, W. van & others.

- 629.—Patané, G. M. Prof. Alberto Fucini. Boll. Accad. gioenia 3 18 1942 pp. 41–54 port.
- 630.—Patané, L. Nuovi dati sulla biologia di *Littorina neritoides* L. Boll. Accad. gioenia 3 19 1942 pp. 36-41.

- 631.—Patané, L. Sui tropismi di "Littorina neritoides" L. (Nota preliminare). Boll. Accad. gioenia 4 2 1949 pp. 113-118.
- 632.—Pattison, G. Sea Hares. S. Aust. Nat., Adelaide 21 3 1942 p. 14.
- 633.—Paulus, M. Malacologie marine et saumatre de la Camargue. (Anciens cordons littoraux, littoral, estuaires et étangs), Paris (Lechevalier) 1949 162 pp. 4 pls. 1 map.
- 634.—Paulus, M. Notes sur les mollusques fossiles dragués dans le Rech du Cap au N.-E. du Cap Creus [Lists in text]. Vie et Milieu, Paris 1 1950 pp. 297-301.
- 635.—Paulus, M. Note sur la présence de Cyprina islandica Linné, au large des Baléares. Vie et Milieu, Paris 1 1950 pp. 302-304.
- 636.—Petersen, S. K. Malakologiske fund langs Flensborg fjord. Flora og Fauna 56 1950 pp. 99-104.
- 637.—Petit, G. Présence d'Hydrobia (Potamopyrgus) jenkinsi Smith dans l'etang du Canet et les environnantes. Vie et Milieu, Paris 1 1950 pp. 477-478.
- 638.—Petit, G. & Deboutteville, C. D. Remarques sur le peuplement du canal souterrain de Villeneuve-de-la-Raho. Vie et Milieu, Paris 1 1950 pp. 474–476.
- 639.—Petrbok, J. Mollusca bulgarica nova [English summary: Bulgarian]. Sborn. nar. Mus. Praze 6B 1 1950 pp. 1–16 pls. i–iv.
- 640.—Petri, S. Contribuição ao Estudo do Devoniano Paranaense, Bol. Serv. geol. min. Brasil 129 1948 pp. 1–125 10 text-figs. 5 photos 1 map.
- 641.—Peyrot, A. Les mollusques testacés univalves des dépots helvétiens du Bassin Ligérien. Catalogue critique, descriptif et illustré. Act. Soc. Linn. Bordeaux 89 Suppl. 1938 pp. 5–361 pls. i–v.
- 642.—Pickford, G. E. A note on the eggs of Octopus vulgaris Lam. from the Western Atlantic: The identity of Tandy's eggs from the Dry Tortugas. Proc. Malac. Soc., London 28 1950 pp. 88–92 text-figs.
- 643.—Pickford, G. E. The Octopoda of the Oxford University Cayman Expedition. Proc. Malac. Soc., London 28 1950 pp. 139-144 text-figs.

- 644.—Pickford, G. E. The Vampyromorpha (Cephalopoda) of the Bermuda Oceanographic Expeditions. Zoologica N.Y. 35 1950 pp. 87-95 text-figs. 1-8 tables.
- 645.—Piersanti, C. Mollusca. Miss. Biol. Sagan-Omo Roma Zool. 6 1941 pp 263–281 11 pls. 1 fig.
- 646.—Pilsbry, H. A. A West Indian *Hydatina*. Nautilus, Philad. 63 1949 pp. 15–17 pl. 1 f. 10.
- 647.—Pilsbry, H. A. Land Mollusks of Cayman Brac. Nautilus, Philad. 63 1949 pp. 37-48 text-figs. pls. 3-4.
- 648.—Pilsbry, H. A. New Cerithiidae from Florida. Nautilus, Philad. 63 1949 pp. 65-66 pl. 1.
- 649.—P[ilsbry] H. A. The Mollusk fauna of Glasshouses in the Netherlands. Nautilus, Philad. 63 1949 p. 71.
- 650.—Pilsbry, H. A. Fresh water mollusks from Colombia and Guatemala. Nautilus, Philad. 63 3 1950 pp. 82–85 pl. 5 f. 1, 2.
- 651.—Pilsbry, H. A. New fountain snails from Florida. Nautilus, Philad. 64 1950 pp. 37-39 pl. 3.
- 652.—Pilsbry, H. A. Pseudosubulina a genus new to the United States. Nautilus, Philad. 64 1950 p. 55.
- 653.—Pilsbry, H. A. Notes on Land Snails of Texas. Nautilus, Philad. 64 1950 56-58.
- 654.—Pilsbry, [H. A.]. The genotype of *Plotia* "Bolten" Roeding. Nautilus, Philad. 64 1950 68.
- 655.—Pilsbry, [H.A.] *Helisoma anceps* (Menke) 1830. Nautilus, Philad. **64** 1950 p. 68.
- 656.—Pilsbry, H. A. The name Hemisinus (Longiverena) avus Pilsbry 1944 [palaeus nom. nov.]. Nautilus, Philad. 64 1950 p. 69.
- 657.—[Pilsbry, H. A. & Baker, H. B.] Daniel L. Emery [notice of death]. Nautilus, Philad. 64 1950 p. 36.
- 658.—Filsbry, H. A. & McGinty, T. L. New marine mollusks of Florida and the Bahamas. Nautilus, Philad. 63 1 1949 pp. 9-15 pl. 1.
- 658a.—Pilsbry, H. A. & McGinty, T. L. Vitrinellidae of Florida part 5. Nautilus, Philad. 63 3 1950 pp. 85–87 pl. 5 f. 6–7.

- 659.—Pilsbury, H. A. & Olsson, A. O. The Landsnail genus *Xenothauma* and other carinate Bulimulidae of Peru. Notulae Naturae, Philadelphia No. 215 1949 pp. 1–14, plate and text-figs.
 - Pin, P. see Nguyen-van-Thoai.
- 660.—Pinto, A. R. Os primeiros dados sobre a Existência da Schistomiase vesical na Guiné Portuguesa e importância da contageni de ovos do Parasita no sedimento urinário. An. Inst. Med. trop. Lisboa 6 [1950] pp. 75–113 7 plates.
- 661.—Plate, H.-P. Neue Feststellungen über *Vallonia enniensis* Gredler. Zool. Jahrb. Jena (Syst.) 79 1950 pp. 178–187 1 fig.
- 662.—Plate, H.-P. Seltene Vertigo-Arten auf der Insel Rügen. Arch. Molluskenk. 79 1950 pp. 79-85.
- 663.—Pokorný, V. Rasu *Chalmasia* morellati n. sp. v československém sarmatu. Rozpr. české Akad. (2) 58 3 1949 pp. 1–7 pls. i, ii.
- 664.—Polyanski, Y. I. The resistance in embryos of some marine gastropode mollusca to low temperatures. C.R. Acad. Sci., Moscou N.S. 72 1950 pp. 1179–1181. [In Russian.]
- 665.—Portalés, G. P. Nota sobre el atloramiento cretácico del término de Manzanares [Ciudad Real) (short generic list]. Bol. Soc. esp. Hist. nat. 47 7-8 1950 pp. 515-517.
- 666.—Powell, A. W. B. Life history of Austrosucacinea archeyi, an annual snail, and its value as a post-Glacial climatic indicator. Rec. Auckland Inst. Mus. 4 1 1950 p. 61-72 1 pl. 2 figs.
- 667.—Powell, A. W. B. Mollusca from the continental shelf, eastern Otago. Rec. Auckland Inst. Mus. 4 1 1950 pp. 73-81 1 pl. 8 figs.
 - Powell, H. T. see Barnes, H.
- 668.—Precht, H. & Otto, E. Hat die Lunge der Süsswasserpulmonaten hydrostatische Bedeutung? Remane and others, Verh. Deuts. Zool. in Kiel 1948, Leipzig (Geest & Portig) 1949 pp. 381– 387 1 fig. 6 tabs.
- 669.—Precht, H. & Otto, E. Über die Atmung einiger Susswasserpulmonaten und ihre Temperaturabhängigkeit. Zool. Anz. 145 Erganzungsb. 1950 pp. 761-777 7 figs. graph.

- Prenant, L. see Gabe, L.
- 670.—Priolo, O. Supplemento a "le Helix" dei dintorni di Catania. Atti Accad. gioenia Catania (6) 6 4 1950 pp. 1-3.
- 671.—Priolo, O. Sulle forme mediterranee prossime alla Mangelia nebula, Montagu: Mangelia ginnania Risso e Mangelia laevigata, Philippi. Atti Accad. gioenia Catania (6) 6 9 1950 pp. 1–9.
- 672.—Priolo, O. Nuova revisione delle conchiglie marine di Sicilia. Atti Acad. gioenia Catania (6) 6 14 1950 pp. 1–26 1 pl.
- 673.—Prosser, C. L. & Weinstein, S. J. F. Comparison of blood volume in animals with open and with closed circulatory systems. Physiol. zoöl. 23 1950 pp. 113–124 5 tables.
- 674.—Pruvot-Fol, A. Quelques observations sur la Ponte de la Seiche (Sepia officinalis L.) Bull. Soc. zool. Fr. 71 1946 pp. 113-115.
- 675.—Pruvot-Fol, A. Le genre Thecacera Fleming 1828 et une espéce nouvelle: Thecacera darwini J. Conchyliol., Paris 90 1950 pp. 48–52.
- 676.—Purasjoki, K. J. Plankton gesammelt in den Jahren 1889–1916 au den Küsten Finnlands. [Moll. p. 29 & Tables]. Finnl. hydrogr. biol. -Untersuch No. 11 1947 pp. 1–40 13 pls. 5 diagr. tables.
- 677.—Pyefinch, K. A. Notes on the ecology of ship-fouling organisms. J. Animal Ecol. 19 1950 pp. 29-35. 1 tab.
- 677a.—Quattrini, D. Particolarità strutturali del nucleo nelle cellule nervose dei gangli cerebrali di "Helix vermiculata" Müller. Rend. Accad. Lincei (8) 8 1950 pp. 149–152 2 text-figs.
- 678.—Quick, H. E. The spermatophore of *Milax sowerbii* (Férussac). J. Conch., London 23 1950 pp. 111, 112. text-figs.,
- 679.—Quick, H. E. Observations on Limapontia. Proc. Malac. Soc. London 28 1950 pp. 134-138 text-figs.
- 680.—Rae, B. B. Description of a giant Squid stranded near Aberdeen. Proc. Malac. Soc. London 28 1950 pp. 163-167 pls. 20, 21.

- 681.—Ramamoorthi, K. The broodpouch in the viviparous Melaniidae (Mollusca Gastropoda). J. zool. Soc. India 2 1950 pp. 27-33 text-figs.
- 682.—Ranson, G. Quelle est l'espèce type du genre *Gryphaea* Lamarck? Bull. zool. Nomenel, London, 3 1950 pp. 168–170
- 683.—Ranson, G. Prodissoconques et classification des Ostréidés vivants. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 454-455.
- 684.—Ranson, G. Ecologie et répartition géographique des Ostréidés vivants. C.R. 13e Congr. int. Zool, Paris 1948 [1949] pp. 455–456.
- 685.—Ranson, G. Prodissoconques et classification des Ostréidés fossiles. C.R. 13e Congr. int. Zool. Paris 1948 [1949] pp. 565-566.
- 686.—Ranson, G. Quelle est l'espèce "type" du genre *Gryphaea* Lamarck? C.R. 13e Congr. int. Zool. Paris 1948 [1949] p. 577.
- 687.—Ranson, G. La Chambre promyaire et la Classification zoologique des Ostréidés. J. Conchyliol., Paris 90 1950 pp. 195–200.
- 688.—Raven, C. P. Embryologie expérimentale de l'oeuf de Limnée. Ann. Biol. 26 10 1950 pp. 529-535. [non vidi].
- 689.—Raven, C. P. On maturation in the eggs of *Limnaea stagnalis* L. Bijdr. Dierk. 28 1949 pp. 372–384 2 figs.
- 690.—Raven, C. P. The influence of lithium on the development of the pond snail, *Limnaea stagnalis* L. Exper. Cell Res., N.Y. Suppl. No. 1 1949 pp. 542–544.
- 691.—Raven, C. P. Embryonale inductié gedurenae de outwikkeling van de poelslak, *Limnaea stagnalis* L. Verslag gewone Vergad. Akad. Amst. 60 I 1951 pp. 8–9.
- 692.—Raven, C. P. & Dudok de Wit, S. On the influence of Lithium chloride on the eggs of *Limnaea stagnalis* at the 24-cell stage. Proc. K. ned. Akad. Wet., Amsterdam 52 1 1949 pp. 28-34 text-figs.
- 693.—Raven, C. P. & Zeist, W. Van. On the influence of distilled water and Lithium Chloride upon the eggs of

- Limnaea stagnalis L. at the 2-cell stage. Proc. K. ned. Akad. Wet., Amsterdam 53 5 1950 pp. 601-609 plate.
- 694.—Raven, C. P. & Elst, W. H. van der. The influence of hypertonicity on the eggs of *Limnaea stagnalis*. Proc. K. ned. Akad. Wet., Amsterdam 53 7 1950 pp. 1005–1020 3 figs.
- 695.—Ravera, O. Ricerche sul bisso e sulla sua secrezione. Pubbl. Staz. zool. Napoli 22 1950 pp. 95-105 pls. iv.
 - Ray, S. see Collier, A. and others.
- 696.—Ray, H. C. On a collection of Melanids and Neritids from the Andaman Islands (Mollusca, Gastropoda). Rec. Indian Mus. 45 1949 pp. 299–308 2 text-figs.
- 697.—Ray, H. C. On a collection of Mollusca from the Coromandel Coast of India. Rec. Indian Mus. 46 1949 pp. 87–122 pl. iii.
- 698.—Ray, H. C. Revision of Cypraeacea in the Collection of the Zoological Survey of India. Part 1. The Families Triviidae, Eratoidae, and Pediculariidae. Rec. Indian Mus. 46 1949 pp. 183–213.
- **699.—Raymond**, P. E. Olof, O. Nylander 1864–1943. Nautilus, Philad. **64** 1950 pp. 63–64.
- 700.—Raymont, J. E. G. A Fish cultivation experiment in an arm of a Sea-lock. IV. The Bottom fauna of Kyle Scotnish. Proc. roy. Soc. Edinb. 64B 1 1950 pp. 65-135.
 - Razmislova, S. S. see Vasilenko, V. K.
- 701.—Reddi, K. K. In vivo studies on the "anti-thiamine factor" in freshwater mussel (Lamellidens marginalis). Proc. nat. Inst. Sci. India 16 1950 pp. 221–225 l fig. & table.
- 702.—Rees, C. B. The identification and classification of lamellibranch larvae. Hull Bull. mar. Ecol. 3 1950 pp. 73-103 4 figs. pls. i-v.
- 703.—Rees, W. J. On a giant squid Ommastrephes caroli Furtado stranded at Looe Cornwall. Bull. Brit. Mus. (Nat. Hist). Zool. 1 2 1950 pp. 29-41 text-figs. pls. 1, 2,
- 704.—Rees, W. J. The distribution of *Octopus vulgaris* Lamarck in British waters. J. Mar. biol. Ass., Plymouth 29 1950 pp. 361-378 3 pls. 3 figs.

- 705.—Rees, W. J. Achatina's Odyssey Ravages of a globe-trotting giant snail. Loris, Colombo 5 1950 pp. 159-161.
- 706.—Rees, W. J. Notes on Cephalopoda from the Caribbean. Proc. Malac. Soc. London 28 2-3 1950 pp. 107-114 tables & graph pl. 10-12.
- 707.—Rennie, J. V. L. Os fósseis Aptianos de Chalala near Lourenço Marques. Bol. Serv. Min. Geol. Moçambique 9 1947 pp. 1-41 (In Engl. pp. 45-81) 5 plates.
- 708.—Rensch, B. Die paläontologischen Evolutionsregeln in zoologischer Betrachtung. Biol. gen. 17 1–2 1943 pp. 1–55 7 figs.
- 709.—Rensch, I. Nachträge zur Landschneckenfauna des Bismarck-Archipels. Zool. Anz. 131 1940 pp. 29–39 5 figs.
- 710.—Renz, C. &. O. Die Paroniceraten im südfranzösischen Taorcien von Aveyron. Verh.-schweiz, naturf. Ges. 130 1950 pp. 171–172
 - 711.—Richter, R. Warnende Erfahrung an Eifel-Sammlungen und der Stand des Wetteldorfer Richtschnittes. Senckenbergiana 31 1–2 1950 pp. 95–108.
 - 712.—Ringuelet, R. A. Clasificación moderna del reino animal incluyendo clases y subclases de acordados viviéntes y extinguidos. [Moll. pp. 20–24.] [Publ.] Fac. Cienc. nat. Mus. La Plata Ser. tecn. y didáctica No. 3 1950 pp. 1–61.

Ripplinger, J. see Jullien, A.

- 713.—Ritchie, L. S., Hunter, G. W., III & Pan, C. The distribution of the snail intermediate host of Schistosoma japonicum (Oncomelania nosophora) along the Tone river, Japan. J. Parasit. 36 6 Sect. 2 1950 p. 18.
- 714.—Rivero, L. H. Reproduccion de Caracolus sagemon Beck. Rev. Soc. malac. Habana 7 1950 pp. 45–58 18 figs.
 - Roche, J. see Derrien Y. and others.
- 715.—Roger, J. Collections malacologiques du Laboratoire de Paléontologie du Museum. J. Conchyliol., Paris 90 1950 pp. 226-229.

Rogers, A. H. see Orton, J. H.

- 716.—Ronkin, R. R. The uptake of radioactive phosphate by the excised gill of the mussel, *Mytilus edulis*. J. cell. comp. Physiol. 35 1950 pp. 241-260 5 figs. 1 table.
- Rosene, F. see Whitten, H. L. & others.
- 717.—Rossi, C. Fossili Miocenici del sottosuolo della Gefara Tripolina (Libia) Ann. Mus. libico Stor. nat. 2 1940 pp. 211–249 pl. xx.
- 718.—Rossi, C. Faunetta Eocenica del Serir Tibesti (Sahara Libico). Ann. Mus. libico Stor. nat. 3 1942 pp. 97–108 pl. vii.
- 719.—Rossi, C. Molluschi paleogenici della Sirtica. [Lists.] Ann. Mus. libico Stor. nat. 3 1942 pp. 109–193 pls. viii–xi.

Rossiter, R. J. see McColl, J. D.

- 720.—Rugh, R. The effect of X-radiations on Squid larval tropisms. Biol. Bull. Woods Hole 98 1950 pp. 247–253 pl. i.
- 721.—Russo, A. Mutazioni migranti per fondare nuove unita sistematiche—Analogie con le "metastasi" delle malignita biologiche. R.C. Accad. Lincei (8) 9 3-4 1950 pp. 149-151.
- 722.—Rushentzev, V. E. The section and biostratigraphy of the Sakmar formation. C.R. Acad. Sci. Moscou N.S. 71 1950 pp. 1101-1104. [In Russian.]
- 723.—Růўička, B. Pteriidae Thiele českého siluri a devonu (Lamellibranchiata). Přir. Sborn, Ostrav. Kraje 10 3 1949 2nd pag. pp. 97-118 5 figs. [English summary.]
- 724.—Sacarrão G. de Fonseca. Sobre as primeiras Fases da ontogénese de "Tremoctopus violaceus" Delle Chiaje. Arq. Mus. Bocage, Lisbon 20 1950 pp. 1–123 pls. 1–18 33 text-figs.
- 725.—Saksena, S. P. Studies on sex in Ostrea edulis from the bay of Naples. Pubbl. Staz. zool. Napoli 22 1950 pp. 327-338.
- 726.—Sampelayo, P. H. Remesa de pelicipidos limnicos del carbonifero de Ciñera (León). Notas Com. Inst. geol. España 19 1949 pp. 39-44 (1-4) 2 plates.

Sanchez, S. see Tuzet, O.

727.—Sander, K. Beobachtungen zur Fortpflanzung von Assiminea grayana Leach. Arch. Molluskenk. 79 1950 pp. 147–149 3 text-figs.

Santos, J. M. see Paraense, W. L.

728.—Sartorius, H. Das Bachbecken. Wschr. Aquar. Terrarienk., Braunschweig 44 1950 pp. 221–225 text-figs.

729.—Sassi, P. Sui fossili di due giacimenti Wealdiani della Tripolitania. Ann. Mus. libico Stor. nat. 3 1942 pp. 41-51 1 pl.

730.—Schäfer, W. Über Nahrung und Wanderung im Biotop bei der Strandschnecke Luttorina littorea. Arch. Molluskenk. 79 1950 pp. 1–8 5 text-figs.

731.—Schäfer, W. Nahrungsaufnahme und ernährungsphysiologische Umstimmung bei Aeolis papillosa. Arch. Molluskenk. 79 1-3 1950 pp. 9-14 5 text-figs.

732.—Schäfer, W. Der "Sipho" der Klaffmuschel (*Mya arenaria*). Natur u. Volk 80 1950 pp. 142–146 figs.

733.—Schäfer, W. Klaffmuschel-Spülsäume am Wattenstrand. Natur u. Volk 80 1950 pp. 173–176 2 figs.

734.—Schalie, H. & A. van der. The mussels of the Mississippi River. Amer. Midl. Nat. 44 1950 pp. 448–466 2 maps 1 table.

735.—Schevill, W. E. An upper Jurassic Sepioid from Cuba. J. Paleont. 24 1950 pp. 99–101 pl. 23.

736.—Schevill, W. E. Münsterella, new name for Kaelaeno Münster 1842 non Münster 1839. J. Paleont. 24 1950 pp. 117-118.

737.—Schick, M. Charles W. Johnson 1863–1932. Min. Conch. Club. S. Calif. 98 March 1950 pp. 5–6.

738.—Schilder, F. A. Cypraeacea della Creta Superiore della Libia (Molluschi Gasteropodi Prosobranchi). Ann. Mus. libico Stor. nat. 3 1942 pp. 54-73 pls. ii, iii 1 fig.

739.—Schilder, F. A. Die Ursacken der Variabilität bei *Cepaea*. Biol. Zbl. Leipzig 69 3–4 1950 pp. 79–103 textmaps tables.

740.—Schindewolf, O. H. Der Leitfactor im Geologie und Paläontologie. Stuttgart 1950 pp. 1–114 18 text-figs. 3 tables.

741.—Schlesch, H. Viktor Franz (1883–1950). Ein Nachruf. Arch. Molluskenk. **79** 1950 pp. 89–90.

742.—Schlesch, H. Michael Rotarides (1893–1950) Ein Nachruf. Arch. Molluskenk. **79** 1950 p. 179–182.

743.—Schlesch, H., Krausp, C., Zeep, H.-J. & Schmierer, T. Die Land- und Süsswasseremollusken Lettlands mit Berücksichtigung der in den Nachbargebieten Vorkommenden Arten. KorrespBl. Naturf. Ver. Riga 64 1942 pp. 246-360 1 map.

744.—Schmidt, H. Werneroceras crispiforme Kayser und andere goniatiten des Eifeler Mitteldevon. Senckenbergiana 31 1–2 1950 pp. 89–94 figs. 1–8.

745.—Schmidt, W. Embryonalvindungen von *Vermetus intortus* Lam. Ann. naturh. Mus. Wien **57** 1950 pp. 157–158 3 figs.

746.—Schmidt, W. J. Neuere Polarisationioptiche Arbeiten auf dem Gebiete der Biologie. Protoplasma **37** 1 1942 pp. 86–153.

Schmierer, T. see Schlesch, H. & others.

747.—Schreiber, F. G. & Schubert, M. Experimental infection of the snail Australorbis glabratus with the Trematode Schistosoma mansoni and the production of cercariae. J. Parasit. 35 1949 pp. 91-100 graph & tables.

Schubert, M. see Schreiber, F. G.

748.—Schwarzacher, W. Neue Ammonitenfunde aus dem Flysch von Muntigl bei Salzburg. Ber. Reichstelle Bodenforsch. 1943 9–12 pp. 157–160 1 text-fig.

749.—Schwengel, J. S. Liguus enlarges its menu. Nautilus, Philad. 63 1949 p. 72.

750.—Schwengel, J. S. Two Pacific species of *Phos.* Nautilus, Philad. **63** 1950 pp. 80–81 pl. 5 f. 3, 4.

751.—Schwetz, J. Notes géologiques et zoologiques sur la Riviere Fwa (Congo Belge). Ann. Soc. zool. Belg. 77 1947 pp. 166–172 1 pl. 1 fig.

752.—Schwetz, J. Sur l'ecologie de *Planorbis smithi* Preston 1910. Ann. Soc. zool. Belg. 80 1950 pp. 87-91 2 figs.

- 753.—Segre, A. Il Lithodomus lithophagus fossile e i movimenti eustalici sui versante tirrenico. Ric. Scient. Roma 19 5 1949 pp. 353-354.
- 754.—Shanes, A. M. Electrical phenomena in nerve. I. Squid giant axon. J. gen. Physiol. 33 1949 pp. 57–73 figs.
 - Sheppard, P. M. see Cains, H. J.
- **755.—Sherwood**, H. P. Cine-film on Mussel purification. Challenger Soc. London **3** 2 1950 pp. 14-15.
- 756.—Shkorbatov, Y. L. Influence of surroundings on physiological peculiarities of the related forms of fresh-water Mollusca. C.R. Acad. Sci., Moscow N.S. 70 1950 pp. 1061–1063. [In Russian.]
- 757.—Shotwell, J. A. Distribution of volume and relative linear measurement changes in *Acmaea*, the limpet. Ecology, Lancaster, Pa. 31 1 1950 pp. 51-61 11 figs. tables.
- 758.—Simakov, S. N. Observation on oyster bed in Fergana. C.R. Acad. Sci., Moscow N.S. 75 1950 pp. 435–438. [In Russian.]
- 759.—Slavin, V. I. Lower Jurassic deposits in North-East Carpathians. C.R. Acad. Sci., Moscow 75 N.S. 1950 pp. 439-440. [In Russian.]
- 760.—Smith, M. New Mexican and Panamic Shells. Nautilus, Philad. 64 1950 pp. 60-61 pl. 4.
- Snel, M. see Leckwych, W. van & others.
- Soares, J. M. P. see Torres, A. S. & others.
- 761.—Soika, A. G. Les principales collections malacologiques italicnnes. J. Conchyliol., Paris 90 1950 pp. 225–226.
 - Solé, L. see Fallot, P. & others.
- 762.—Solle, G. Beobachtungen und Deutungen zum Unterkoblenz in Taunus und Hunsrück. Senckenbergiana 31 3-4 1950 pp. 185-196 1 pl.
- 763.—Solman, V. E. F. Limnological Investigation of Fundy (New Brunswick) National Park 1948. Wildl, Mgmt. Bull. Can. Ser. 3 No. 2 1950 pp. 1–48 32 figs. 8 tabs. 1 map.
- **764.—Southgate,** B. A. Report of the Director. Rep. Water Pollution Res. London **1947** 1949 pp. 9-51.

- 765.—Spärck, R. Investigations on the biology of the oyster XII. On the fluctuations in the oyster stock of northwestern Europe. Rep. Danish biol. Sta. No. 52 1950 pp. 41-45.
- 766.—Spärck, R. On the distribution of the slipper-limpet (Crepidula fornicata) in Danish waters. Rep. Danish biol. Sta. No. 52 1950 pp. 49-50.
- 767.—Spath, L. F. A new Tithonian ammonoid fauna from Kurdistan, Northern Iraq. Bull. Brit. Mus. (Nat. Hist.) Geol. 1 4 1950 pp. 93–146 5 pls.
- 768.—Stach, L. W. Ecology of the sand flats at Moreton Bay, Reevesby Island, South Australia. Trans. roy. Soc. S. Aust. 68 2 1944 pp. 177–182 text map tables.
- 769.—Staiger, H. Chromosomenzahlen stenoglosser Prosobranchier. Experientia, Basel 6 2 1950 pp. 54-56 text-figs. [Summary in English.]
- 770.—Staiger, H. Chromosomenzahl-Varianten bei *Purpura capillus*. Experientia, Basel 6 4 1950 pp. 140-142 text-figs. [Summary in English.]
- 771.—Staiger, H. Zur Determination der Nähreier bei Prosobranchiern. Rev. suisse Zool. 57 1950 pp. 496–503 3 figs. 2 tabs.
- 772.—Stauber, L. A. The fate of India ink injected intracardially into the oyster, *Ostrea virginica* Gmelin. Biol. Bull. Woods Hole **98** 1950 pp. 227–241 tables pls. i, ii.
- 773.—Stauber, L. A. The problem of physiological species with special reference to oysters and oyster drills. Ecology, Lancaster, Pa. 31 1950 pp. 109-118 2 figs. 1 table.
- 774.—Steenberg, C. M. Posthumous paper edited by G. Mandahl-Barth. Étude sur l'anatomic et la systématique du genre *Eremina* (Gastéropodes Pulmonés). · Kgl. Danske Vidensk. Selsk. Biol. Meddel. 20 14 1949 pp. 1–28 pls. i-x.
- 775.—Steenhuis, J. F. De Mollusken en de Grens Marien Plioceen-Pliotoceen. Geol. Mijnbouw, The Hague 12 1 1950 pp. 23–25.
- 776.—Stekhoven, J. H. S. "Alloionema appendiculatum" Schneider 1859 (Nematodo parasetico de Arion ater (L.)). Acta. Zool. Lilloana 9 1950 pp. 481–485 figs. [non vidi].

Stelck, C. R. see Warren, P. S.

777.—Stenzel, H. B. Succession speciation in Paleontology, the case of the oysters of the Gellaeformis stock. Evolution, Lancaster, Pa. 3 1949 pp. 34-50 text-figs.

778.—Stephenson, L. W. Tertiary and Cretaceous Mollusca from depths of 1040 to 2257 feet in the Hammond Well. Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 pp. 120-124 pls. 1-2.

779.—Stephenson, L. W. Cretaceous Mollusca from depths of 1894–1896 feet in the Bethards well. Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 pp. 125–126.

780.—Steusloff, U. Clausilien auf den unteren Terrassen des Niederrheines. Arch. Molluskenk. 79 1950 pp. 45–54 text map & graphs.

781.—Steusloff, U. Ein Beitrag zur Molluskenfauna der Umgebung von Görlitz [List p. 78]. Abh. naturf. Ges. Görlitz 33 2 1940 pp. 77–84 1 pl.

782.—Steusloff, U. Der Lebensraum der Löss-Schnecken. Z. Geschiebeforsch. **19** 1 1943 pp. 18–26 figs. 1–5.

783.—Steusloff, U. Die gegenwärtige Verbreitung von Corbicula fluminalis Müller. Z. Geschiebeforsch. 19 1 1943 pp. 66-68.

Stirewalt, M. A. see Jachowski, L. A.

784.—Stock, J. H. Littorina neritoides petraea (Montagu 1803) op drie plaatsen in Nederland autochthoon aangetroffen. Basteria, Lisse 14 1–2 1950 pp. 11–12. [Summary in English p. 14.]

785.—Stohler, R. Studies on Mollusk Population 1. Nautilus, Philad. 64 1950 pp. 47-51.

786.—Stoll, E. Mollusken aus einigen Senongeschieben von Anhalt. **Z.** Geschiebeforsch. **17** 2 1941 pp. 75–109 pls. 1–2.

Stork, A. see Nierstrasz, H. F.

787.—Stratton, L. W. Habitat of Clausilia rolphii Turton. J. Conch., London 23 4 1950 pp. 101-104 text maps.

788.—Stratton, L. W. Planorbis corneus (L.) var. rubra Oldham. J. Conch., London 23 1950 pp. 104, 105. 789.—Stratton, L. W. The land mollusca of the Parish of Aldenham: a re-survey. Trans. Herts. nat. Hist. Soc. 23 3 1950 pp. 100-127 9 figs. tables.

790.—Strausz, L. Versuch einer Parallelisierung des Pannons. Mitt. Reichsamts Bodenforsch. 6 1943 pp. 93–100.

Stray, E. see Hunter III, G. W. & others.

791.—Street, P. Primitive life of the Seashore. Country Life 108 Oct 6 1950 pp. 1099-1100 figs.

Stride, A. H. see Hepworth, J. V.

Strong, A. M. see Hertlein, L. G.

792.—Sturgeon, M. T. & Merrill, W. M. An additional fossiliferous member in the Allegheny formation (Pennsylvanian) of Ohio. Ohio J. Sci. 49 I 1949 pp. 1-11 text-figs.

793.—Sukhov, I. M. Some data on the stratigraphical position of "Podolian Stratum". C.R. Acad. Sci. Moscou N.S. 71 1950 pp. 371-373. [In Russian.]

794.—Suvatti, C. Fauna of Thailand, Bangkok (Dept. of Fisheries) 1950 pp. ii + 1100, frontis. [Mollusca, Sec. 10 pp. 32-126].

795.—Swartz, F. M. The Keyser Limestone and Helderberg Group in Willard B. The Devonian of Pennsylvania. Bull. Geol. Surv. Pennsylvania G.19 1939 pp. 29-91 pl. 1.

796.—Szidat, L. Bemerkungen zur Sogenannten parasitären Kastration von Mollusken. Z. Parasitenk. 12 1941 pp. 251–258 2 figs.

797.—Taddei, A. Contributo alla conoscenza di alcuni tessuti di invertebrati. Monit. zool. ital. 58 1950 pp. 16-27 1 fig.

798.—Taki, I. Morphological observations on the Gastropod Operculum Jap. J. Malac. 16 1-4 1950 pp. 32-48 I tab. 12 text-figs. [In Japanese with English summary.]

Take, M. M. see Goodwin, T. W.

799.—Tanita, S., Kato, K. & Okuda, T. Studies on the environmental conditions of shellfish-fields. I. In the case of Hakodate harbour. Bull. Fac. Fish. Hokkaido 1 1950 pp. 18—27 7 figs. 2 tabs. [In Japanese with English résumé.]

- 800.—Tang, C. C. Studies on the life history of Eurytrema pancreaticum Janson 1889. [Experiments on snails p. 561.] J. Parasit. 36 6 Sect. 1 1950 pp. 559-573 10 figs.
- 801.—Tavani, G. Fauna malacologica cretacea della Somalia e dell' Ogaden. Palacontogr. ital., Pisa 45 (n.s. 15) 1949 pp. 1-76 pls. i -xi, (xii-xxii) text-figs. 1-4.
- 802.—Teichert, C. Late Quaternary changes of sea-level at Rottnest Island, Western Australia. [Moll. list in text.] Proc. roy. Soc. Vict. N.S. 59 1950 pp. 63-79 pls. v, vi.
- 803.—Tembrock, G. Über einige Cephalopoden der Cerithiumkalkgeschiebe. Z. Geschiebeforsch. 19 1 1943 pp. 72–74 figs. 1–5.
- **804.**—**Termier**, H. & G. Affinités des *Conularida*. C.R. **13e** Congr. int. Zool., Paris 1948 [1949] pp. 546-547.
- 805.—Termier, H. & G. On the systematic position of the genus *Hercynella* Kayser. Proc. Malac. Soc., London 28 1950 pp. 156-162 text-figs.

Termier, H. & G. see Agard, J.

- 806.—Tesch, J. J. The Gymnosomata II. Dana Rep., Copenhagen No. 36 1950 pp. 1-55 37 figs.
- 807.—Tesch, P. Over enige bestanddelen van flora en fauna in het Onder-Plistoceen in Nederland. Geol. & Mijnb. 12 1950 pp. 137–139.
- 808.—Thienemann, A. Verbreitungsgeschichte der Süsswassertierwelt Europas, Versuch einer historischen Tiergeographie der europäischen Binnengewässer. [For Mollusca see index pp. 788–809 under genera names.] Binnengewässer, Stuttgart 18 1950 pp. i–xvi 1–809 11 pls. 249 figs. tables.
- 809.—Thomsen, J. M. The effect of the orientation of cultch material on the setting of the Sydney rock oyster. Aust. J. Mar. Freshwater Res. 1 1950 pp. 139-154 tables.
- 810.—Thompson, M. L. & Miller, A. K. Permian Fusiloids and Cephalopods from the vicinity of the Maracaibo Basin in northern South America. J. Paleont. 23 1 1949 pp. 1–24 text-map pls. 1–8.

- 811.—Thorson, G. Reproductive and larval ecology of marine bottom invertebrates. Biol. Rev., Cambridge 25 1950 pp. 1-45 text-figs.
- 812.—Thunberg, T. Citric acid in calcareous depositions and similar formations in non-invertebrates. Acta Physiol. Scand., Stockholm 18 2-3 1949 pp. 157-160.
- 813.—Tikhomirov, V. V. & Zhuze, B. P. New material to establish the age of the salt bearing layer at Nakhitchevan in Azerbaidjan Republic. C.R. Acad. Sci., Moscou N.S. 75 1950 pp. 569-572. [In Russian.]

Tikhomirov, V. V. see Khain, V. E. & others.

- 814.—Tixier, R. Sur la turboglaucobiline, pigment des coquilles de mollusques du genre *Turbo*. C.R. 13e Congr. int. Zool., Paris 1948 [1949] pp. 84–85.
- 815.—Tixier, R. & Lederer, E. Sur l'haliotivioline, pigment des coquilles, *Haliotis cracherodii*. C.R. 13e Congr. int. Zool., Paris 1948 [1949] pp. 85-86.
- 816.—Torre, C. de la. Dos casos de impresion de las partes blandas en ammoideos de vinales. Bol. Hist. nat. Soc. La Habana 1 4 1950 pp. 171-174 l fig.
- 817.—Torres, A. S., Pires Soares, J. M. & O'Donnel, H. Alguns testemunhos geológicas da Guiné Portuguesa. An. Junta Miss. Geogr. Invest. Colon Lisboa 1 1946 pp. 33–39. [English summary.]
- 818.—Torriani, AM.. Revisione della fauna Neocretacica della Libia: Gen. Chlamys, Pecten, Neithea e Plicatula. Ann. Mus. libico Stor. nat. 3 1942 pp. 83-95 pl. vi.
- 819.—Toth, G. Zur Kenntnis des österreichischen Miozäns. Ann. naturh. Mus. Wien 57 1950 pp. 163-178 2 figs.
- 820.—Tothill, J. D. A collector's notes on the large land snails of the Anglo-Egyptian Sudan. Sudan Notes 29 2 1948 pp. 189–205 7 figs. & maps.
- 821.—Townsend, C. C. Mollusca [Gloucestershire records]. Proc. Cotteswold Nat., Gloucester 30 1 1950 pp. 41-42.

- 822.—Tremlett, W. E. English Eocene and Oligocene Cardiidae. Proc. Malac. Soc. London 28 1950 pp. 115– 133 pl.s 15–19.
- 823.—Tressler, D. K. & Lemon, J. McW. Marine products of commerce. 2nd edn. New York pp. i-xiii 1-782 figs.
 - Triebel, E. see Kräusel, R. & others.
- 824.—Trueman, E. R. Quinonetanning in the Mollusca. Nature, London 165 1950 pp. 397–398.
- 825.—Trueman, E. R. Observations on the ligament of *Mytilus edulis*. Quart. J. micr. Sci. London 91 1950 pp. 225-235 9 figs.
- 826.—Turner, A. H. Laciniaria biplicata (Montagu) in Somerset. J. Conch., London 23 1950 p. 116.
- 827.—Tuzet, O. & Sanchez, S. La spermatogenèse des Limaces Milax gagates Drap. et Agriolimax agrestis L. Ann. Sci. nat. zool. (11) 12 1950 pp. 303-307 2 figs.
- 828.—Udluft, H. Ergänzungen und kritische Bemerkungen zu der Arbeit von Max Blanckenborn über das Tertiär Niederhessens. Notizbl. hess. Landesamt. 6 1 1950 pp. 83–100 tables.
- 829.—Ulbrecht, G. Thermoelastische Analyse des gibben Anteils des Schliessmuskels der Teichmuschel. Z. Biol., München 103 3 1950 pp. 278–287 6 figs. tables.
- 830.—Ulmer, M. J. A new secondary intermediate host for *Postharmostomum helicis* (Trematoda: Brachylaemidae). J. Parasit. 36 6 Sect. 2 1950 p. 20.
- 831.—United Nations.—Food and Agriculture Organization. Report of the F.A.O. Fisheries Mission for Thailand. Washington, D.C. 1949.
- 832.—Ushakov, P. V. Abyssal fauna of the Okhotsk Sea. C.R. Acad. Sci., Moscou N.S. 71 1950 pp. 971–974. [In Russian.]
- 833.—Vago, C. Septicémie à spirochètes chez les "vers courts" de Bombyx mori et son rôle dans l'etiologie de cette maladie. Bull. Soc. zool. Fr. 75 1950 pp. 201–206.
- 834.—Vasilenko, V. K. & Razmislova, S. S. The systematics of the genus Belemnitella. C.R. Acad. Sci., Moscou N.S. 74 1950 pp. 603-606 fig. [In Russian.]

- 835.—Veit, E. Zur Stratigraphie des Miozäns im Wiener Becken. Mitt. Reichsamts Bodenforsch. 6 1943 pp. 3-33 2 tables.
- 836.—Venmans, L. A. W. C. Malacologische aantekeningen. 4. Valvata piscinalis (Müller). 5. Bithynia tentaculata (Linné). Basteria, Lisse 14 1–2 1950 pp. 3–6.
- 837.—Venmans, L. A. W. C. Malacologische aantekeningen. 6. Zonitoides excavatus (Bean). Basteria, Lisse 14 3–4 1950 pp. 44–53 text-map. [Summary in English p. 51.]
- 838.—Venmans, L. A. W. C. & Verdcourt, B. Abnormalities in the radula of *Drymaeus virgulatus* (Fér). Basteria, Lisse 14 1–2 1950 pp. 1–3 text-fig. pls. 1, 2.
- 839.—Venzo, S. Il Batoniano a Trigonia dell' Oltreguiba settentrionale e del Borana sud-orientale (Africa orientale). Palaeontogr. ital., Pisa 45 (N.S. 15) 1949 pp. 111-177 pls. xiv-xvi [I-III] with 4 text-figs.
- 840.—Verdcourt, B. A new species of Hydrobiidae from the Belgian Congo. Rev. Zool. Bot. afr. 43 1950 pp. 213–215 6 figs.
- Verdcourt, B. see Venmans, L. A. W. C.
- 841.—Verrill, A. H. New subspecies from the West Indies. Min. Conch. Club, S. Calif. 101 June 1950 pp. 5-7.
- 842.—Verrill, A. H. Murex Argo Clench & Farfante. Nautilus, Philad. 63 1949 p. 36.
- 843.—Verrill, A. H. New marine mollusks from Dominica, B.W.I. Nautilus, Philad. 63 1950 pp. 126–128 pl. 9, 10.
- 844.—Viader, R. Contribution à l'étude des mollusques comestibles terrestres, marins et fluviatiles de l'île Maurice. Trans. R. Soc. Arts Sci. Mauritius Ser. C. No. 14 1947 pp. 1–44.
- 845.—Vibe, C. The marine mammals and the marine fauna in the Thule district (Northwest Greenland) with observations on ice conditions in 1939–41. Medd. Grønland 150 6 1950 pp. 1–117 35 figs. tables.
- 846.—Vilela, H. Relações dos Moluscos lameli brânquios com os seus combiontes. [Abstract.] Bol. Soc. portug. Cienc. nat. 18 1 1950 p. 128.

- 847.—Villoutreys, O. de. An sujet du genre *Ptychoceras* d'Orbigny (Ammonite). Bull. Mus. Hist. nat. Paris (2) 22 1 1950 pp. 155–156.
- 848.—Vinson, J. L'ile Ronde et l'ile aux Serpents. [Mollusc p. 46.] Proc. R. Soc. Arts Mauritius 1 1 1950 pp. 32-52 4 pls. 2 figs.
- 849.—Vitagliano, G. Osservazioni sul comportamento della cellule follicolari nella gametogenesi di *Cavolinia* tridentata Forskal (Moll. Pterop.). Pubbl. Staz. zool. Napoli 22 1950 pp. 367–377 1 fig.
- 850.—Vladykov, V. D. Nourriture du Marsonin Blanc on Béluga (*Del-phinapterus leucas*) au fleuve Saint-Laurent. Dept. Pécheries Quebec 1946 pp. 1-132 tables 21 pp. maps & figs.
- 851.—Vokes, H. A. Cretaceous Mollusca from depths of 4875 to 4885 feet in the Maryland Esso Well. Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 pp. 126–151 pls. 3–4.
- 852.—Volkova, N. S. New data on the fauna of the upper Maykop in the Northern Caucasus. C.R. Acad. Sci., Moscou N.S. 73 1950 pp. 787–788. [In Russian.]
- 853.—Voorthuysen, J. H. v. The quantitative distribution of the Plio-Pleistocene, Foraminifera of a boring at The Hague (Netherland). [Moll. pp. 33–34]. Meded. Geol. Stichting (N.S.) No. 4 pp. 31–49 pls. i–iv table 13 text-figs. [non vidi].
- 854.—Vos, A. P. C. de. Enige hydrobiologische waarnemingen of Vlieland. Bijdr. Dierk. 28 1949 pp. 540-542 1 fig.
- 855.—Waine, P. P. The distribution of *Crepidula fornicata* in the River Crouch. Challenger Soc., London 3 2 1950 pp. 12-16.
- 856.—Walrecht, B. J. J. R. Mededelingen over *Nassa reticulata*, speciaal het type voorkomend in het Kanaal door Zuid-Beveland. Basteria, Lisse 14 1–2 1950 pp. 6–8 text-fig.
- 857.—Walrecht, B. J. J. R. Afwijking in Schelpvorm bij een Alikruik (*Littorina littorea* L.) Levende Nat., Amsterdam 53 5 1950 pp. 96–98 text-figs.

- 858.—Warren, P. S. & Stelck, C. R. Succession of Devonian faunas in western Canada. Trans. roy. Soc. Can. (3) 44 4 1950 pp. 61-78 1 fig.
- 859.—Waterman, T. H. A light polarization analyzer in the compound eye of Limulus. Science 111 1950 pp. 252–254 text-figs. graph.
- 860.—Waterston, C. D. The stratigraphy and palaeontology of the Jurassic rocks of Eathie (Cromarty). Trans. roy. Soc. Edinb. 62 1 1951 pp. 33-51 2 pls. 8 figs.
- 861.—Watson, H. An Onchidella from Angola. Bull. Inst. R. Colon. Belg. 21 4 1950 pp. 905-912 3 figs.
- 862.—Watts, A. H. G. & Ord, M. J. The Cytology of the Reproductive Organs of Certain Land Mollusca of Nova Scotia. Proc. N.S. Inst. Sci. 22 3 1950 p. 44.
 - Watts, A. H. G. see Ord, M. J.
- 863.—Webb, G. R. Comparative study of mating in two species of Arionid Mollusks. J. Ent. Zool., Claremont, Cal. 42 1950 pp. 28–37 pls. i-iv.
- **864.—Webb,** G. R. Slug behaviour. Nautilus, Philad. **63** 1950 pp. 106–107.
- 865.—Webb, G. R. Shell-spinules as defense structures. Nautilus, Philad. 63 1950 p. 107.
- 866.—Webb, G. R. Attempted defense by *Haplotrema concavum* and mode of eating. Nautilus, Philad. 63 1950 pp. 141–142.
- 867.—Webb, G. R. New and neglected Philomycids and the genus Eumelus Rafinesque (Mollusca, Gastropoda, Pulmonata). Trans. Amer. micr. Soc. 69 1950 pp. 54-63 pls. 1, 2.
- 868.—Webb, G. R. The sexology of Polygyra septemvolva Say, life-history notes, possible utility, and data on Stenotrema (Mollusca, Gastropoda, Pulmonata, Polygyridae). Trans. Amer. micr. Soc. 69 1950 pp. 387–393 9 figs.
 - Weinstein, S. J. F. see Prosser, C. L.
- 869.—Weir, J. Recent studies of shells of the Coal Measures. Sci. Prog., London 38 151 1950 pp. 445-458 text-figs. pl. 1.

- 870.—Werner, B. Über den haichvorgang der amerikanischen Pantoffelschnecke. Crepidula fornicata L. Remane and others, Verh. Deuts. Zool. in Kiel 1948 Leipzig (Geest & Portig) 1949 pp. 262–270 6 figs.
- 871.—Werner, H. J. Observations on the external anatomy and morphology of the alimentary tract of *Littorina irrorata* (Say). J. Tenn. Acad. Sci. 25 1950 pp. 187-194 figs.
- 872.—Westergård, A. H. Apsidiscus new name replacing Aulacodiscus Westergård 1946. Geol. Fören. Stockh. Förh. 71 4 1949 p. 606.
- 873.—Westoll, T. S. Some aspects of growth studies in fossils. [Evolution of *Gryphaea.*] Proc. roy. Soc., London 137B 889 1950 pp. 490–509 5 figs. & graphs.
- 874.—Wetzel, W. von. Über die oberste Kreide von Barbeck bei Hemmoor. Z. dtsch. geol. Ges. 94 1–2 1942 pp. 41–43.
- 875.—Wheeler, H. E. Polygyra hippocrepis and its author Louis Pfeiffer [to be concluded]. Nautilus, Philad. 63 1949 pp. 1-9 text-figs.
- 876.—Wheeler, H. E. Polygyra hippocrepis and its author Louis Pfeiffer. Nautilus, Philad. 63 1949 pp. 48–58.
- 877.—White, K. M. On the Nudibranch genera *Platydoris*, *Artachaea* and *Hoplodoris*. Proc. Malac. Soc., London 28 1950 pp. 93-101 text-figs. pl. 9.
- 878.—Whitten, H. L., Rosene, F. & Hedgpeth, J. W. The invertebrate fauna of Texas coast jetties; a preliminary survey. [Moll. pp. 80-84.] Publ. Inst. Mar. Sci. Univ. Tex. 1 No. 2 1950 pp. 53-87 1 pl. 4 figs.
- 879.—Wilbur, K. M. & Anderson, N. G. Carbonic anhydrase and growth in the Oyster and Busycon. Biol. Bull. Woods Hole 98 1950 pp. 19–24 graph.
 - Wilbur, K. M. see Jodrey, L. H.
- 880.—Wilcox, E. N. Conchology in my own backyard. Min. Conch. Club, S. Calif. 100 May 1950 pp. 1-3.

- 882.—Wilkins, G. L. How to begin the study of shells. Country-Side, Kingston-on-Thames N.S. 15 11 1950 pp. 326–331 1 pl.
- 883.—Willard, B. The Devonian of Pennsylvania: Middle and Upper Devonian. Bull. Geol. Soc. Pennsylvania G19 1939 pp. 1–28, 131–381 pls. 23–30 text-figs. 1–95.
- Willièra, Y. see Leckwyck, W. van & others.
- 884.—Wilson, D. Notes on Cypraea. Min. Conch. Club, S. Calif. 98 March 1950 pp. 3-5.
- 885.—Wilson, T. E. & McCleskey, C. S. Enterococci as indicators of pollution in Louisiana shell oysters. Proc. Louisiana Acad. Sci. 13 1950 p. 64.
 - Wingstrand, K. G. see Brinck, P.
- 886.—Wölper, C. Das Osphradium der *Paludina vivipara*. Z. vergl. Physiol., Berlin 32 1950 pp. 272–286 6 figs.
 - Wood, E. J. F. see Allan, F. E.
- 887.—Wright, C. W. & E. V. Further records of Cretaceous fossils from the Isle of Wight. Proc. I. of Wight nat. Hist. Soc. Newport 4 4 1950 pp. 123–126.
- 888.—Wright, W. H. Studies in Schistosomiasis.—The geographical distribution and Molluscan intermediate hosts of the Schistosomes maturing in man. Bull. Nat. Inst. Health, Washington, D.C. 189 1947 pp. 1–48 tables.
- 889.—Wrigley, A. The differences between the calcareous tubes of Vermetids and of Serpulids. J. Conchyliol., Paris 90 1950 pp. 118–121 13 text-figs.
- 890.—Wurtz, C. B. Physa heterostropha (Say). Nautilus, Philad. 63 1949 pp. 20–33.
- 891.—Wurtz, C. B. Gastrodonta fonticula Wurtz. Nautilus, Philad. 63 1949 p. 71.
- 892.—Yabe, H. & Hatai, K. M. A note on Pecten (Fortipectea, subg. nov.) takahashii Yokoyama and its bearing on the Neogene Deposits of Japan. Sci. Rep. Tohoku Univ. 21 2 1940 pp. 147–160 pls. 34–35.

893.—Yabe, H. & Hatai, K. M. The Cenozoic formations and fossils of Northeastern Honsyû, Japan. Sci. Rep. Tohoku Univ. 22 1 1941 pp. 1–86 pls. 1–4.

894.—Yamanoto, G. Ecological note of the spawning cycle of the scallop, *Pecten yessoensis* Jay, in Motsu Bay. Sci. Rep. Tôhoku Univ. (4) 18 4 1950 pp. 477-481 I fig.

Yamamoto, G. see Nishioka, C. & others.

895.—Yen, T.-C. A molluscan fauna from the type section of the Truckee formation [? Pliocene Nevada]. Amer. J. Sci., New Haven 248 1950 pp. 180–193 text-fig. pl. 1.

896.—Yen, Teng-Chien. Paleocene fresh-water Mollusks from Southern Montana. Prof. Pap. U.S. Geol. Surv. 214-C 1948 pp. 33-50 pl. 10.

897.—Yonge, C. M. Bottom fauna of the sea. Research, London 1 13 1948 pp. 589-595 figs.

898.—Zárate y López, A. O. de. Observaciones anatómicas y posición sistemática de varios helicidos españoles. Bol. R. Soc. esp. Hist. nat. 48 Biol. 1 1950 pp. 21–85 1 pl. 22 figs.

899.—Zárate López, A. O. de & Zárate Rocandio, A. O. de. Contribución al conceimiento de la distribución de los moluscos terrestres en las provincias vascongadas y Norte de Navarra [Lists]. Bol. Soc. esp. Hist. nat. 47 7–8 1950 pp. 397–432.

Zeep. H. J. see Schlesch H. & others.

900.—Zeiger, K. Zur Problematik des Golgi-Apparates. Zool. Anz. 145 Erganzungsb. 1950 pp. 1140–1154 5 figs.

Zeist, W. v. see Raven, C. P.

Zhuze, B. P. see Tikhomirov, V. V.

901.—Zilch, A. Zur Frage der Bestimmung eines Lectotype. Arch. Molluskenk. 79 1950 pp. 87–88.

902.—Zilch, A. & Fischer, K. G. A. Tympanotonos francofurtanus [nov.] nom. und seine stratigraphische Bedeutung im Aquitan des Mainzer Beckens. Arch. Molluskenk. 79 1950 pp. 151–154 pl. 12.

Zilch, A. see Kräusel, R. & others.

903.—Zinn, D. J. Tethys (Aplysia) willcoxi Heilprin in Narragansett Bay and other Rhode Island waters. Nautilus, Philad. 64 1950 pp. 40–47.

Zuffardi-Comerci, R. see Parona, C. F

II.—SUBJECT INDEX

N.B.—The number in Clarendon type after the author's name in both Subject and Systematic Indices refers to "Titles," where fuller references will be found.

GENERAL LITERATURE AND HISTORY

General Works and Monographs.-Cocos-Keeling Islands Mollusca, R. T. ABBOTT 14; Quaternary Mollusca from the Island of Boenjoe and Tarakan, E. Borneo. Descriptions in text. Bibliography pp. 263-264, C. Beets 68; East Borneo, Collection of fossil Mollusca from Mandul in Leyden Museum. C. BEETS 71; The osmotic pressure in Mollusca of the Barents Sea, BELEYEVA 73; Shells of the coralline islets of New Caledonian—lists, R. CATALA 132; Western Atlantic Epitoniidae, Clench & Turner 146; Torsion in Gastropoda—figs., N. B. Eales 209; Secondary symmetry in Gastropods, N. B. Eales 210; Report on the Fishery of Loligo opalescens, W. G. Fields 239; Metabolism, D. L. Fox 267; Caratenoid distribution in the gonads of Patella vulgata & depressa, T. W. GOODWIN 298; Hermit Crabs in fossil shells, F. HAAS 310; Researches and Studies on Spermatophores, figs., M. Hamon 317; Galapagos Islands, Cypraeid Fauna of the. W. M. INGRAM 374; Review of the genus Actinocamax, J. A. Jeletzky 387; Collections in which Conus gloriamaris is represented, W. S. S. v. B. JUTTING 407; Generic relationship of mollusca based on shell's injuries, Kововкоv 440; Bodenbiologie, W. KÜHNELT 458; Slugs and Snails, a lecture, L. B. LANGMEAD 472; Chromosomes of some Pulmonates, J. LE CALVEZ & P. CERTAIN 483; Freshwater snails for aquaria, W. H. MACEY 515;

Land and Freshwater of Denmark, G. MANDAHL-BARTH 533; On sex of mollusca, G. Montalenti 575: Baroda Pearl fisheries, S. T. Moses 582; Cytology of the Neurones of Limnaea stagnalis, T. A. A. Moussa 584; Ostrea, C. L. Newcombe 594; On the Soleno-gasters of the Bay of Naples, H. F. Nierstrasz H. A. Stork 601; Artificial Company of Naples of cial insemination of eggs, K. Okada 609: Comparative blood volume measurements-Unionidae, C. L. Prossen & S. J. F. Weinstein 673: The byssus and its secretion in Mytilus edulis, figs., O. RAVERA 695; Bottom fauna of Kyle Scotnish, J. E. G. RAYMONT 700: Paleontological Evolution, B. Rensch 708; Report on water polution, B. A. SOUTH-GATES 764; Reproductive and larval ecology of invertebrates, G. Thorson 811: Two cases of impression of the soft parts of ammonites, C. DE LA TORRE 816: British Isles—The way to commence a study of shells, G. L. WILKINS 882; Pollution in oysters, Enterococci as indicators. T. E. Wilson & C. S. McCleskey 885; Bottom fauna of the Sea, C. M. YONGE 897.

History.—Journal de Conchyliologie, P. H. FISCHER 240; History of Nemocardium, A. M. KEEN 421.

Biography.—Phil H. Marsh Collection in the Univ. Mus. Ann Arbor, Michigan, Anon 12; Don Carlos de la Torre y Huerta, G. AGUAYO 26: A. G. Stubbs 1871-1950, [A. E. ELLIS] 217; Daniel Littlefield Emery — portrait, W. G. FARGO 228; W. Thurgood 1876-1949, J. W. Jackson 380: Charles Montague Cooke, jr., Y. Kondo 438; Joseph Wilcock additional notes, N. F. Mc-Millan 525; Frank Michlem Chapman 1864–1945, R. C. Murphy 588; Prof. Alberto Fucini, G. M. PATANÉ 629; Daniel L. Emery notice of death, [H. A. Pilsbry & H. B. Baker] 657; Olaf O. Nylander 1868-1943, P. E. RAYMOND 699; Charles W. Johnson 1863-1932, M. Schick 737; Viktor Franz (1883-1950), H. Schlesch 741; Rotarides (1893-1950), H. Michael SCHLESCH 742.

Eibliography.—Brunnich 1771 Zoologiae Fundamenta complies with requirements of Act 25 Régles, Opinions etc. 6; East Java, Marine Mollusca of the Kendeng Beds, C. O. VAN RECTEREN ALTENA 36; Dates of Nautilus, H. B.

BAKER 57; Literature relative to speciation in ancient lakes, 171-176, J. L. Brooks 115; On the Plate Headings of Bruguière, H. Dodge 200; Jour. de Conchyliol., P. H. Fischer 240; Relative land-marine mollusca of Western America, W. M. INGRAM & C. LOTZ 376; Works quoted relative to "Nomenclatoral and Taxonomic Problems" pp. 35-38, J. A. JELETZKY 388: Papers submitted to the scientific meeting on Shellfish, Edinburgh 1949, P. KORRINGA 442; Paleogene Turritella of Japan, T. KOTAKA 444; Relative to Madeiran Helicidae, G. MANDAHL-BARTH 532; Relative to Achatinidae, A. R. MEAD 552; Works relative to the fauna of Camargue, M. Paulus 633; Works by Victor Franz, H. Schlesch 741; Catalogue of Works of M. Rotarides, H. SCHLESCH 742; Relative to Mollusca of Lettlands, H. Schlesch & others 743.

Taxonomy.—Uniformity of Orders and Higher Taxonomic Units, Opinions etc. 8; The type of a species, in nomenclature and systematics, H. B. BAKER 56; Individuality in Lamellibranchs and Classification, H. BOUXIN 103; Key to the land mollusks of San Francisco Bay, W. M. INGRAM & C. LOTZ 376; Selection of Lectotypes, R. I. Johnson 393; Paleogene Turritella of Japan, Classification. Key to the species p. 34, T. KOTAKA 444; South American Unionidae, H. Modell 572; Type of Gryphaea Lamarck, G. Ranson 682; Classification of Oysters with regard to their prodissoconchs, G. Ranson 683; Importance of the Prodissoconch in Classification of fossil Ostrea, G. Ranson 685; Identification and Classification of Lamellibranch larvae, C. B. Rees 702; Classification, R. A. RINGUELET 712; The systematic position of Hercynella, H. & G. TERMIER 305.

Nomenclature.—See RECOMMENDATIONS AND OPINIONS 1-10; Polymorphism in trivial names, Opinions etc. 1; List of generic names of Molluscs in the Official List (Opinions 1-194), C. G. AGUAYO 25; The type of a species "type" nomenclature, H. B. BAKER 56; On the nomenclature of the species of Viviparus Montfort, C. A. BOETTGER 94; Nomenclature notes relative to Jurassic and Cretaceous Ammonite Genera, M. BREISTROFFER 108; Some wrong identifications of Sphaeriidae, H. B. HERRINGTON 334; On the multi-

plication of species and genera in Paleozoology, J. A. Jeletzky 383; Non-marine mollusca of The Indo-Australian Archipelago, W. S. S. v. B. Jutting 411; Continued and repeated suspension of Rules is becoming more and more evident the reverse of stabilizing nomenclature, D. Nicol 599.

Economics.—Ostreculture and Storage of Oysters figs., Anon 11; Underwater fouling by Mollusca, F. E. ALLAN 32; Methods of treating "shell-fish" for food in the Philippines, figs., A. C. AVERY 47; The Abalone fishery of California, P. Bonnet 97; Making whistles from molluscan egg cases, A. R. CAHN 28; Oyster Culture in Japan, A. R. CAHN 122; Ostreiculture, H. A. COLE 155; Ostreiculture—setting behaviour of larvae, H. A. Cole & E. W. K. Jones 157; Biology and Economics of the "Pismo Clam" Tivela stultorum Mawe, figs., J. E. FITCH 247; Fisheries and Fishing, J. HORNELL 348; Summer growth in Oysters, R. M. INGLE 372; Toxic organic chemicals to Australorbis glabratus a host of Schistosoma, L. A. Jachowski jr. & M. A. Stirewalt 379; Ornament, the use of Turbo marmoratus opercula, W. S. S. v. B. JUTTING 405; Ostreiculture, A. Korringa 441; On fouling organisms of pearl oyster cages, G. K. Kuriyan 462; Control of Schistosomiasis in the Philippines, D. B. McMullen & O. H. Graham 526; Protection of wooden ships against marine borers, S. Mawatari 551; Pearls and Pearling, Uses of Shells, S. T. Moses 582: Mussel purification, H. P. SHERWOOD 755; Oyster culture method and effect, J. M. THOMSEN 809: Edible molluscas of Mauritius, R. VIADER 844; Essex Oyster Culture, P. P. WALNE 855; Enterococci as Indicators of pollution in Oysters, J. E. Wilson & C. S. McCleskey 885.

Ethnology. — Conchological monuments in Japan, A. R. Cahn; Ethnozoology of S. America, R. M. Gilmore 294.

STRUCTURE including HISTOLOGY

General Anatomy.—Limax poirieri Mabille Anatomy figs., C. O. v. R. ALTENA 37; Histology of Latia neritoides in New Zealand, B. J. BOWDEN 104; Structure of Prosobranches, A. Franc 270; Anatomy of Limacidae, figs., H. Hoffman 344; Plesiophysa ornata (Haas), B. Hubendick 356; Reproduction organs of "Hemiplecta," figs., W. S. S. v. B. Jutting 409; Sepia officinalis, A. Pruvot-Fol 644; Anatomy of Eremina, C. M. Strenberg 774; Littorina irrorata (Say), J. H. Werner 871; Platydoris, Artachaea and Hoplodoris, K. M. White 877.

Radula (figured).—Succinea keelingenses sp. nov. R. T. Abbott 4; Limax poirieri Mabille, C. O. v. R. ALTENA 37; of Haliotis Fritonium, Littorina, W. E. Ankel 40; Spekia zonata, Tanganyicia rufofilosa, Lavigeria grandis, Paramelania damoni, Lirunotrochus thomsoni, Chytra kirkii, Tiphobia horei, Bathanalia howesi, Paramelania (Bythoceras) iridescens, J. L. BROOKS 115; Uberella denticulifera Marwick (1924), R. K. Dell 189; Helicophanta geayi, gloriosa, magnifica, E. FISCHER-PIETTE 244; M. GABE & M. PRENANT 284; Elaphroconcha patens (Martens), W. S. S. v. B. Jutting 409; Coneuplecta bandongensis p. 388; C. sitaliformis p. 392; Liardetia doliolum p. 393; L. acutiuscula p. 395, L. convexoconica p. 397; L. angigyra balica p. 399; L. viridula p. 400; L. densitorta p. 401; L. indifferens p. 408; Lamprocystis infans p. 412; Helicarion albellus p. 416; Dyakia rumphii p. 422; D. clypeus p. 425; Elaphroconcha javacensis p. 432; Parmarion pupillaris p. 435; Hemiplecta humphreysiana p. 443; Microcystina subglobosa p. 446; M. gratilla p. 450; Durgella pusilla p. 454; Landouria rotatoria p. 460; Amphidromus porcellanus p. 478; Pseudopartula galericulum 497; Bradybaena similaris 500; Gulella bicolor 503; W. S. S. v. B. JUTTING 411; Elaphroconcha bataviana (V. d. Busch), Coneuplecta bandongensis (Btg.), Coneuplecta sitaliformis (Mlldff.) Liardetia doliolum (Pfr.), Liardetia acutiuscula (Mlldff.), Liardetia convexoconica (Mlldff.) Liardetia angigyra balica (Rensch.), Liardetia viridula (Mlldff.), Liardetia densetorta (Mlldff.), Liardetia indifferens (Bttg.), Laminfans (Pfr.), Helicarion procustis albellus Marts, Dyakia rumphis (v. d. Busch.), Dyakia clypeus (Mouss.), Elaphroconcha javacensis (Fér.), Parmarion pupillaris Humb. Micro-

parmarion austeni Simr., Hemiplecta humphreysiana (Lea), Microcystina subglobosa (Mlldft.), Microcystina gratilla Jutting, Dagella pusilla (Marts), Landouria rotatoria (v. d. Busch), Chloritis crassula (Phil.), Amphidromus por-cellanus (Mouss.), Pseudopartula galeri-culum (Mouss.), Bradybaena similaris (Fér.), Gulella bicolor (Hutton), W. S. S. v. Benthems Jutting 411; Steenbergia duplex, Heterostoma paupercula, Caseolus (leptortictea) fistilis, Caseolus (Helicomela) punctulatus, Disculas (Tectula) tectiformis, Actinella (Plebecula) anaglyptica, Leptaxis (Cryptaxis) undata, Leptaxis (Katostoma) wollastoni, Leptaxis (Katostoma) nivosa, Leptaxis (Katostoma) nivosa planata, Letaxis (Leptaxis) erubescens adrenoides, Lam-padia webbiana, G. Masndahl-Barth 532; Catinella (Quickella) arenaria, C. (Mediappendix) rehderi, Catinella baldwini, Catinella rotundata, C. rubida, N. H. ODHNER 607; Urocyclus elbannoensis Piers, C. Piersanti 645; Thecacera darwini sp. nov., A. PRUVOT-FOL 675; Aeolis papillosa, W. Schäfer 731; Hydromyles globulosa Rang, Cliopsis krohni Troschel, Pruvotella pellucida Q. & G., Pruvotella danae Pruvot, Clione minta Pruvot, Clionina longicandata (Souleyet), Cephalobranchia macrochaeta Bonnevie, Massya longecirrata Massy, Thliptodon diaphanus Meisenheimer, Notobranchaea donaldi Pelseneer, Prionoglossa tetrabranchiata Bonnevie, Crucibranchaea macrochira Meisenheimer, Pneumoderma atlanticum (Oken), Spongiobranchaea australis Arbigny; Schizobrachium polycotylum Meisenheimer, J. J. TESCH 806; Abnormalities in the radula of Drymaeus virgudatus (Fér), VENMANS & VERDCOURT 838; Platydoris ellioti (Alder & Hancock), P. scabra tabulata (Abraham), P. (Cuvier), Artachaea verrucosa Eliot, Hoplodoris dermoparypha Bergh figs., K. M. WHITE 877; Helicella (Candidula) arganica (Serv.), H. (C.) najerensis López; H. (C). camporroblensis (de Fez), H. (C). rocandisi López; H. (Helicella) pampelonensis (Schmidt), H. (H.) alavana (Pegt. Fogot), H. (H.) siparum (Rossea); H. (Xerotricha) horridula (Westerlund), H. (X.) gasulli López; H. (Xerotrichina) madritensis (Ramberr), H. (Pseudxerotricha) zujarensis López; H. (Xeromagnaadolfi) (Pfr.), figs., A. G. de ZARATE Y LÓPEZ 898.

External Anatomy.—The segmentation of Molluscan body, J. F. v. Bemmelen 75; Structure of the broodpouch of viviparous Melanids and Development of young, figs., K. RAMAMOORTHE 681.

Alimentary System and Alimentation.

—The digestive mechanism of Loligo vulgaris (L.), Loligo forbesii (Steenst.), Alloteuthis media (L.) and Alloteuthis subulata (L.), A. M. BIDDER 79; Stomach, A. GRAHAM 302; Feeding mechanisms of Vermetidae, J. E. MORTON 580.

Reproductive System.—Egg capsule structure Murex trunculus, F. DULZETTO 206; The vesicula seminalis of Glessula ceylanica, figs., W. FERNANDO 236; Anatomy of genital organs of Achatinidae, figs., A. R. MEAD 553.

Excretory Organs.—Histological note on the repulsive gland of *Oncidiella celtica* Cuv., M. Gabe & M. Prenant 283.

Vascular System.—On the blood of Gastropods, W. C. George & J. H. Ferguson 287.

Nervous System.—Octopus, Sepia, B. B. BOYCOTT & J. Z. YOUNG 105; Helix vermiculata Müll., D. QUATTRINI 677; On the Golgi apparatus, K. Zeiger 900.

Nacreous Growths.—Pearls in Tellina interrupta Wood, A. Blok 86; Formation of Pearls in the Pearl Oyster, Y. Matsui 546.

Shell.—General Shell structure, figs., E. Kessel 419; Gastropod opercula—morphological observations, I. Taki 798.

PHYSIOLOGY

General.—Physiological peculiarities of related forms of Mollusca as an influence of fresh-water surrounding, Shkorbatov 756.

Chemical contents.—Pigments, A. Comfort 160; Pigment contents derived from Pinctada vulgaris, A. Comfort 161; A subsidiary pigment Haliotis cracherodii Leach, A. Comfort 163; Shell pigments biochemistry, A. Comfort 164; Chemical content Uroporphyrin in shells, A. Comfort 165; Ascorbic acid in Mytilus edulis L., R. J. Daniel 176; Chemical extracts from, Octopus, Eledone, Murex, Erspa-

MER & OTTOLENGHI 221 Anodonta inorganic content, M. FLORKIN, G. DUCHÂTEAU, & T. Leclercq; Chemical contents, A. Franc 270; On nature of gland extract, Sepia, O. GIUBIANO 296; Spermatophores, M. HAMON 317; Lysin from sperm of Megathura, M. Krauss 448; Lipids of Squid nerve Loligo pealii, J. D. McColl & R. J. Rossiter 514; in Lymnaea development A. Minganti 568; Turboglaucobiline in Shells of Turbo species, H. Tixier 874; Shell pigment of Haliotis, R. Tixier & E. Lederer 815; Quinonetanning as colouring agent in molluscan ligaments, E. R. Trueman 824.

Respiration.—Heart Action and oxygen consumption of Oyster, S. NOMURA 603.

Reaction to Toxins.—Effects of Chemical peroxidase in blood and coelomic cells, T. Ohuye 608; Effects of Lithium on Lymnaea stagnalis, C. P. RAVEN 690.

Vascular reactions.—Reflex regulation of the peripheric venous system in Cephalopoda, H. MISLIN 569.

Reproduction.—African Achatinidae, figs., A. R. Mead 552; Reproduction Caracolus sagenon Beck, L. H. Rivero 714; Nova Scotia, Cytology of the reproductive organs of certain Arionidae and Limacidae, A. H. G. Walts & M. J. Ord 862.

Nervous System.—Physiology of Peripheral nerve, D. K. HILL 337.

Experimental Studies.—Construction of "snail ponds" for rearing material, C. H. Barlow 60; Experiments on eggs of Mytilus edulis, W. E. BERG 78; killing and preservation of bivalve larvae, M. R. CARRIKER 128; Effect of Cryptopleurine on cell division, K. W. CLELAND 143; Experiments on the lung of Helix, M. Gersch 290; D. K. Hill 338; Effect of Na. ions on squid, Hodgkin & Katz 341; Experiments on effects of temperature, sodium and electrical activity on nerves of the giant squid, Hodgkin & Katz 341, 342; Experiment on infection by Schistosoma japonicum of Blanfordia, Tricula & Fukuia, G. W. Hunter III, R. T. ABBOTT, C. PAN & E. STRAY 369; Experiments on the shell of Ostrea virginica, L. H. Jodrey & K. M. Wilbur 390; On the cardiac nerve of Helix pomatia, A. JULLIEN & J. RIPPLINGER 398;

Effects of chemicals, A. Jullien & J. RIPPLINGER 399; JULLIEN & RIPPLIN-GER 404: Nerve excitation in the giant squid, P. G. LeFevre 487; Serological studies, C. A. LEONE 497; Breeding and spawning. I. experiment on Mytilus edulis, V. L. LOOSANOFF & H. C. DAVIS 503; On heart muscle of Ostrea and Oxygen consumption, S. Nomura 603; On Lymnaea and effects of temperature on different species, H. PRECHT & E. Otto 669; Experiments action of Lithium on eggs of Lymnaea, C. P. RAVEN & DUDOK DE WIT 692; Influence of distilled H₂O. and LiCl. on the eggs of Lymnaea stagnalis at the 2-cell stage, figs., C. P. RAVEN & W. v. ZEIST 693; On the effects of X-radiations upon larvae of Loligo, R. Rugh 720; On haploid chromosome numbers in certain prosobranch species, figs., H. STAIGER 770; Intracardial injections in Ostrea. virginica Gmel., L. A. STAUBER 772; Experiment on snails, C. C. Tang 800.

Alimentation.—Digestion and digestive organs in Lamellibranchs, K. Mansoni 537.

DEVELOPMENT EVOLUTION AND GENETICS

General.—Development of Hawaiian marine Gastropods. J. M. OSTER-GAARD 617.

Growth.—Growth of marine bivalves as regard nutrition and environmental conditions, W. R. COE 150; Growth rates and reproduction of Tivela stultorum in California, W. R. COE & J. E. FITCH 151; Growth stages of Cyclope neritea (L.), figs,. B. S. KISCH 426; Growth, D. LEITCH 488; Growth studies, T. S. WESTALL 873; Growth of Ostrea and Busycon in presence of Carbonic anhydrase, H. M. WILBUR & N. G. Anderson 879.

Oogenesis and Oology.—Ovogenesis—Dentalium entale Desh. fig., L. Arvy 42; Oology, Egg capsules of Freshwater pulmonates, figs., P. Bondesen 95; Oology, Ancylus fluviatilis, fig., P. Bondesen 96; Oology, Lymmaea of Sicily, figs., A. Cassara 131; Oology experiment on oyster eggs, K. W. Cleland 143, 144; Oology, artificial insemination of eggs, H. Okado 609; Notes on the eggs of Octopus vulgaris Lk., figs., G. E. Pickford 642; Eggs of Lymnaea stagnalis, C. P. Raven 689.

Embryology.—General, comparative, W. R. Coe 149; Planktonic larvae of Philbertia purpurea (Montagu), A. Franc 268; Viviparus viviparus L. J. Johansson 391; Assiminea grayana Leach, figs., K. Sander 727.

Spermatogenesis.—Haploid chromosome numbers of eight species of stenoglossan prosobranch from Naples & Roscoff, Spermatogenesis, H. STAIGER 769; Spermatogenesis of Milax gagates Drap. and Agriolimax agrestis L. figs., O. Fuzet & S. Sanchez 827.

Larval Stages.—Lamellibranch larval forms and their identification and classification, C. B. Rees 702.

Shell sculpture.—Of Sepia officinalis, figs., H. Dathe 179.

Variation.—Cepaea nemoralis (L.) and Bradybaena fruticum (Müll.), C. R. Boettger 92; Arion, E. Frömming 274; Geographical variation of Siphonaria pectinata (L.), B. Hubendick 355; variation in Cardium edule L., M. P. Mars 542; On some variations of Mediterranean species, P. Mars 543; Cepaea hortensis, nemoralis, Arianta arbustorum variation tables, F. A. Schilder 739; Acmaea variation, J. A. Shotwell 757; Reversion to type? of var. rubra of Planorbis corneus, L. W. Stratton 788.

Colour and Ornament.—Albinism in Limax cinereoniger Wolf, C. R. Boettger 88; An example of Albinism in Helix aspersa, D. F. McMichael 519; Colour and Colour variation, L. Monné 574.

Sex variation.—Variation and sexuality in *Crepidula plana* Say, W. R. Coe 148; General comparison and variation of spermatophores of Cephalopoda, M. Hamon 317.

Evolution. — Paleontological Evolution. B. Rensch 708.

Teratology.—A montrosity of Morio echinophora, G. S. Coen 152; Habiotis (Teinotis) asinina L., G. S. Coen 153; Laciniaria biplicata Mtg. dextrorsa, E. Degner 186; A review of Volvatella Pease, T. J. Evans 222; Anomalies & deformations in the genital organs of Arianta arbustorum, figs., S. Feliksiak 234; Achatina fulica, H. E. Fernando 235.

ECOLOGY

HABITAT, HABITS, FIELD NOTES AND TECHNIQUE

General.—Littorina, W. E. ANKEL 40: Ecological notes, variation population, C. R. BOETTGER 90; New Zealand, Ecological study of Benhamina obliquata (Sowerby), C. BORLAND 100; Mollusca of Dellar Lake, Portage County, Ohio, R. W. DEXTER 196; Biology of Loligo opalescens, W. G. Fields 239: Notes on Goniobasis, C. GOODRICH 297: Biological studies—Mytilus. Spisula, Cultellus, figs., L. V. HA-320; Ecological notes on RAUGHY Mytilus galloprovincialis Lk., G. v. KOLOSVARY 437; Norderney and Juist Quantative studies table and graphs, H. R. Krause 446; Stenotrema hirsutum Say in region of Ann. Arbor, Michigan, C. B. LEE 486; Freshwater mollusca of the English Lakes, T. T. MACAN 513; Ecological notes on Limapontia, H. E. QUICK 679: Planorbis smithi Preston, J. SCHWETZ 752; Ecological notes from Reevesby Is., S. Australia, L. W. STACK 768; Larval ecology, G. Thorson 811.

Locomotion and Movements.—Locomotion in Lima J. L. Bally jr., 49; Shell movement of Hyridella australis Lk., I. D. HISCOCK 340; Ciliary movements and effect of toxins, Nomura & Kigawa 605.

Feeding Habits.—Nutrition and sexuality in protandric gastropods, W. R. Coe 147; Ostrea and organic substances affecting feeding, A. Collier, S. Ray & W. Magnitzky 158; Feeding habits Achatina fulica, figs., W. H. Lange 470.

Breeding Habits.—Thais bufo (Lk). V. K. CHARI 134; Breeding-Hybridization in Ostrea, H. C. Davis 184; Reproduction and Breeding delay in maturity-Arion rufus L., P. LAVIO-LETTE 477; Oyster spawning at low temperatures, V. L. LOOSANOFF & H. C. DAVIS 504; Life History and Reproduction of the Struthiolariidae in New Zealand, J. E. Morton 581; Breeding phenomena in Crepidula fornicata, J. H. ORTON 614; Spawning of Hawaiian marine gastropods, J. M. OSTERGAARD 617; Breeding Habits and functional movements of the spermatophore of Milax sowerbii (Fér), H. E. Quick 678; Reproductive ecology, G. Thorson 811; Breeding-Comparative study of the

mating of Arion hortensis and Arion subfuscus, G. R. Webb 863; Spawning cycle of Pecten yessoensis Jay, G. Yamanoto 894.

Population.—Population studies of Tivela stultorum in California, W. R. Coe & J. E. Fitch 151; On the population of the subterranean canal at Villeneuve-de-la-Raho, Petit & Deboutte-ville 638; Studies on population, R. Stohler 785.

Sex and Sex Reversal.—Sexuality and, nutrition in protantric gastropods W. R. Coe 147; Sex studies on Ostrea edulis from the Bay of Naples, S. P. Saksena 725; Sex in Polygyra septemvolva Say, figs., G. R. Webb 868.

Sociology.—Commensalism of Modiolaria and Ascidians, A. BOURDILLON 102; Associated species in marine bottom fauna, Lists, N. S. Jones 395; Association of Corculum cardissa (L.) with Zooxanthellae, S. KAWAGUTI 420.

Enemies and Disease.—Shell disease in French Oysters, H. A. COLE 156; Calosoma feeding on snails, W. M. INGRAM 373; Mollusca amongst the food of the Belouga, figs., V. D. VLADYKOV 850; Means of defence, G. R. Webb 865.

Commensalism .-Parasitism and Limnaea truncatula, Intermediate host of Fasciola hepatica on Lundy Island, Devon, Anon 13; Schistosoma japonicum infection of Blanfordia, Tricula and Fukuia, R. T. Abbott & G. W. Hunter III 18; Susceptibility of Bromphalaria boissyi to infection by Schistosoma mansoni, E. J. ABDEL-MALEK 19; Acturostragylus abstrasus parasites on Arion circumscriptus, K. M. Blaisdell 84; Snails as intermediate hosts of nematodes, C. B. GERICHTER 289: Studies on species of Acmaea, Cottia, Fissurella and Tegula hosts of Protozoan spp., H. I. Hirshfield 339; Oncomelania snails and Schistosoma, H. F. Hsü 353; Control by toxic chemicals of Australorbis glabratus a host of Schistosoma, L. A. Jachowski & M. A. Stirewalt 379; Odostomia eulimoidesHanley Chlamys varia (L.), B. S. KISCH 427: Schistosoma mansoni infection, Para-ENSE & SANTOS 625; Succinca putris affected by Leucochloridium, L. SZIDAT 796; A new secondary host of Postharmostomum helicis, M. J. Ulmer 830: Mollusca and their relation to their

commensals and parasites, H. VILELA 846; Schistosomiasis and geographical distribution of Molluscan hosts, tables, W. H. Weight 888.

Growth.—Systematic relative growth of the shells of Potamididae, I. Hamai & K. Ito 316.

Hermaphrodism. — Hermaphrodism and sex differentiation in Gastropods, M. DE LARAMBERGUE 474; Hermaphrodism in Patella, G. MONTALENTI 575; Gametogenesis in the hermaphrod.te gonad of Cavolinia tridentata Forskal, G. VITAGLIANO 849.

Environmental Effects.—Environmental conditions in Hakodata Harbour, S. Tanita, K. Kato & T. Okuda 799.

Habitat.—Settlement of marine organisms, H. Barnes & H. T. Powell 62; Habitat, Tellina tenuis, N. A. Holme 347; Stenotrema hirsutum Say, C. B. Lee 486; Habitat of Clausilia rolphii Turton, L. W. Stratton 787.

Temperature Effects.—Temperature and lithium chloride on Lymnaea stagnalis L., G. BLAAUW-JANSEN 83; Resistance in marine mollusca to low temperature, POLYANSKI 664.

Effect of Chemicals.—Effect of Lithium chloride and Temperature on Lymnaea stagnalis, G. Blaauw-Jansen 83; Influence of Hypertonicity on the eggs of Lymnaea stagnalis, C. P. RAVEN & W. H. v. d. Elst 694; Chemicals effects, F. M. Daugherty 180.

Effects of silt.—Upon Ostrea S. C. HSIAO 352.

Effect of Salinity.—Resistance to lowered salinity by *Littorina saxatilis*, N. F. McMillan **524**; Salinity and propagation of *Mytilus edulis* in Eastern Murman, Russia, Matveeva **548**.

Regeneration.—Of the head of *Physa acuta* Drap., figs., S. Feliksiak 233.

Technique.—Hints on collecting and preservation, S. Arias 41; Philippines—processing methods for use of Mollusks as food, A. C. Avery 47; Killing and Preservation of bivalve larvae in fluids, M. R. Carriker 128; Use of a fathometer in surveying shellfish areas, A. F. Chestnut 140; A photographic method of studying morphologic variation, figs, B. Hubendick 357; Rapid methods of obtaining permanent mounts of radulae, A. D. J. Meeuse 553; On

Radula and recording formula, A. D. J. MERUSE 555; Instrument for studying the activity inside the bivalve shell, OWEN, MADWELL & INGLE 618; Collecting notes, J. D. TOTHILL 821.

Conchometry.—Of Sicilian Lymnaea, A. CASSARA 131; Conchometry, H. DUCKE 205; Conchometrical tables Mythlus edulis, Cardium edule, Macoma baltica, Mya arenaria, Littorina littorea, S. JAECKEL, JE. 383; Analysis of dimensional relationships of Crassostrea virginica (Gmelin) tables, C. L. NEWCOMBE 593.

ZOOGEOGRAPHY

Dispersal and Distribution.-Snail invaders R. T. Abbott 15; Distribution -Introduced mollusca in S. Australia, B. C. COTTON 170; Distribution and seasonal changes in Texas waters, G. GUNTER 309: The ecological distribution of Molluscs in Tanabe Bay, Japan, T. HABE 315; Dispersal other than natural Hydrobia jenkinsi, B. Hubendick 360: S. African Marine mollusca [distribution of certain species], H. J. KOCH 434; Dispersal of Achatina fulica, R. MERLE 561a; Distribution of Crepidula fornicata, J. H. ORTON & A. H. ROGERS 615; Distribution of Vampyromorpha, G. E. Pickford 644; Distribution of Octopus vulgaris in British waters, W. J. REES 704; Distribution and Dispersal of Achatina fulica, W. J. Rees 705; Wandering of Littorina littorea, W. Schäfer 730; Distribution of the Gymnosomata (Dana Report 36) J. J. TESCH 806; Occurrence of spawn of *Crepidula* fornicata, B. Werner 870.

General Lists and Catalogues.—Catalogue of types of Cephalopoda in the Museum of Oceanography at Monaco, G. Belloc 73; Types in the Collection, of the Journal de Conchyliologie, Paris; E. FISCHER-PIETTE 241; Species occurring in a Sewage Works, W. D. FISCHER 246; Catalogue of described species of Boysidia, Paraboysidia, Hypselostoma and Gyliotrachela, W. S. S. v. B. JUTTING 408; The various molluscan collections in the Zoological Museum of Amsterdam, W. S. S. v. B. JUTTING 410; Species of Nemocardium and localities, A. M. KEEN 421; Fossils of the Belgian Westphalian, W. v. LECKWYCK & others 484; The Conchological Collections of the Bordeaux Museum, A. Magne 528; Lamarck Collection—types at Geneva, G. Mermod 563; The various molluscan collections in the Stockholm Museum, N. Odhner 606; Pelecypod types Recent Pacific Explorations, K. v. W. Palmer 621; Catalogue of the Mollusca of Lettsland, H. Schlesch & others 743; A. P. C. de Vos 854.

British Isles.—Pleistocene Shells from Blaskanwell, Dorset, H. Bury 118; Fossil mollusca from a new crag-pit between Barking and Battisford, P. Cambridge 126; Mollusca from an exposure in the Bristol area, T. R. Fry 277; Holocene records for Flintshire, J. O'N. Millott 566; Mollusca recorded from Gun Dale, Pickering, E. M. Morehouse 578; Additional Molluscan records for Gloucestershire, C. C. Townsend 821; Jurassic fossils of Eathie, (Cromarty), Scotland, C. O. Waterston 860.

Europe.—Fossils of the bituminous stages of Ragusa Sicily, G. ALEMAGNA 28; Toulouse Museum Conchological Collections, G. ASTRE 45; Cretaceous Ammonites of Salazac M. BREISTROF-FER 109; Lists of species from formations other than those of the Great Oolite series represented in the plates of the monographs Morris & Lycett 1851-58; Lycett 1863; Blake 1905-1907, L. R. Cox & W. S. Ackell pp. 95-97 174: Mollusca of Uttentale, S. FLORIAN Saint-Gall Museum Collection, L. FORCART 265; Fossils from the Bartonian, Oise, France, Grangeon & Feugueur 304; Lists of Fossils in Central Europe and Switzerland pp. 176-181, K. HESCHELER & O. KUHN 336; Mollusca of Schlei (Schleswig Holstein), S. JAECKEL, jr. 383; List of Lower Cretaceous fossils from the Northern Carpathians, B. Kokoszynska 435; Belemnites of Upper Lias in Northern Bavaria, List pp. 165-166, H. Kolb 436; Germany, Cretaceous of Vilseck, L. von Krumbeck 453; Lias of Northern Bavaria, L. KRUMBECK 454; Jurassic species, Central Europe, J. Langer 471; Mollusca of the Caves of Tuscany, B. Lanza 473; Mollusca of Czechoslovakia, V. Lošek 509; Berre Medit, species, P. Mars 541; Lists of the Molluscan fauna of the Rhone Estuary Quaternary to Recent, pp. 39-47, 57-66, 75-86, 88, 97, 101, M. Paulus **633**; L. & F.-W. Mollusca from

Flensborg Fjord district, S. K. Petersen 636; Mollusca of Görlitz and neighbourhood, U. Steusloff 781; Fossils from Anhalt, E. Stoll 786; Freshwater Interglacial species, Europe, p. 809, A. Thienemann 808; List of Miocene fossils Vienna Basin, E. Veit 835; Mollusca of the Provinces Vascongadas and Norte de Navarra, A. O. de Lárate Lopez & A. O. de Lárate Rocandio 899.

Asia.—Fossil mollusca from Mandul, East Borneo. In Leyden Museum, C. BEETS 71; Marine and Land Mollusca of the New Caledonian coralline isletslists, R. Catala 132; Quaternary fossils of the Sassen Area Spitsbergen, A. W. FEYLING-HASSEN & F. A. JØRSTAD 237: Land and Freshwater Mollusca of Krim, S. Jaeckel 386; Indo-Australian Archipelago non-marine Moll. Systematic List, figs., W. S. S. v. B. JUTTING 411; Species and Genera of Helicarionidae, Pleurodontidae, Frutigicolidae and Streptaxidae living in Java, W. S. S. v. B. JUTTING 411; Cephalopoda of Baroda, S. T. Moses 583; List of some Miocene species and new species from Sendai, Japan, S. NOMURA 604; Mollusca of Thailand, C. SUVATTI 794.

Africa.—Eocene fossils of Gebel Uaddan, Giofra, Libya, C. Chiesa 141; Estuary of the Congo fossils and subfossils, E. Darteville 177; Mollusca of Leopoldville and environs figs., E. Darteville 178; Cretaceous fossils of south-west of Madagascar, M. Nicolad 600; Miocene Fossils of Gefara Tripolina, Libya pp. 214—227, C. Rossi 717; on Belgian-Congo Mollusca, J. Schwetz 751; Some Portuguese Guinea Fossils, S. Torres, P. Soames & H. O'Donnel 817.

North America.—Some snails of S. Petersburg, Florida, B. B. BAKER 51; Snails of Grant Co., Indiana, C. J. Bushey 119; Florida: Miocene and Pliocene fossils, figs., C. W. Cooke 166; Mollusca of Dollar Lake Portage Co., Ohio, R. W. Dexter 196; Species in an Oak-Hickory area on a floodplain of the Osage R. in central Missouri, W. W. Dowdy 203; Species of Sphaerium, Musculium, and Pisidium occurring in Lake Athabaska and Great Slave Lake, N.-W. Canada, H. B. Herrington 334a; The Polygyridae of Pittsylvania County Virginia, L. Hubricht 363; Land

molluses of San Francisco Bay Counties, W. M. INGRAM & C. LOTZ 375; Land mollusca of the counties of San Francisco Bay, W. M. INGRAM & C. LOTZ 376: List of living species, San Clemente Island, Calif. p. 79, G. P. KANAKOFF 416; Fossils in the Southern Guadalupe Mountains, Texas Short Lists in text, P. B. King 425; Systematic List of Yarmouthian fossils from the Midcontinent Region of the United States, A. B. LEONARD 495; Land snails of West Virginia, G. K. MACMILLAN 520; Lists of the species of Mussels of the River Mississippi, H. & A. v. d. SCHALIE 734; Unionidae of the Mississippi River, H. & A. v. d. SCHALIE 734; Landshells of the New Braunfels Area, H. E. WHEELER 875.

Central America.—Non-marine Mollusca of Yucatan, H. W. HARRY 323.

South America.—West Indian marine mollusca occurring in Southern Brazil, W. J. EXERDAM 223; Land and Freshwater mollusca from the State of Para, Brazil, F. HAAS 312; The *Pomacea* (Ampullariidae) of British Guiana, figs., T. PAIN 620; Devonian Fossils of Parana District, S. Petri 640.

Australia.—List of fossils of the Moonlight Head District Victoria, G. Baker 52; List of 'fossil' mollusca, B. C. COTTON 172; List of fossils from Point Peron, Western Australia [Appendix 1, p. 66], R. W. FARBRIDGE 225; Marginellidae of New South Wales, C. F. LASERON 475.

Japan.—Fossil evidence for the Geological Age of the Uchigo Group, Jôban Coalfield, Japan. Lists tabulated in text. K. Hatai & Y. Kamada 329; Lists of Molluscan fossils of Northeast Honsyû, H. Yabe & K. M. Hatai 893.

Atlantic Islands.—On a collection of Cuban mollusca by Dr. H. P. Schaub, L. Forcart 260; Systematic List of Helicidae of Madeira, pp. 54-56, G. Mandahll-Barth 532.

New Zealand.—A Check List of the Mollusca of Western Southland fiord (N. Zealand). C. A. Fleming 248.

Pacific Islands.—Diplommatina of Borneo, F. F. Laidlaw 467; Some species of the Marianas Islands, W. H. Lange 470; Bismarck Archipelago Mollusca—new forms, J. Rensch 709.

DISTRIBUTION

(A) Geographical

PALÆARCTIC REGION

Museums and Collections.—Collections in the Toulouse Museum, G. ASTRE 45: The Molluscan Collections in the Rijksmuseum at Leiden, C. BAYER 66: Monaco Museum, Types of Cephalopoda, G. Belloc 74: Museum National Park. Coire Collection, L. FORCART 265: Lausanne Museum Collection, L. For-CART 265; Collection at Neuchatel, L. FORCART 265; Berne Museum Col-L. Forcart 205; Berne Miseum Con-lections, L. Forcart 265; University Zurich Collections, L. Forcart 265; Eastern Pacific Expedition, New York Zool. Soc. xlii Moll. from W. Coast of Mexico and Central America, L. G. HERTLEIN & A. M. STRONG 335; Zoological Museum of Amsterdam-Molluscan Collections, W. S. S. v. B. JUTTING 410; Collections at l'Institut royal de Sciences naturelles of Belgium. E. LELOUP 493; Bordeaux Museum, Conchological Collections, A. MAGNE 528; Molluscan Collections in the Natural History Museum Geneva, G. MERMOD 562; Geneva Museum and Lamarckian types, G. Mermod 563; Stockholm Museum Collections, N. Odhner 606; Octopoda of the Oxford University Cayman Expedition, G. E. PICKFORD 643; Sagau-Omo Expedition, C. PIER-SANTI 645: Collections of Laboratoire de Paleontologie du Museum, J. ROGER 715; Some principal Italian Collections, A. G. SOIHA 761.

(a) FOSSILS AND RECENT LAND AND FRESHWATER

Scandinavia.—Swedish Lapland fauna P. Brinck & K. G. Wingstrand 112.

British Isles.—Devon, Distribution of Limnaea truncatula on Lundy Island, Anon 13; Pleistocene shells from Blaskenwell Tufa S. of Corfe Castle, Dorset, H. Bury 118; A New Crag-pit—list of fossils, P. Cambridge 126; Devon Hygromia cinctella Drap., A. Comfort 162; British Great Oolite. Series, Bathonian—Callovian, L. R. Cox & W. J. Arkell 174; London S-E Holocene, A. G. Davis 181; London fossils, A. G. Davis 182, 183; Norfolk, an occurrence of infection of Succinea putris by Leucochloridium, A. E. Ellis

215; Wirral Cheshire Coast occurrence of Eledone cirrosa (Lk.), N. F. ELLISON 219; English Lake Mollusca—Ecology, T. T. MACAN 513; Cheshire, alleged occurrence of Helix aspersa in Kitchen Middens, N. F. McMillan 523; Scotland Oyster research, R. H. MILLAR 564; Flintshire, Holocene records, J. O'N. MILLOTT 566; Lancashire & Yorkshire. Distribution of the genus Sudeticeras, E. W. J. MOORE 576; Yorkshire report, E. M. Morehouse 577; York-shire—Mollusca records, E. M. More-HOUSE 578; Kyle, Scottish bottom fauna, J. E. G. RAYMONT 700; Aldenham land mollusca, L. W. STRATTON 789; Gloucestershire records, C. C. TOWNSEND 821; Eccene and Oligocene Cardiidae of England, W. E. TREMLETT 822; Somerset, rediscovery of Laciniaria biplicata in Bickenhall, A. H. TURNER 826; Scotland, Jurassic of Eathie (Cromarty), C. D. WATERSTON 860; British Shells & How to begin their study, G. L. WILKINS 882; Isle of Wight further cretaceous records, C. W. & E. V. WRIGHT 887.

France.—Pliocene, G. ASTRE 44; Cretaceous ammonites of Salazac, M. Breistroffer 109; S.E. France Cretaceous, M. Breistoffer 110; Astartian of Cordebugle, A. Chavan 136; S.E. France, Albian fossils, G. Delpey 193; New records of quaternary mollusca from St. Pons-Gémenos, J. DEVIDTS 195; Bartonian, GRANGEON & FEUGUEUR 304; Submarine fauna of the Coasts of France, E. LE Danois 485; Aquitaine Neogene Ringicardium, A. Magne 527; Cenomanian comparisons, G. MENNESSIER 559; A new Mitrocaprina from the Senonian, G. MENNESSIER 560; Camargue fossils, M. PAULUS 633; Fossils dredged N.E. of Cap Creus, M. PAULUS 634; Helvetian, Touraine, A. PEYROT 641; Toarcian, France, C. &. O. RENZ 710.

Denmark. — Non-Marine Mollusca, figs, G. Mandahl-Barth 533; Littorina neritoides petraea (Mont. 1803) rare until 1949 now found frequently on the dike of Den Helder; the piers of Ijmuiden & Callantsoog (N. Petten) ecological notes, J. H. Stock 784.

Holland.—Succession and snail population in pools and mine-craters along the Dutch sea-board, text-map., C. d. Hartog 324.

Belgium.—Pericyclus impressus in Tournai, G. Delepine 187; Westphalian fossils, W. v. Leckwyck & others 484; Indigenous mussels of the Belgian Coast, E. Leloup 492.

Switzerland.—New locus for Pisidium vincentianum and lapponicum, J. Favre & A. Jayet 231; Basle Museum Collections, L. Forcart 265; Switzerland, Diluvian fossils, K. Hescheler & O. Kuhn 336.

Germany.—Occurrence of the West European Zonitoides excavatus Bean, C. R. Boettger 89; Berlin—Physa acuta Drap., E. Frömming 273; S.-W. Germany Allgäu Semilimax rotulae Westld., L. Hässlein 326; Northern Bavaria, Belemnites of the Upper Lias, H. Kolb 436; Lias fossils of Northern Bavaria, Lists in Text, L. Krumbeck 454; Diluvian of North Germany, A. Müldner 585; Lower Rhine Clausilia, U. Steusloff 780; Germany, Cretaceous of N.W. Hanover, W. von Wetzel 374.

Austria.—New Ammonite from the Eocene near Salzburg, W. Schwarzacher 748; Austria Miocene, G. Toth 819.

Spain.—Eocene fossils from Lérida, List in text, A. Almela 35; Miocene fossils in Bético Valley, Bujalance, Lists in text, I. P. Carrasco & J. de Lizaury Roldán 127; Valencia, Contribution to the molluscan fauna, S. de Fez 238; On some Carboniferous Pelecypods, P. H. Sampelayo 726; Anatomy and systematic position of various helicidae, A. O. de Zárate y López 898.

Greece.—Cretaceous near Livadia, F. von Klinghardt 428.

Bulgaria.—New Mollusca, J. Petrbok 639.

Europe.—Central Europe, fossils, K. Hescheler & O. Kuhn 336; Moravia fossil remains, K. Hromeda 350; Lower Cretaceous in the Northern Flysch. Carpathians, B. Koboszynska 435; Cave molluscan fauna of Tuscany, B. Lanza 473; Bohemia recent and fossil mollusca, V. Ložek 508.

Czechoslovakia.—Revue of Mollusca, V. Ložek 509; Tertiary Pleurotomaria of Venice, R. Malardda 531; Silicia fauna, A. Papp 623; New Vallonia enniensis Gredler, H. P. Plate 661; Rügen Island species of Vertigo, H. PLATE 662; Lettlands Mollusca, H. Schlesch & others 743; Lower Coblenz, Europe, new *Otenodonta*, G. Solle 762; Görlitz and environments molluscan records, U. Steusloff 781; Vienna, Miocene fossils of the district, E. Vett 835.

Russia.-Mollusca in caves of Western Transcaucasus, Birshtein 82; Mollusca in sand of Kubansk Bay, Russia, DMITRYEVA & BOGDANOVITCH 197a: Mollusca of the middle Sarmatian of the Moldavian Republic, Russia, EBERZIN 214; Mollusca in the Quaternary deposits in the Ystyurt and the river Erube of the eastern part of Northern Caucasus, Fedorov 232; Mollusca found in Karetan, Russia, GIMMELFARB 295; Mollusca in the strata of Preazovye and Maykopek Russia, Khanin 424; Mollusca in Tertiary, Jurassic and Chalk of the Great Balkhan, Turkmenia, Russia, Krim-GOLTZ 451: Ammonites in the Chalk of Sevanokurdistan zone-Russia, Leon-TIEV 498; Terrestrial Mollusca in lower Volga area and its relation to the forests history, MATEYKIN 545; Mollusca in Solikamsk formation, Preural, Russia, NALIVKIN 591; Mollusca in Sakmar formation, Russia, Rushenzev 722; Mollusca in Chalk deposits in Fergana, Russia, Simakov 758; Mollusca in the Podolian Stratum, Russia, Sukhov 793.

Asia.—Lake Baikal—91 Gastropod and 7 Pelecypod Endemic forms recorded, J. L. BROOKS 114; Some brackish-water mollusca of the Far-East, Likharev 501; A new Tithonian Ammonoid from Kurdistan, L. F. Spath 767; Abyssal Mollusca in the Okhotsk Sea, USHAKOV 832.

Spitzbergen.—The Quaternary Marine mollusca of the Sassen area, R. W. Freyling-Hanssen & F. A. Jørstad 237; Molluscs of Kierse Wijde, W. Meijer 556.

Atlantic Islands.—Canary Islands Limacidae, C. O. v. R. ALTENA 37; Divaricella divaricata (L.) in Scilly a further note T. G. W. Fowler 266; Madeira Helicidae, A Systematic Survey figs., G. Mandahl—Barth 532.

Mediterranean Islands.—Sicily, Fossils of the bituminous stage of Ragasa Sicily, C. Alemagna 28; Sicily some Freshwater mollusca, A. Cassara 131; Cretan Daudebardia, L. FORCART 264.

North Africa.-Morocco jurassic, T. AGARD & H. G. TERMIER 23: Cretaceous Cephalopods of Libya, E. Allerici 27: S. Morocco Cretaceous, R. Ambroggi & É. BASSE 38; Paleozoic Fezzan, P. Borghi 98; Eocene fossils from Gebel Uaddan, Libya, C. Chicsa 141; Triassic fossils of Gefara Tripolina, L. Coggi 154; Africa, A new species Eoparalegoceras inflatum in the Carboniferous of South Oran, G. DELÉPINE 188; N. Africa, Cretaceous, M. GIGOUR 292; N.E. African Sphincterochila, H. KALTENBACH 414; N. African Albeidae. F. LLABADOR 502; Sahara a new species of Helicella, M. V. y LOPEZ 506; Algeria, Oligocene of Tizi-Ouzou, P. MURAOUR 587; Africa, Cretaceous fossils of Cyrenaica, E. NALDINI 590; Tripolitania Cretaceous fossils, PARONA & Zaffardi-Comerci 627; Miocene fossils of Libya, C. Rossi 717; Libyan Sahara, Eocene fossils, C. Rossi 718; N. Africa (Sirta) paleogene fossils, C. Rossi 719; Wealdian fossils of Tripolitania, P. Sassi 729; Libya-Upper Cretaceous Cypraeacea, F. A. SCHILDER 738; Libya Chlamys, Pecten Neithea and Plicatula, Upper Cretaceous fossils, A. M. TORRIANI 818; Anglo-Egyptian Sudan, a collectors notes, L. D. Tot-HILL 820.

ORIENTAL REGION AND EAST INDIES

India.—Burma, Pakistan, India, and Ceylon, notes on certain Caenozoic species, F. E. EAMES 213.

Andaman Islands.—A collection of Melanids and Neretids, H. C. RAY 696.

Malaya.—The Marine Mollusca of the Kendeng Beds, East Java, (Muricidae—Volemidae inclusive), C. O. VAN REGETEREN ALTENA 36a; Tertiary of South-West and Central Celebes, C. Beets 70; Celebes—Lakes of the isolated Mabili River System:—speciation, map, J. C. Brooks 115; Malayan species of Boysidea, Paraboysidea Hypselostoma and Gyliotrachela, W. S. S. v B. JUTTING 408; Java—a Critical Revision of Javanese species of the Families Helicarionidae, Pleurodontidae, Fruticios lidae and Streptaxidae, figs. and map, W. S. S. v. Benthems Jutting 411.

Borneo.—East Borneo, Quaternary Mollusca from Boenjoe and Tarakan, C. Beets 68; Miocene fossils of Eastern Borneo, C. Beets 69; East Borneo, Pliocene mollusca from canal limestone near Sekoerau, C. Beets 72; Sarawak A new genus of Streptaxidae, F. F. LAIDLAW 468.

Thailand (Siam).—Molluscan fauna lists, C. Suvatti 794; Thailand Food Report, United Nations 831.

China.—Unio, F. Haas 311; Ordovician of Ichang, S. C. Hsu & C. T. Ma 354; Tonkin mollusca and new species, S. Jaeckel SNR. 384.

Philippines.—Lower Permian Agathiceras sundaicum Han. from Billiton Island Timor, P. Kruizinga 452; New Clausiliidae from the Philippine Islands and Siam, F. E. Loosjes 505; Philippines—Control of Schistosomiasis, D. B. McMullen & O. H. Graham 526.

Japanese Subregion, --- Amnicolid snail genera Blanfordia, Tricula and Fukuia infected by Schistosoma japonica, R. T. ABBOTT & G. W. HUNTER III 18; The occurrence of Perisphinctes (s.s.) from the Ozika peninsula in the Southern Kitakami Mountainland, A. FUKADA 278; Eocene Togo, R. FURON 279; Tanabe Bay, The ecological distribution of Mollusca, T. Habe 315; Japan—The Cenozoic Mollusca of Aomori Prefecture, K. Hatat 327; New Tertiary Mollusca, K. Hatai & S. Nisiyama 328; Fossil evidence for the Geological Age of the Uchigo group, Jôban Coal-field, K. Hatai & Y. Kamada 329; Trias Japan, K. Ichikawa 370; Japan, Cenozoic of the Jôban Coal-field, J. IWAI 379; Pleistocene Pelecypoda and Gastropoda of Fukushima Prefecture, Y. Kamada 415; Pelecypod fauna of Shikoku Is., Japan, Ковачазні & Існікаwa 430; Some Carnic Pelecypods of Japan, Kobayashi & Ichikawa 433; Paleogene Turritella of Japan, Comparison with foreign forms, T. KOTAKA 444; Pliocene of the Aomori Prefecture. A new species of Clinocardium, T. KOTAKA 445; Lake Suwa, Japan and seasonal changes in vertical distribution and migration of mollusca, A. KURA-SAWA 461: Recent Molluscan fauna of Japan, an outline, T. KURODA 463; Recent Molluscan species, T. KURODA 465; List of Miocene Mollusca from the Moniwa shell bed near Sendai and new species, S. Nomura 604; Oncomelania nosophora in Tone R., L. S. RITCHIE, G. W. HUNTER & C. PAN 713; Neogene

and bearing of Pecten (Fortipecten subg. nov.) takahashii Yokoyama, H. Yabe & K. M. Hatai 892; Cenozoic fossils of Northeast Honsyû, Japan, A. Yabe & K. M. Hatai 893.

AUSTRALIAN AND POLYNESIAN REGION

Australia.—Australia land shells, J. Allan 30, 32; Queensland—Ostrea bresia and nomades as fouling agents, F. E. Allan & E. J. F. Wood 33; Victoria List of fossils from Moonlight Head district, G. Baker 52; South Australia a living 'Pleistocene' species—Meracamelon cassandra Pfr., B. C. Cotton 169; South Australia introduced species, B. C. Cotton 170; Victoria—Tertiary Pelecypods from Gippsland, I. Crespin 175; Reevesby Island S. Australia Ecology, L. W. Stack 768.

New Zealand.—Ecological study of Benhamina obliquata (Sowerby) in New Zealand, C. Borland 100; Tertiary of Northern Taringatura Hills, New Zealand, D. S. Coombs 167; a new Cavellia, figs., R. K. Dell 189; new tertiary shells, figs., R. K. Dell 190; Snares Islands, N.Z., new species of Phrixgnathus, R. K. Dell 191; North Auckland Eocene Mollusca, C. A. Fleming 249; Reproduction of the Struthiolariidae in New Zealand, J. E. Morton 581; Mollusca from the Continental shelf Eastern Otago, A. W. B. Powell 667.

Pacific Islands.—New Caledonian coralline islets' molluscan faunal lists, R. CATALA 132; New Caledonia as a most fruitful island for study of its Molluscan fauna, T. IREDALE 377; Philippine Islands and Siam, New Clausiliidae from, F. E. LOOSJES 505.

ETHIOPIAN REGION

East Africa.—Tanganyika and Nyasa—speciation, J. L. Brooks 115; Form of Lamellibranchs of Lake Tanganyika, E. Leloup 491; List of Lower Cretaceous fossils from Chalala, Lourenço Marques Aptian fossils, J. V. L. RENNIE 707; Cretaceous of Somaliland, G. TAVANI 801; Batonian Fossils, East Africa, G. Venzo 839.

West Africa.—Senegal, Eocene Ostreidae of A. GORODISKI 300; Belgian Congo, a new *Hydrobia*, fig., B. VERDCOURT 840; Angola a new *Onchidella*, H. WATSON 861.

Central Africa.—Achatinidae—Studies of African species, J. C. BEQUAERT 77; Fossils and subfossils of the Congo estuary, E. Dartevelle 177; Catalogue with figs. of the mollusca from around Leopoldville (Belgian Congo), E. Dartevelle 178; Cameroons—Achatina peedix, F. Dörres 202.

Madagascar.—Helicophanta, E. Fischer-Piette 244; Madagascar Cretaceous and Jurassic fossils, M. Nicolaï 600.

Cocos-Keeling Islands. — Molluscan fauna, R. T. Abbott 14.

Mauritius. — Edible mollusca, R. Viader 844.

NEARCTIC REGION

West Greenland.—Quaternary deposits, D. Laursen 476.

Canada.—Sphaeriidae of Lake Athabaska and Great Slave Lakes Canada, H. B. HERRINGTON 334a; Canada, Cretaceous of Manitoba, J. A. JELETZKY 387; Jurassic of British Columbia, F. H. McLearn 517; Nova Scotia new records, M. J. Ord & A. G. H. Watts 612; Fundy National Park investigation, V. E. F. Solman 763; Arionidae and Limacidae of Nova Scotia Cytology of the reproductive organs, Watts & Ord 862.

North America.—U.S.A. new slug records, C. B. Lee 486a; Key to Yarmouthian gastropod species of the midcontinent region, A. B. Leonard 495.

North Eastern United States.—Indiana land snails, C. J. Bushey 119; Some Indiana land snails, C. J. Bushey 120; Ohio, Distribution of Mollusca in Dollar Lake Portage Co., Ohio, R. W. Dexter 196; Missouri U.S.A. Mollusca of an Oak-Hickory association, W. W. Dowdy 203; Snails in New York City parks, D. D. Freas 271; Pittsylvania County, Virginia—Polygyridae, L. Hubricht 363; Wisconsin new records, L. R. & H. W. Levi 500; West Virginia land snails, G. K. MacMillan 520; The Occurrence of Hendersonia occulta (Say) in Pennsylvania, G. K. MacMillan 522; Fossils from the Allegheny formation [Carboniferous] of Ohio, M. T.

STURGEON & W. M. MERRILL 792; Cretaceous in Maryland, H. A. Vokes 851; America, Devonian of Pennsylvania Short lists of fossils in text, B. WILLARD 883.

South Eastern United States .- Florida, Snails near St. Petersburg, B. B. BAKER 51: Fossils of Florida Miocene and Pliocene, figs., numerous lists in text of "Geol. of Florida", C. W. COOKE 166; Texas, Seasonal population changes and distribution, G. GUNTER 309; Mollusca of a salt flat in Arkansas National Wildlife Refuge, Texas, J. D. HEDGPETH 330; List of land mollusca Claiborne Co., Tennessee, L. Lutz 511; Land mollusca of Claiborne Co., Tennessee, L. Lutz 512; Texas snails, J. H. Mc-MILLAN 518; Florida new fountain snails, H. A. PILSBRY 651; Texas, a new Pseudosubulina, H. A. Pilsbry 652; Texas, a new Holospira, H. A. PILSBRY 653; Florida Vitrinellidae, H. A. PILSBRY & T. L. McGINTY 658; Mussels of the Mississippi, H. & A. v. d. Schalie 734; Arkansas a new subsp. of Eumelus wetherbyi (W. G. Binney) = Pallifera wetherbyi Binney, G. R. Webb 867; Texas, Molluscan fauna of jetties, H. WHITTEN & others 878.

Western United States. — Western States Distribution of species, J. R. BAILEY jr. 48; California, Population studies and local growth rates of Tivela stultorum, W. R. Coe & J. E. FITCH 151; Cenozoic climates of the Pacific Coast. Lists of Mollusca in text, J. WYATT DURHAM 207; Los Angeles County Calif. a new helicoid, W. D. GREGG 306; Shells of Clear Lake Northern Medoc County, California, G. D. HANNA 319; List of land Mollusca of the San Francisco Bay Counties, W. M. INGRAM & C. LOTZ 375; San Francisco, Land Mollusks in, W. M. INGRAM & C. LOTZ 376; San Clemente Island land snails, G. P. KANAKOFF 416; Nevada,? Pliocene freshwater mollusca from a saccharoidal limestone, T. C. YEN 895; Paleocene fossils, freshwater Mollusca of S. Montana, J. C. YEN 896.

CENTRAL AMERICAN REGION

Mexico.—A new Coelostemma, G. Bartsch 63; Yucatan Non-marine Mollusca, H. W. Harby 323.

Guatemala.—A new freshwater mollusk, H. A. Pilsbry 650.

Uruguay.—New land species, J. J. PARODIZ 626.

Cuba.—Cuban shells collected by Dr. H. P. Schaub, L. FORCAET 260; A new subspecies of *Urocoptis*, S. JAECKEL 385; A new Jurassic Sepioid, W. E. SCHEVILL 735.

Bermuda.—Bermuda Oceanographic Expeditions—Vampyromorpha, G. E. Pickford 644; Bermudian Ellobiidae, F. Haas 313.

Cayman Islands.—Cayman Brac land mollusca, H. A. Pilsbry 647.

SOUTH AMERICAN REGION

South America.—Cretaceous of Tierra del Fuego, H. H. Camacho 125; Upper Cretaceous of the Atlantic Coast of Tierra del Fuego. Lists pp. 292–295, G. Furque & H. H. Camacho 281; South America, Economics, A. M. Gilmore 294; Mesozoic of Neuquen, S. America, A. F. Leanza & A. Giovine 482; South America, New species of Leopoldia from the Mesozoic of Neuquen, A. F. Leanza & A. Giovine 482; South American Unionidae, H. Modell 572; South American Unionidae, H. Modell 573; Devonian, South America, S. Petri 640.

Brazil.—Acantholeaia new genus of Leaiadidae from the Permian of São Paulo, Marques de Almeida, F.F. 34; Shells from Paraná and Santa Caterina, J. J. Bigarella 80; Santa Caterina fossils, J. J. Bigarella 81; Mollusca from Para State, F. Haas 312; A new subspecies of Odontostomus, S. JAECKEL 385; Southern Brazil, New Lamellibranchia fossils, J. C. Mendes 557.

Colombia.—Cretaceous molluscs É, BASSE 65; Colombia a new Freshwater mollusc, H. A. Pilsbry 650.

British Guiana.—The Pomacea (Ampullariidae) of British Guiana, figs., T. Pain 620.

Peru.—Carinate Bulimulidae, H. A. Pilsbry & A. O. Olsson 659.

Venezuela.—Maracaibo Lake Mollusca, A. N. Ch. Ten Broek 113; Pomacea (Limnopomus) meridaensis sp. nov., T. Pain 619.

(β) Marine ARCTIC

Arctic Ocean.—The osmotic pressure in Brachiopods of the Barents Sea. Belyaev 74; Northern Greenland marine fauna, C. VIBE 845.

NORTH TEMPORATE

Eastern North Atlantic.—Great West Bay bottom fauna, N. A. Holme 346; A new Meromenia from the Gulf of Gascogne, E. Leloup 490; Torbay Devon, occurrence of Crepidula fornicata (L.), P. P. Milman 567; Aberdeen, a giant specimen of Architeuthis sp. stranded near by, figs., B. B. Rae 680; Ommastrephes caroli (Furtado) stranded at Looe Cornwall, figs., W. J. Rees 703; Waters of British Islands Distribution of Octopus vulgaris Lk., W. J. Rees 704; North Western Europe fluctuation of the Oyster stock, R. Spärck 765; Crepidula fornicata in Danish waters, R. Sparck 766.

Western North Atlantic.—Texas—Loligo brevis, pealii, G. Gunter 309; W. Atlantic eggs of Octopus vulgaris Lk., G. E. Pickford 642; New Dominican marine mollusca, A. H. Verrill 843; Marragansett Bay — occurrence of Tethys willcoxi Heilprin, D. J. Zinn 903; Western Atlantic Epitoniidae genera Sthenorytis, Cirsotrema, Acirsa, Opalia and Amaea, W. S. CLENCH & R. D. Turner 146.

Mediterranean.—Bay of Castiglione-marine fauna, R. DIEUZEIDE 197; Morocco Zooplankton, M.-L. FAURE 229; Morocco report on Zooplankton, M.-L. FAURE 230; Mediterranean—biological studies of the pools, P. Mars 543; Balearios—occurrence of Cyprina islandica, M. PAULUS 635; Mediterranean forms of Mangelia, O. PRIOLO 671; Marine mollusca of Sicily, a revision, O. PRIOLO 672.

Pacific.—Types of Pelecypods of recent explorations, K. v. W. Palmer 621.

Eastern Pacific Ocean.—New N.W. American Turrids, P. Bartsch 64; The species of Californian Haliotis, figs., P. Bonnot 97; G. of California, a new Verticordia, A. D. Howard 349; Cypracid Fauna of the Galapagos Islands, W. M. INGRAM 374; Two species of

Phos, J. S. Schwengel 750; Shells of Mexico & Panama, Maxwell Smith 760.

Western Pacific Ocean.—A new Cephalopod from Sta '192' Prof. Boschma Expedition 5° 52' S. 121° 32' E., figs., W. ADAM 22; Oyster Culture in Japanese Waters, A. R. CAHN 122; New South Water Marginellidae, C. F. LASERON 475; Mutsu Bay & Scallop industry, C. NISHIOKA & others 602.

TROPICAL AND SUBTROPICAL

Caribbean Sea.—Cayman Islands Octopoda collected by the Oxford University Expedition 1938, G. E. Pickford 643; Florida new Thericium, H. A. Pilsbry 648; Bahamas and Florida new marine Mollusca, Pilsbry & McGinty 658; Caribbean, Notes on the Cephalopoda, figs., W. J. Rees 706.

Indo-Pacific.—Indo-West Pacific and Antemetula Rehder, C. O. v. R. ALTENA 36.

Indian Ocean.—Baroda Cephalopods, a preliminary report, S. T. MOSES 583; Coromandel Coast of India on a collection of shells, new species, figs., H. C. RAY 697; Zoological Survey of India revision of Cypraeacea, H. C. RAY 698.

Central Pacific.—Hawaii a new Cypraea, figs., J. M. OSTERGAARD 616; Pacific South America a new Thecacera, A. Pruvot-Fol 675.

SOUTH TEMPORATE AND SUBANTARCTIC

Western South Altantic Ocean.—Southern Brazil, W. Indian marine species, W. S. EYERDAM 223.

Eastern South Altantic Ocean.—West African Cephalopods two new species, W. ADAM 21; West African shellbearing marine mollusks, M. NICKÈLS 597.

South Pacific.—Australian Shells, figs. J. Allan 29; Latia neritoides in New Zealand, B. J. Bowden 104; South Western Australia—occurrence of tropical species, B. C. Cotton 168; New Zealand, new marine mollusca, figs., K. K. Dell. 189; Narrow Neck Reef, New Zealand—Intertidal studies, V. Dellow 192.

(β) Geological

Quaternary.—Quaternary Mollusca from Boenjoe and Tarakan, E. Borneo. Bathymetric distribution list, pp. 259–260, C. Beets 68; Quaternary fossils from the Sassen area Spitsbergen, R. W. Feyling-Hassen & F. A. Jørsted 237; Diluvian of Switzerland, K. Hescheller & O. Kuhn 336; Holocene records for Flintshire, J. O'N. MILLOTT 566; Diluvian of North Germany, A. MÜLDNER 585; Quaternary G. of Lyons, M. Paulus 633.

Pleistocene.—Shells from Blaskenwell Tufa pit S. of Corfe Castle, Dorset, H. Bury 118; Pleistocene snail living on the Murray River Cliffs, B. C. Cotton 169; Pleistocene Pelecypoda and Gastropoda of Fukushima Prefecture, Japan. Lists, pp. 51-52, Y. KAMADA 415.

Tertiary.—East Indies, Tertiary of south-west and central Celebes, C. Beets 70; Fossils of Northern Taringatura Hills, N.Z., D. S. Coombs 167; Tertiary Pelecypods from Gippsland, Victoria, I. CRESPIN 175; Tertiary New Zealand new species, figs., R. K. Dell 190; Caenozoic molluscan notes chiefly on nomenclature and relationship of species from Burma, Pakistan, India and Cevlon, F. E. EAMES 213; Cenozoic Mollusca of Aomori, K. HATAI 327; Tertiary Japan, K. HATAI & S. NISIYAMA 328; Cenozoic of the Jôban Coal-field, Japan. Lists in text, J. Iwai 378; Tertiary Mollusca in Southern Transcaucasus, LEONTIEV 499; Venice Tertiary Pleurotomaria, A. MALARODA 531; New and known tertiary mollusca in Eastern Transbaical, Martinson 544: Tertiary and Cretaceous in Maryland, L. W. STEPHENSON 778; Cenozoic fossils of N.E. Honsyû, Japan, H. YABE & K. M. HATAI 893.

Pliocene.—France, G. ASTRE 44; Pliocene mollusca from canal limestone near Sekoerau, East Borneo. In Leyden Museum, C. Beets 72; Middle Pliocene N. Brabant (= British Waltonian) five fossil Lamellibranchs, figs., W. J. v. d. Burg 117; Fossils of the Calroosahatchee formation (Pliocene), figs. pls. 27-30, C. W. Cooke 166; Mollusca in the Pliocene of the small Caucasus, Khain, Tikhomirov & Gorshenin 422; Japan, New species of Clinocardium from Aomori Prefecture, T. Kotaka 445; Yarmouthian in the Midcontinent Region of the United

States, A. B. Leonard 495; Neogene Mollusca in Nakhitchevan, Asserbaidjan, Russia, Tikhomirov & Zhuze 813; Neogene Japan & Pecten (Fortipecten) takahashii Yokahoma, H. Yabe & K. M. Hatai 892; Pliocene freshwater mollusca from Nevada, T. C. Yen 895.

Miocene.—Eastern Borneo, C. Beets 69; Miocene fossils from the Bético Valley, Spain, I. P. Carrasto & J. de Lizaury Roldén 127; Fossils from the Tampa Limestone, figs., C. Wythe Cooke 166; Duplin Marl fossils figs., pls. 22, 23, C. W. Cooke 166; Alum Bluff fossils, figs., pls. 18–20, C. W. Cooke 166; Tampa Limestone fossils, figs., pl. 15, C. W. Cooke 166; New Miocene Mollusca from Japan, K. Hatai & S. Nisiyama 328; Mollusca in Sarmatian formation of Preazovsk, Russia, Khaniu 423; Miocene Mollusca of the Moniwa Shell Bed, Sendai, S. Nomura 604; Falums Touraine Helvetian fossils, A. Peyrot 641; Libya, C. Rossi 717; Austria, G. Toth 819; Miocene in the Vienna Basin. Lists of fossils in text. E, Veit 835; Mollusca in the Middle Miocene in Maykop deposits, Northern Caucasus, Volkova 852.

Oligocene.—Oligocene Mollusca from Japan, K. Hatai & S. Nisiyama 328; New and known Mollusca in Oligocene of Pre Black Sea Cavity, Karlov 418; Oligocene of Tizi-Ouzou, Algeria, P. Muraour 587; Oligocene Cardiidae of England, W. E. Tremlett 822.

Eccene. - Lutetian, France, R. ABRARD 20; Eocene fossils from Lérida. Spain, A. Almela 35; Eocene fossils of Gebel Uaddan, Giofra, Libya, C. Chiesa 141; Mesalia auversensis new name for Turritella herberti Desh. non Archiae & Haine, F. E. EAMES 211; Eocene Mollusca from North Auckland, C. A. FLEMING 249; Adabion Togo Eccene fossils, R. Furon 279; Eccene Ostreidae of Senegal, A. Gorodiski 300; Bartonian, France, GRANGEON & FENGUEUR 304: Paleogene Turritella of Japan, Ecological significance, T. KOTAKA 444; Mollusca in Eocene (?) clays of Naltchiksk, North Caucasus, Kuadzhe 455; Eocene Libyan Sahara, C. Rossi 718; Paleogene of Sirta and district, C. Rossi 719; Salzburg, a New Ammonite, W. SCHWARZACHER 748; Eccene Cardiidae of England, W. E. TREMLETT 822.

Cretaceous.—Cephalopods of Libya, E. Allerici 27; Cretaceous, S. Morocco, R. Ambroggi & E. Basse 38: Cretaceans of Colombia, E. Basse 65; Nomenclature of some Ammonite genera, M. BREISTROFFER 108; Cretaceous ammonites of Salazac (Gard). Lists in text. M. Breistroffer 109; Albian fossils S.E. France, M. Breistroffer 110; Cretaceous of Tierra del Fuego, S. America, H. H. Camacho 125; Albian fossils, S.E. France, G. Delpey 193; Turonian spp. of the Orlichozdarska area, J. Dvořák 208; Danian species renamed, F. E. Eames 212; S. America, Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. FURQUE & H. H. Comacho 281; Cretaceous of Manitoba, Canada, J. A. Jeletzky 387; Cretaceous fossils in Greece, F. von KLINGHARDT 428; Cretaceous of Vilseck, Germany, L. von Krumbeck 453; Mollusca in the Chalk of Sevano Kurdistan Zone, Russia, Leontiev 498; Senonian France-a new Mitrocaprina, G. MENNESSIER 560; Cretaceous Radiolites, F. K. G. MULLERRIED 586; Cretaceous of Cyrenaica, E. NALDINI 590; Cretaceous, Tripolitania, PARONA & ZUFFARDI-COMERCI 627; Aptian fossils from Chalala, near Lourenço Marques, J. V. L. RENNIE 707; Tripolitania Wealdian fossils, P. Sassi 729; Upper Cretaceous, Libya, F. A. SCHILDER 738; Cretaceous in Maryland, L. W. Stephenson 779; Africa, Cretaceous fossils of Somaliland, G. TAVASSI 801; Upper Cretaceous, N. Africa, A. M. TORRIANI 818; Maryland Cretaceous fossils, H. A. Vokes 851; Cretaceous fossils in N.W. Hanover, Germany, W. von Wetzel 874; Further Isle of Wight records, C. W. & E. V. WRIGHT 887.

Jurassic.—E. Morocco, J. AGARD & H. & G. TERMIER 23; Nomenclature of some Ammonite genera, M. Breistroffer 108; Great Oolite, Britain, L. R. Cox & J. W. Arkell 174; Mollusca in Jurassic deposits at Vilny and Aldan rivers, Russia, Krimgoltz 449; A Jurassic Ammonite of Moate Bondona di Trente, M. Loss 507; British Columbia, Jurassic formations, F. H.

McLearn 517; Jurassic fossils of southwest of Madagascar, M. Nicolaï 600; France, Toarcian of Aveyron, C. & D. Renz 710; A new Sepioid from Cuba, W. E. Schevill 735; Lower-Jurassic Mollusca in North-Eastern Carpathians mountain, Russia, Slavin 759; Kurdistan, a new Tithonian Ammonoid, L. F. Spath 767; Batonian, East Africa, Fossils, S. Venzo 839; Jurassic Cromarty, Scotland, C. D. Waterston 860.

Lias.—Belemnites of Upper Lias in Northern Bavaria. Bibliography, pp. 166-167, H. Kolb 436; Lias of Northern Bavaria, H. Kolb 436; Northern Bavaria, Lias fossils L. Krumbeck 454.

Trias.—N. African Triassic fossils, L. Coggi 154; Some Japanese Upper Triassic Pelecypods, K. Ichikawa 370; Trias, Japan, Kobayashi & Ichikawa 431; Some new Triassic Oxytoma of Japan, Kobayashi & Ichikawa 432.

Permian.—Permian of São Paulo, Brazil, Acantholeaia new genus of Leaiadidae, Marques de Almeida 34; Permian Cephalopods from Maracaibo Basin, M. M. THOMPSON & A. K. MILLER 310.

Carboniferous. — South Oran, N. Africa, G. Delépine 188; Lower Westphalian fossils from Belgium, W. v. Leckwyck & others 484; Carboniferous in Spain, P. H. Sampelayo 726.

Devonian.—Some Devonian fossils of Pennsylvania, A. B. CLEAVE 142; South America, Devonian fossils, S. Petri 640; Devonian Eifel, R. Richter 711; Mid-Devonian Wernoceras crispiforme and other 'Goniatites', H. Schmidt 744; Devonian Fauna succession in Canada, P. S. Warren & C. R. Stelck 855; Devonian of Pennsylvania, B. Willard 883.

Silurian.—E. Europe, B. Růžička 723.

Ordovician.—China, Ordovician of Ichang, S. C. Hsu & C. T. Ma 354.

Cambrian.—Microfossils from the Vindhyans, A. K. Ghosh & A. Bose 291.

III.—SYSTEMATIC INDEX

N.B.—FULL REFERENCES ARE GIVEN ONLY IN THE CASE OF A NEW GENUS, SPECIES OR VARIETY. IN OTHER CASES THE NUMBER IN "Large Bold Clarendon" REFERS TO THE LIST OF TITLES WHERE THE FULL REFERENCE WILL BE FOUND. WHERE THE REFERENCE IS GIVEN IN THE SYSTEMATIC PART, THE VOLUME NUMBER IS PRINTED IN Smaller Clarendon.

Note.—The arrangement here used follows in general that of Thiele's Handbuch. The most important differences are that Epitonacea and Pyramidellacea are placed immediately preceding Muricacea in order of grouping and the families Triviidae and Eratoidae are placed in Lamellariacea.

Where more than one page is given in a reference, the one in roman type is where the new name is first mentioned and the one in *italic* is where the gen. sp. or var. is actually described.

Aplacophora

Alexandromenia grimaldi Leloup 1946; figs., E. LELOUP 494.

Anamenia heathi Leloup 1947 figs., E. Leloup 494.

Chaetoderma nitidulum Loven 1842, fig., E. LELOUP 494.

Chaetodermatidae, H. A. STORK 601.

Entonomenia atlantica Leloup 1948, figs., E. Leloup 494.

Gymnomeniidae, H. A. STORK 601.

Lepidomeniidae, H. A. STORK 601.

Meromenia hirondella gen. & sp. nov. from the Gulf of Gascoyne figs., E. LELOUP Bull. Sci. nat. Belg. 25 1 1949 p. 1.

Micromenia simplex Leloup 1948, E. Leloup 494.

Neomeniidae, H. A. STORK 601.

Paragymnomenia richardi Leloup 1947, E. Leloup 494.

Proneomenia nierstrasyi sp. nov. of Proneomeniidae Gulf of Naples, H. A. STORK Zoologica, Stuttgart 36 99 1940 pp. 3 57 pl. x f. 179-185 pl. xv f. 10; Proneomenia antarctica figs., S. O. HOFFMAN 345.

Proneomeniidae, H. A. STORK 601.

Polyplacophora

CHITONACEA

Acanthochiton (Notoplax) leuconotus (Hedley & Hull 1912) text-fig. 1 pl. 1 f. 1; A. (N.) rubiginosus (Hutton 1872) pl. 1 f. 2, 3; A. (N.) mariae (Webster 1908) pl. 1 f. 4 notes, E. Leloup 489.

Gastropoda

Gastropoda of the Virihaura area of Swedish Lapland, P. Brinck & K. G. Wingstrand; Torsion, figs., N. B. Eales 209; Secondary symmetry, figs., N. B. Eales 210; Gastropoda from the Quaternary beds of the Sassen area of Spitzbergen, R. W. Feyling-Hassen & F. A. Horsted 237; Bloodfigs., W. C. George & J. H. Ferguson 287; Hermaphrodism of zero differentiation, M. De Larambergue 474; Morphological observations on opercula, I. Taki 798.

Gastropoda of the Moniwa Shell Bed, Sendai, S. Nomura 604.

STREPTONEURA

ASPIDOBRANCHIATA

RHIPIDOGLOSSA

HALIOTIDACEA

†Ampuloscalites gen, nov. Murchisoniidae type A. tabulatus Phillips "[Natica]" = Ampullacera Koninck 1843 non Q. & G. 1832, Scalites Koninck 1881 non Conrad 1842, W. Wenz Handb. Paläozool. 1 6, 1 1938 p. 167.

Bellerophontidae pallial organs, M. Henri & G. Termier 331.

†Emarginula entrevesiensis sp. nov. Albian S.E. France, M. Breistroffer Trav. Lab. Géol. Univ. Grenoble 23 1942 p. 107.

†Emarginula breistrofferi sp. nov. Albian S.E. France, G. Delpey Trav. Lab. Geol. Univ. Grenoble 23 1942 p. 88 pl. 1 f. 11-12.

†Emarginula elongatoides p. 18 pl. 1 f. 15, 16; E. dujardini p. 19 ex Dollfus & Dautzenberg MSS. spp. nov. Helvetian Touraine; A. PEYROT Act. Soc. Linn. Bordeaux 89 Supp. 1938.

Euhaliotis subgen, nov. of Haliotis type H. (E.) midae; W. Wenz Hand. Paläozoologie 1 6, 1 1938 p. 171. Exohaliotis cyclobates (Peron) Voy. Discov. Terres Austr. 2 1816 p. 80. Common at type locality Kangaroo Island and occurs at Murchison but absent in the S.-W., B. C. COTTON 168.

†Euomphalus ladinus sp. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Sta. nat. Venez. Trident. 8 3 1948 p. 46 pl. 1 f. 9a-c.

Fissurella Hermaphrodism and sex Differentiation, M. DE LARAMBERGUE 474.

Haliotis rufercens Sw., cracherodi Leach, corrugata Gray, Fulgens Phil., assimilis Dall, kamschatkana Jonas, wallalensis Stearns, in Californian waters figs., P. BONNET 97.

Haliotis (Teinotis) asinina L., a monstrosity, G. S. Coen 153.

Haliotis cracherodii Leach. The indigoid character of its blue pigment, A. COMFORT 160.

Haliotis cracherodii Leach. A subsidiary shell pigment, A. Comfort 163.

Haliotis tuberculata fig. of Pretorsional veliger, veliger larva with 90° torsion and models showing development, N. B. EALES 209.

Haliotis midae, H. S. Koch 434.

Haliotis cracherodii on the shell pigment haliotivioline, A. Tixier & E. Lederer 815.

Hemitoma rubida sp. nov. Dominica, A. H. Verrill Nautilus, Philad. 63 4 1950 p. 126 pl. 9 f. 2, 2a.

Megathura crenulata lysin from sperm, M. Krauss.

Parmophoridea nom. nov. = Parmaphorella Strebel 1907 non Matthew 1899 type; Tugali (P.) antarctica Strebel "[Tugalia]", W. Wenz Handb. Paläozool. 16, 1 1938 p. 177.

†Pharetrolites gen. nov. Cytolitidae Bellerophontacea type P. pharetra Lindstrom "[Cyrtolites]", W. Wenz Handb. Paläozool. 8 6, 1 1943 (Bd. 6, Tiel 5) p. 1491.

†Pleurotomaria andradei pp. 31, 70, pl. v figs. 63, 65; P. chalalensis pp. 32, 70, pl. v figs. 57, 58 spp. nov. Aptian from Chalula, near Lorenço Marques, J. V. L. RENNIE Bul. Serv. Min. Geol. Moçambique 9 1947.

†Pleurotomaria bittneri Kittl. alta var. nov. p. 43 pl. 1 f. 1 a, b; P. (?) dolomitica sp. nov. p. 43 pl. 1 f. 4 a, b, Cortina d'Ampezzo. P. LEONARDI & F. FISCON Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948.

†Pleurotomaria dalpiazi sp. nov. p. 183 pl. v f. 1-2, 4-7; P. d. costozzensis var. nov. p. 185 pl. v, f. 3, pl. vi f. 4; P. lamarcki Mayer perstriata var. nov. p. 188 pl. vi f. 2; P. vicetina nom. nov. for P. concava Schaur. non Desh. p. 188; P. Malaroda Atti Soc. ital. Sci. nat. 89 3-4 1950.

†Pleurotomaria ogadensis sp. nov. Crustaceous Somaliland, G. Tavani Palaeontogr. ital. Pisa 45 1949 p. 2 pl. 1 (xii) f. 10.

†Profissurellidea subgen. nov. of Fissurellidea, type F. (P.) malleolata Tate Eocene Australia, W. Wenz. Handb. Paläozool. 1 6, 1 1938 p. 185.

Rimulopsis sowerbyi nom. nov. Emarginata clathrata J. de C. Sowerby 1826 non Deshayes 1829, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 51.

†Sisenna ampezzana sp. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 44 pl. 1 f. 3 a b.

Prosobranchiata Docoglossa PATELLACEA

Acmaea host species of Protozoan fauna and table of parasite species, H. I. Hirshfield 339.

†Acomaea bathonica nom. nov. Patella sulcata Eades-Deslongschamps 1843 non Borson 1820, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 54.

†Hamptoniella nom. nov. Hamptonia Haber 1932 non Walcott 1920 type H. hamptonensis (Morris & Lycett) "[Umbrella?]" Battonian, W. Wenz Handb. Paläozool. 1 6, 1 1938 p. 225.

Lottia gigantea and Protozoan parasites, H. I. Hirshfield 339.

†Lottia? jourdonensis sp. nov. Albian, S.E. France, G. Delpey Trav. Lab. Géol. Univ. Grenoble 23 1942 p. 93 pl ii f. 2, 3.

Patella vulgata and depressa caretenoid distribution in the gonads, T. W. GOODWIN 298; P. barbara distributed along the entire South African coastline fig., H. S. Koch 434; P. cochlear found from Buffels River on west coast of S. Africa to Natal, fig., H. J. Koch 434; P. vulgata and P. depressa caratenoids of the gonads, T. W. GOODWIN & M. M. TAKE 299; Hermaphrodism in Patella, G. M. Montalent 575.

†Scurria minchinhamptonensis sp. nov. Patella inornata Morris & Lycett 1851 non Lycett 1850 Great Oolite Minchinhampton, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 53.

TROCHACEA

Astraea tuber dominica subsp. nov. St. Thomas, Tortola and Dominica, A. H. VERRILL Min. Conch. Club. S. Calif. 101 June 1950 pp. 5, 7 f. 1-6.

†Calliomphalus (Metriomphalus) scebelensis sp. nov. Cretaceous Somaliland, G. Tavani Palaeontogr. ital. Pisa 45 1949 p. 19 pl. 1 (xii) f. 11.

†Calliostoma ligeriense nom. mut. p. 30 pl. 1 f. 26; C. (Jujubinus) pseudo-turricula p. 32 ex D. & Dtz. MSS., spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Callotrochus Kutassy 1938 nom. nov. = Mesotrochus (Kutassy) 1927 non Wasmann 1890 type C. triadicus Kutassy "[Mesotrochus]" Trias., W. WENZ Handb. Paläeozool. 3 6, 1 1938 p. 280.

†Chartroniella imfrastriata sp. nov. Paraturbinidae = Monodonta sparsistriata Lycett 1863 (partim); C. hudlestoni sp. nov. Trochus spiratus d'Archiac, Huddleston 1894, non d'Archaic, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 56.

†Eucyclus (Onkospira) clansayensis sp. nov. Albian, S.E. France, M. Breistroffer Trav. Lab. Geol. Univ. Grenoble 23 1942 p. 101.

Gibbula nobomii sp. nov. Coromandel Coast, India, H. C. Ray Rec. Indian Mus. Calcutta 1949 46 p. 90 pl. iii f. 1, 2. †Gibbula pontileviensis p. 25 pl. 1 f. 20, 21; sp. nov. Helvetian Touraine, A. Peyrot Act, Soc. Linn. Bordeaux 89 Supp. 1938.

†Globonema subgen. nov. of Trochonema Salter 1859, type T. (G.) bicarinatum (Koken) Silurian (Ordovician), W. WENZ Handb. Paläozool. 1 6, 1 1938 p. 228.

†Islipia gen. nov. Turbinidae type Monodonta lycetti Lycett, Bradford fossil bed, Islip, Oxon, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 61.

Monodonta lineata (Costa) Calliostoma zizyphinum (Lk.) 302.

†Pachypoma damon monocarinatum var. nov. Cordova d'Ampezzo, Leonarde & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 47 pl. 1 f. 10 a-c.

†*Palaeoturbina* nom. nov. = *Turbina* Koninck 1883 non Herrmannsen 1847, W. Wenz Handb. Paläozool. 1 6, 1 1938 p. 234.

†Proconulus beani nom. nov. = Trochus subglaber Hudleston 1885 nom Münster 1841, L. R. Cox & W. S. Arkell Mon. Pal. Soc. London Jan. 1950 p. 59.

Scaliconus Spriestersbach nom. nov. = Piliolus Spriest. 1919 non Cookson in Sowerby 1823 type (Knight 1937); S. obliquus, W. Wenz Handb. Paläozool. 3 6, 1 1938 p. 260.

Solariorbis suzonus sp. nov. Sebastian, Indian River Co., Florida, H. A. PILSBRY & T. L. McGINTY Nautilus, Philad. 63 3 1950 p. 85 pl. 5 f. 7, 7a.

†Stuorella tofanae p. 45 pl. i f. 6 a, b, 7 a-c; S. costalaricensis p. 46 pl. 1 f. 8 a-c spp. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948.

†Tegula (Chlorostoma) protonigerrima sp. nov. Miocene, Moniwa Shell Bed, Kita-Akaisi, Minami-Akaisi, Japan, S. NOMURA Sci. Rep. Tôhoku Univ. 21 1 1940 p. 32 pl. III (III) figs. 15, 16.

†Tinostoma [Teinostoma ?] turonense p. 39 pl. 1 f. 32, 33 sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938. †Trochopsidea nom. nov. = Trochopsis Gemmellaro 1879 non Ehrenberg 1832 type T. moroi (Gemm.) "[Trochopsis]" Lias, W. Wenz Handb. Paläozool. 3 6, 1 1938 p. 259.

†Trochus zardinii sp. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 1948 p. 47 pl. 1 f. 11 a-d.

†Trochus gaisiensis, Goisi, pl. III (III) fig. 17; T. oedensis, Minami-Akasi, Moniwa, Kita-Akaisi, Japan pl. III (III) figs. 19a, 19b spp. nov. Miocene of the Moniwa Shell Bed, S. NOMURA Sci. Rep. Tôhoku Univ. 21 1 1940.

Turbo parvuloides sp. nov. Minami-Akaisi. Miocene of the Moniwa Shell Bed, Japan, S. Nomura Sci. Rep. Tôhoku Univ. 21 1 1940 p. 35 pl. III (III) figs. 12a, 12b.

Turbo marmoratus. The use of the opercula for ornamental purposes and as a paving, figs., W. S. S. & B. JUTTING 405; T. petholatus shell structure figs., E. KESEL 419; On the Turboglaucobiline pigment of the shells of Turbo, R. TIXIER 814.

†Turboides jacobi sp. nov. Albian, S.E. France, M. Breistroffer Trav. Lab. Géol. Univ. Grenoble 23 1942 p. 106.

†Turcica preimperialis sp. nov. Minami-Akaisi, Kita-Akaisi, Kumanodo, Japan. Miocene of the Moniwa Shell Bed, S. Nomura Sci. Rep. Tôhoku Univ. 21 1 1940 p. 34 pl. III (III) figs. 20a, 20b.

Venustas blacki sp. nov. Eastern Otago 70 fm. N.Z., A. W. B. POWELL Rec. Auckland Inst. Mus. 4 1 1950 p. 80 pl. 7 f. 3, 4.

LOXONEMATACEA

†Ataxotrochus nom. nov. = Pseudotrochus Kittl. 1899 non Heilprin 1887 type A. meta (J. Böhm) "[Lissochilina]" Trias, W. Wenz Handb. Paläozool. 3 6, 1 1938 p. 391.

†Hetorogyrella nom. nov. = Heterogyra Kittl. 1899 non Reuss 1868 type Trypanostylus (H.) ladina Kittl. Trias, W. Wenz Handb. Paläozool. 3 6, 1 1938.396.

†Katosira seelandica paucispirata var. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 52 pl. ii f. 8 a, b, 9 a, b.

†Loxonema sera sp. nov. Albian, S.E. France, G. Delpey Trav. Lab. Geol. Univ. Grenoble 23 1942 p. 89 pl. ii f. 14, L. (Anoptychia) canaliferum rectilineatum var. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 52 pl. ii f. 10.

†Spirocyclus nom, nov. = Spirocyclina Kittl. 1894 non Munier-Chalman 1887 Trias, W. Wenz Handb. Paläozool. 3 6, 1 1938 p. 401.

NERITACEA

†Ampullina mereralensis p. 21 pl. iii (xiv) f. 1; A. gigantea p. 21 pl. iii (xiv) f. 4 spp. nov. Cretaceous, Somaliland, G. TAVANI Palaeontogr. ital. Pisa 45 1949.

Helicina fasciata caymanensis subsp. nov. Cayman Brac., H. A. PILSBRY Nautilus, Philad. 63 2 1949 p. 40 pl. 3 f. 7.

Hendersonia occulta (Say) in Pennsylvania, G. K. MACMILLAN 522.

Lissochilus bathonicus nom. nov. Nerita cancellata Morris & Lycett 1851 non Hermann 1781, S. R. Cox & W. J. ARKELL Mon. Pal. Soc. London Jan. 1950 p. 64.

Neritina reclivata Say 1822 (f. 1 a-c); N. meleagris Lk. 1822 (f. 2), A. N. TEN BROEK 113.

†Neritopsis armata cortinensis var. nov. p. 48 pl. i f. 13; N. subornata var. nov. p. 49 pl. 1 f. 15 a, b, Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948.

Theodoxus fluviatilis (L.) radula figd., A. D. J. Meeuse 554.

†Theodoxus nalivkini spec. nov. Nertcha river, Eastern Transbaical, Russia, Tertiary, Martinson, G. G. C. R. Acad. Sei. Moscou N. S. 74 1950 p. 574 fig. 544 [Russian].

CYCLOPHORACEA

Diplommatina tonkiniana sp. nov. Tonkin, S. Jaeckel snr. Arch. Mollusk. 79 1900 p. 19 pl. 1 f. 5.

Diplommatina of Borneo, a list of species, F. F. LAIDLAW 467.

Paludina vivipara Osphradium, C. WÖLPER 886.

Pomacea (Limnopomus) meridaensis sp. nov. Venezuela = Ampullaria interrupta Alderson 1924; 1925 52 pl. 11 f. 7 (non Sowerby, 1909), T. Pain J. Conch. 23 4 1950 p. 109.

Pomacea (Ampallariidae) species of British Guiana, figures, T. Pain 620.

†Tulotomoides gen. nov. Viviparidae type T. kwangsiensis (Hsü) "[Tulotoma]" Pliocene, W. WENZ Handb. Paläozoologie 4 6, 1 1939 p. 497 f. 1295.

†Tulotomops subgen. nov. Viviparus type V. (T.) thompsoni (White) "[Tulotoma]" Upper Cretaceous, W. WENZ Handb. Paläozoologie 4 6, 1 1939 p. 491 f. 1275.

Viviparus Montfort, on the nomenclature of the species, C. R. BOETTGER 93; V. fasciatus shell structure, figs., E. Kessel 419; V. chinensis a note on breeding and growth, D. L. Freas 272; V. viviparus embryology and its significance relative to the phylogeny of Gastropods, J. Johansson 391.

VALVATACEA

Clenchiella, Valvata (?) microscopica Nevill 1877 referable to this genus, R. T. Abbott 17.

†Valvata truckeensis sp. nov. Truckee formation? Pliocene, Nevada, T. C. YEN Amer. J. Sci. New Haven 248 1950 181 184 185 pl. 1, f. 3.

Valvata piscinalis (Müller) notes, L. A. W. C. Venmans 836.

LITTORINACEA

Acme, Acmea, Acmaea not to be regarded as homonyms but suppression of Acmea is sub judice at present, Opinions, etc. 10.

†Amberleya bathonica sp. nov. A. (Pagodus) nodosa (Buckman) Morris & Lycett 1851 non Terebra nodosa J. Buckman, L. R. Cox & W. J. ARKELL Mon. Pal. Soc. London Jan. 1950 p. 56.

Chondropoma schaliei sp. nov. Cerro Capron, E. of Guanica Harbour, H. B. Baker Nautilus, Philad. 63 3 1950 p. 108.

Chondropoma schaliei description and further data, H. B. BAKER 55.

Littorina nebulosa (Lk. 1822) (f. 3), A. N. Ten Broek 113; L. neritoides L. infestation and variation, P. Ihm 371; L. saxatilis (Olivi) resistance to lowered salinity, N. F. McMilan 524; L. pintado Wood spawning and development, J. M. Ostergaard 617; L. neritodes L. new biological data, L. Patanè 630; L. neritoides L. Tropism, L. Patanè 631; L. littorea—on the wandering of, figs., W. Schäfer 730; L. littorea L. variation, B. J. J. R. Walrecht 857; L. irrorata (Say) anatomy of the alimentary tract, figs. H. J. Werner 871; L. littorea (L.) 302.

Mirolacuna nom. nov. Streblorhamphus Tate 1897 non Cabanis 1860, Sublacuna Cossmn. 1899 a non Pilsbry 1895 type M. mirula (Tate) "[Streblorhamphus]," W. WENZ Handb. Paläozoologica 4 6, 1 1939 p. 515 f. 1351.

Tropidophora fimbriata haemastoma Anton, L'Ile Ronde, J. VINSON 848.

RISSOACEA

†Alvania curta mioelongata var. nov. p. 97; A. ligeriana p. 98; A. (Alvinia) daguini p. 100 pl. ii f. 34, 39; A. (Arsenia) falunica p. 102; A. (Arsenia) pulcherrima p. 102; spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Amnicola truckeensis sp. nov. Truckee formation, ? Pliocene, Nevada, T. C. YEN Amer. J. Sci. New Haven 248 1950 pp. 181, 184, 185 pl. 1 f. 4, 4a, b.

Amphithalamus dysbatus sp. nov. Snake Creek Plantation Key, Upper Florida Keys, PILSBRY & McGINTY Nautilus, Philad. 63 1949 p. 14 pl. 1 f. 7.

†Andrusowiella nom. nov. Rissoacea Sandria Andrussow 1890 non Brusina 1885 type P. (A.) atava Andrussow "[Sandria]" Lower Pliocene, W. Wenz Handb. Paläozoologie 4 6 1 1939 p. 568 f. 1533.

Assiminea grayana Leach, figs., K. SANDER 727.

Blanfordia on infection by Schistosoma japonicum, R. T. ABBOTT & G. W. HUNTER HI 18; B. infection by Schistosoma japonicum experiment, HUNTER, ABBOTT, PAN & STRAY 369.

Bithynia tentaculata (L.) notes, L. A. W. C. VENMANS 836.

†Calvadosiella nom. nov. Calvadosiv Cossmann 1921, non Clarke 1863 type T. (C.) brasili (Cossmann) Upper Jurassic "[Trochoturbella Calvadosia]," W. Wenz Handb. Paläozoologie 4 6, 1 1939 p. 620 f. 1730.

†Cingula miocenica p. 106 pl. ii f. 41, 47; C. paulmyensis p. 107 pl. ii f. 42, 46; C. turonensis p. 107 pl. ii f. 33, 40; C. (Setia) ligeriana p. 108 pl. ii f. 36, 37 spp. nov. Helvetian, Touraine, A. Peyror Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Floridiscrobs subgen. nov. of Amphithalamus or Scrobs subgenotype A. dysbatus sp. nov. [q.v.], PLISBRY & MCGINTY Nautilus, Philad. 63 1949 p. 15 pl. 1 f. 7.

†Fluminicola yatesiana inflata subsp. nov. Truckee formation, ? Pliocene, Nevada, T. C. Yen Amer. J. Sci. 248 1950 pp. 181, 184, 186 pl. 1, f. 5, 5a.

Fontigens weberi sp. nov. Florida p. 39 pl. 3 f. 2; Fontigens oxybeles sp. nov. Florida, H. A. PILSBRY Nautilus, Philad. 64 1950 pl. 3 f. 1, 1a, b.

Fukuia gen. nov. Amnicolidae type Fukuia kurodai sp. nov. Takeda mura, along Takeda River, near Maruoka City, Fukui Prefecture, Honshu Island, Japan, and infection by Schistosoma japonicum pp. 79-80 pl. 1 f. 6 pl. 2 f. 4; F. multistriata sp. nov. Takefu in Kamiyama-Muza, Nanjo-Gun, Fukui Prefecture, Honshu Island, Japan p. 82 pl. 1 f. 5 pl. 1, 2 f. 5 and 11, R. T. Abbott & G. W. Hunter III Proc. Helminth. Soc. Washington 16 2 1949.

†Gyronelania subgen. nov. Micromelania ? Thaumasia, Westerlund 1903 non Perty 1830 type M. (G.) klaiči Brusina Pliocene, W. WENZ Handb. Paläozool. 4 5 1 1939 p. 595 f. 1631.

Haurakia bountyensis sp. nov. Bounty Islands, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1950 p. 24 f. 5.

Hyala vitrea, figs., J. Johansson 392.

Hydrobia hendrickxi sp. nov. on Lemna from Kakondo, E. Belgian Congo, B. Verdcourt Rev. Zool. Bot. Afr. 43 1950 p. 213, 214 text-figs.; Hydrobia jenkinsi 'passive' dispersal, S. Hubendick 360; H. (Potamopyrgus) jenkinsi Smith in the pond at Canet and environments, G. Pettt 637.

†Hydrobia truckeensis sp. nov. Truckee formation? Pliocene, Nevada, T. C. Yen Amer. J. Sci. 248 1950 pp. 181, 184, 186 pl. 1, f. 6.

†Lacunorbis gen. nov. Amnicolidae type nevadensis sp. nov. Truckee formation? Pliocene, Nevada, T. C. Yen Amer. J. Sci. 248 1950 pp. 181, 184, 187 pl. 1 f. 7, 7a-b.

Lartetia (?) spec. nov. in caves of Western Transcaucasus. No description, Birshtein, Y. A. Zool. Journ. Moscow 29 1950 p. 356 82.

Lithococcus venustus sp. nov. between Boca de Napi and Suarez Dep. of Nerino, Western Colombia, H. A. PILSBRY Nautilus, Philad. 63 1950 p. 82 pl. 5 f. 1, la-b.

†Manzonia (Taramellia) miovaricosa sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 105 pl. ii f. 35, 38.

†Nystia cylindrica sp. nov. (Dol. & Daetz. sp. nom. med.) Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 112.

Oncomelania bionomics of the hosts of Schistosoma, figs., H. F. Hsu 353; O. quadrasi control of Schistosomiasis, D. B. McMullen & O. H. Graham 526; O. nosophora in the Zone R., Japan, L. S. Ritchie, G. W. Hunter & C. Pan 713; Oncomelania and Schistosomiasis geographical distribution of molluscan hosts, tables, W. H. Wright 888.

Parviturboides gen. nov. Vitrinellidae genotype "Cyclostrema" sanibelensis Pilsbry, H. A. Pilsbry & T. L. McGinty Nautilus, Philad. 63 1950 p. 86.

Pyrgula wagneri Polinski, P. macedonica Brusina, P. sturanyi Brusina, figs. pl. v. p. 274, A. Thienemann 808.

Rissoa membranacea, figs., J. Johansson 392.

†Rissoina ancliffensis nom, nov. Rissoa acuta J. de C. Sowerby 1829 non Fréminville 1814, L. A. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 68.

†Scalimelania subgen. nov. Micromelania, type M. (S.) ptychophora Pliocene, Brusina, W. WENZ Handb. Paläozoolog. 4 6, 1 1939 p. 595 f. 1630. †Stenothyrella gen. nov. "[Sandbergeria Weink 1860 non Bosquet 1860]" Stenothyridae type S. lubricella (F. Sandberger) "[Nematura]" Pliocene, W. Wenz Handb. Paläozoologie 4 6-1 1939 p. 588 f. 1610.

Tricula, on infection by Schistosoma japonicum, R. T. Abbott & G. W. Hunter III 18; Tricula, infection by Schistosoma japonicum, experiments, Hunter, Abbott, Pan & Stray 369.

CERITHIACEA

†Anteglosia gen. nov. Litiopidae (?) genotype Anteglosia essoensis sp. nov. Cretaceous, 4875–4885 ft. in the Maryland Esso well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 pp. 146, 147 pl. iv figs. 9–12.

†Bezanconia (Colinia) elegantissima p. 146 pl. ii f. 7, 13; B. (C.) delaunayi p. 147 spp. nov. Helvetian Touraine, A. Peyrot Act. Linn. Soc. Bordeaux 89 Suppl. 1938.

†Bittium mantheianiense sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 156 pl. iii 36, 41.

†Brachytrema cotswoldense sp. nov. p. 70 Fusus subnodulosus Orb. Morris & Lycett (non Orb.); B. lycetti nom. nov. p. 70 Fusus coronatus Morris & Lycett 1851 non Lk. 1803 pp. 70, 71; B. depressum nom. nov. p. 71; Turbo pygmaeus Morris & Lycett 1851 non Desh. 1832; B. acutum nom. nov. p. 71 Fusus multicostatus Morris & Lycett 1851 non Anton 1839. L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950.

†Cassiope marylandensis sp. nov. Cretaceous 4875-4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 p. 145 pl. iv figs 1-8.

†Cerithium (Thericium) lecointreae sp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 143.

Clava obeliscus (Brug.) spawning and development, S. M. OSTERGAARD 617.

Fibulella Wenz 1940 rejected as being unnecessary vice Fibula Piette 1857, L. R. Cox & J. S. ARKELL p. 76 174.

†Glauconia some species from the Cenomanian of Southern France, G. MENNESSIER 559.

Goniobasis proxima (Say) habitat and ecological notes, C. Goodrich 297.

Hemisinus palaeus nom. nov. for H. (Longiverena) arus Pike (preoc.) Nautilus, Philad. 64 1950 p. 69.

†Hudlestoniella shiptonensis sp. nov. "Cerithium" multivolutum Piette, Blake 1905 (non Piette) I. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 63.

†Mathildia togoinsis sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 105 pl. ix f. 5.

Melania (Radina) crenulata Desh., var. tirouri Fér. Structure of the broodpouch, K. RAMAMOORTHI 681.

†Malanioptyxis witchelli sp. nov. Nerinea voltzii Desl. Witchell 1886 non Deslongchamps (non Morris & Lycett), L. R. Cox & W. J. Arrell Mon. Pal. Soc. London Jan. 1950 p. 77.

Melanoides tuberculatus Müll.; M. nicobaricus Mörch; M. (Plotia) scabra Müll. Structures of the brood-pouch, K. Ramamoorthi 681; M. tigrinus Hutton 1849 var. raoi nov. p. 303 f. 1; M. prashadi sp. nov. p. 304 f. 2 Andaman Isls., H. C. Ray Rec. Indian Mus. 45 1949; Melanoides and Schistosomiasis geographical distribution of molluscan hosts, tables, W. H. Wright 888.

Melanopsis pareyssi, M. hungarica, figs. p. 212, A. Thienemann 808.

Mesalia auverensis nom. nov. for Turritella herberti Deshayes 1867 Eocene, non Arekiac & Haine 1854, lower miocene, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 62.

†Mesalia (?) acirsoides sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 105 pl. 1x f. 3.

†Metacerithium oceanum sp. nov. Cretaceous 4875-4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 p. 149 pl. iv figs. 21-23.

†Neia gen. nov. Potamididae genotype Neia schencki sp. nov. Miocene West Cliff about 50 metres south of bridge at Kakskata, Unohana Mura,

Nei-Gun, Toyama-Ken, Japan, K. Hatai & S. Nisiyama J. Paleont. 23 1 1949 p. 92 pl. 24 f. 12, 13.

†Nerinea (Ptygmatis) somalica sp. nov. Cretaceous Somaliland, G. TAVANI Palaeontogr. ital. Pisa 45 1949 p. 5 pl. 1 (xii) f. 7, 8.

Nerinoides Wenz 1940 rejected as being unnecessary vice Nerinella Sharpe 1850, L. R. Cox & W. J. ARKELL p. 77 174.

Pachycheilus olssoni sp. nov. Rio de la Pasion between P. Sabal and Sayaxeke Peten, northern Guatemala, H. R. PILSBRY Nautilus, Philad. 63 1950 p. 84 pl. 5 f. 2, 2a-b.

†Pachychiloides nom. nov. Pachymelania White 1895 non E. A. Smith 1893, type P. (P.) cleburni White "[Goniobasis]" Upper Cretaceous, W. WENZ Handb. Paläozoologie 4 6, 1 1939 p. 686 f. 1969.

Paracerithium gardineri sp. nov. Cerithium undulatum (Desl.) Lycett 1863 non Deslongchamps sp., L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 73.

†Pirenella detrita p. 152 pl. iii f. 1-6; P. turoniensis p. 154 f. 45 spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Plesiopotamides gen. nov. Potamididae? genotype Plesiopotamides marinus sp. nov. Cretaceous 4875-4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 pp. 148-149 pl. iv figs. 14-20.

'Plotia' 'Bolton' Röding, is P. lineata Röd. H. A. Pilsbry 654.

Potamidae — systematic relative growth in shells, I. Hamai & K. Ito 316.

†Procerithium minchinhamptonensis sp. nov. Ceriethium quadricinctum Goldf.
Morris & Lycett 1851, non Goldfuss;
P. cherwellense sp. nov. ? Cerithium lorieri, Hébert & Deslongchamps 1860, non Orb 1850, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 71; P. (Rhabdocolpus) kirtlingtonensis p. 72, Cerithium multiforme, Piette, Lycett 1863 non Piette; P. (R.) holli nom. nov. p. 72 Cerithium? compositum Lycett 1863, non Bronn 1831; P. (R.) lacockense sp. nov. p. 72 Kilvertia pulchra Lycett 1863 non

Cerithium? pulchrum Lycett 1863; P. (R.) kilverti nom. nov. p. 73 Cerithium spiculum Lycett 1863 non Deslong-champs 1842, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950.

Procerithium (Xystrella) tancredi Cerithium bulimoides Desl. Lycett 1863 non Deslongchamps; P. (Xystrella) shiptonense Cerithium tortile Hébért & Deslongchamps 1860 non Deslongchamps 1842, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 73.

†Promathilda (?) peracuta elongata var. nov. Cortina d'Ampezzo, Leonardi, & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 54 pl. ii f. 13a-b, 14.

†Pseudomelania elongata sp. nov. Cretaceous Somaliland, G. TAVANI-Palaeontogr. ital. Pisa 45 1949 p. 17 pl iv (xv) f. 5.

†Pseudomalaxis parisoti sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 103 pl. viii f. 20.

Pseudoplotia subgen. nov. of Plotia subgenotype Thiara (Pseudoplotia) scabra (Müller) = Buccinum scabrum Müll. 1774, L. FORCART Arch. Mollusk. 79 1950 p. 77.

†Pyrazus witkampi sp. nov. Pliocene of Sekoerau Hill, E. Borneo, C. Buto Leidsche Geol. Meded. 15 1950 p. 306 f. 1-2.

†Semisolarium breistrofferi sp. nov. Albian, S. E. France, G. Delpey Trav. Lab. Geol. Univ. Grenoble 28 1942 p. 81 pl. 1 f. 1.

†Solarium (Climacopoma) togoense sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 103 pl. viii f. 19.

†Telescopium pakistanicum nom. nov. for Cerithium subtrochleare Archiae & Haime 1854 non Orb 1852, P. E. EAMES Proc. Malac. Soc. London 28 1950 p. 87.

Thericium chara p. 65 pl. 1 f. 11; T. lymani p. 66 pl. 1 f. 12 spp. nov. off Hudson, Florida, H. A. PILSBRY Nautilus, Philad. 63 1950; T. biminiense sp. nov. Turtle Rock, Bimini, N. Bahamas, PILSBRY & McGINTY Nautilus, Philad. 63 1949 p. 13 pl. 1 f. 6, 6a, b.

†Turritella krooni batukuensis f. 1-3; T. k. kalosiensis f. 5-11; subsp. nov. Tertiary from south-west and Central Celebes, C. Beets Leidsche geol. Meded. 15 1950 p. 286.

†Turritella (Haustator) jherruclensis nom. nov. for Turritella halaensis Cossmann and Pissarro 1909 non Cossmann 1904; T. (Haustator) talarensis nom. nov. for T. subulata Martin 1884 non Schaftäutl 1863, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 87.

†Turritella (Haustator) dujardini sp. nov. p. 121 pl. ii f. 16, 17; T. (H.) tricincta minor var. nov. p. 123 pl. ii f. 15, 18; Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Turritella, Paleogene of Japan, T. Kotaka 444.

Tympanotonos francofurtanus nom. nov. for Cerithium margaritaceum conicum m. Boettger Tertiarf. 1869 non Cerithium conicum Blv. 1829, A. ZILCH & K. G. A. FISCHER Arch. Molluskenk. 79 1950 p. 151 figs.

Vermetidae feeding mechanism, J. E. Morton 586; V. differences of the calcareous tubes from those of Serpulids, figs., A. Wrigley 889.

Vermetus intortus Lk. figs. Embryology, W. Schmidt 745.

†Zeacolpus "n. sp." [nom. nud.] Tertiary of Northern Taringatura Hills, New Zealand p. 444, D. S. Coombs Trans. roy. Soc. N.Z. 78 4 1950.

AMALTHEACEA

†Fossarus delpeyae sp. nov. Albian, S.E. France, M. Breistroffer Trav. Lab. Geol. Univ. Grenoble 23 1942 p. 98.

Macromphalina palmalitoris sp. nov. off Palm Beach, Florida, H. A. PILBRY & T. L. McGinty Nautilus, Philad. 63 1950 p. 85 pl. 5 f. 6, 6a.

CALYPTRAEACEA

†Capulus natorianus sp. nov. Kita-Akaisi, Miocene of the Moniwa Shell Bed, S. NOMURA Sci. Rep. Tôhoku Univ. 21 1 1940 p. 36 pl. III (III) fig. 18.

Crepidula fornicata "The Slipper Limpet" a pest of oyster beds, figs., Anon 11; C. plana Say, variation in

sexuality, W. R. Coe 148; C. plana culturing in running sea water, H. N. GOULD 301; hermaphrodism in Crepidula and sex differentiation, M. DE LARAMBERGUE 474; C. fornicata (L.) in Torbay, P. P. MILMAN 567; C. fornicata failure of spatfall on the Essex Oyster beds, J. H. ORTON 613; C. fornicata breeding phenomena, J. H. ORTON 614; C. fornicata retention of distribution into Lyme Bay, English Channel, J. H. ORTON & A. H. ROGERS 615; C. fornicata distribution in Danish waters, R. Spärck 766; C. fornicata distribution in R. Crouch, P. P. WALNE 255; C. fornicata and distribution and occurrence of spawn, B. WARNER 870.

STROMBACEA

†Chenopus (Phyllochilus) ogadensis sp. nov. Cretaceous, Somaliland, G. TAVANI Palaeontogr. ital. Pisa 45 1949 p. 13 pl. 1 (xii) f. 4.

†Dicroloma? playnei sp. nov. Alaria cirrus (Desl.) Morris & Lycett 1851 (non Rostelbaria cirrus Deslongchamps 1843), L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 81.

†Harpagodes somalicus sp. nov. Cretaceous Somaliland, G. Tavani Palaeontogr. ital. Pisa 45 1949 p. 11 pl. 1 (xii) f. 9.

†Perissoptera carinata sp. nov. Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. Furque & H. H. Comacho Riv. Asoc. Geol. Argentina 4 1949 p. 291 pl. iv f. 10.

†Pietteia anglica sp. nov. = Alaria hamus (Desl.) Morris & Lycett 1851 (non Deslongchamps), L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 81.

Strombus costatus spectabilis subsp. nov. Dominica, A. H. Verrill Nautilus, Philad. 63 1950 p. 127 pl. 9 f. 4.

Strombus of the Indo-Pacific—dimorphism and sexual dimorphism, R. T. Abbott 16; Strombus maculatus Nuttall spawning and development, J. M. OSTERGAARD 617.

Struthiolariidae, Reproduction, Life History and Relationships J. E. MORTON 581.

ATLANTIDACEA

Carinaria mediterranea radula gain, figs., M. Gabe & M. Prenant 284.

NATICACEA

†Amauropsis sanctae crucis conica p, 49 pl. ii f. 1 a, b; A. s-c. ptychostomoides p. 50 pl. ii f. 2 a, b vars. nov.; A. (?) dolasillae sp. nov. p. 50 pl. ii f. 3 a, b Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948.

†Ampullospira (Euspirocrommium) kouriatchyi sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 103 pl. viii f. 18.

†Crommium (Amauropsella) lineolata sp. nov. Eocene, Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 102 pl. viii f. 17.

†Euspira parvissima sp. nov. Cretaceous, 4875–4885 ft. in the Maryland Esso well, Vokes, H. A. Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 p. 144 pl. IV figs. 25, 26.

†Globularia morrisi nom. nov. = Natica intermedia Morris & Lycett 1851 (non Deshayes 1832); G. mitchellis sp. nov. Natica vernnisti d'Arch, Morris & Lycett 1851 (non d'Archiae) Great Oolite, Minchinhampton, L. R. Cox & W. J. ARKELL Mon. Pal. Soc. London Jan. 1950 p. 83.

†Naricopsina cotswoldensis sp. nov. = Natica globosa Roem, Morris & Lycett 1857 (non Grateloup 1828), L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 85.

†Natica (Polinices) togoensis sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 102 pl. viii f. 16; Natica neglecta ligeriana nov. mut. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 77.

Polinices (Mammilla) clarki sp. nov. Panama (Pacific) MAXWELL SMITH Nautilus, Philad. 64 1950 p. 60 pl. 4 f. 7, 7a.

†Ptychostoma pleurotomoide laubei pl. ii f. 1 a-b; P. p. supranodosum pl. ii f. 5 a, b; P. p. binodosum pl. ii f. 6 a, b; P. wühneri kittli pl. ii f. 7 a, b vars. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 51.

†Sigaretus turonensis emend for turonicus Recluz in Chenu, A. Peyrot Act. Soc. Linn, Bordeaux 89 Suppl. 1938 p. 82.

LAMELLARIACEA

Eratiidae—revision of the collection of the Zoological Survey of India, H. C. RAY 698.

Trivia monacha (Costa). Trivia monacha arctica (Mont.) 302.

Triviidae revision of the collection of the Zoological Survey of India, H. C. RAY 698.

Uber strangei Dilation of the foot, M. C. Morris 579.

CYPRAEACEA

†Bernaya (Bernaya) sofegginensis p. 63 pl. ii f. 10-12; B. (B.) rostrifera p. 64 pl. ii f. 13-14; B. (Protocypraea) tripolitana p. 51 pl. ii f. 5-6 spp. nov. Upper Cretaceous Libya, F. A. SCHILDER Ann. Mus. libico Stor. nat. 3 1942.

Cypraea darwini sp. nov. South Seymour Island, Galapogos Islands, W. M. INGRAM Proc. Calif. Acad. Sci. (4) 26 7 1948 p. 144 pl. 2 f. 10, 11.

Cypraea alleni sp. nov. Hawaii, I. M. OSTERGAARD Nautilus, Philad. 63 1950 p. 111 pl. 8; C. carneola L., C. isabella L., C. helvola L., C. caputserpentis L., C. maritiana L., C. poraria L., Eggs and Egg capsules, figs., J. M. OSTERGAARD 617.

†Cypraea (? Eocypraea) murdochi p. 248 text-fig. 1 a-c; C. (? Bernayia) p. 249 text-fig. 1 d; spp. nov. Pahi Greensand, North Auckland, C. A. FLEMING Trans. R. Soc. N.Z. 78 2-3 1950.

†Eocypraea (Eocypraea) dux sp. nov. Upper Cretaceous, F. A. Schilder Ann. Mus. libico Stor. nat. 3 1942 p. 67 pl. iii f. 19-21.

Pediculariidae—revision of the collection of the Zoological Survey of India, H. C. RAY 698.

Zoila vercoi Schilder 1930 (Zool. Anz. Bd. 92, p. 74) the "Esperance Cowry" holotype and three other examples are seen to be quite distinct from Zoila friendii (Gray) originally taken at "Swan River," B. C. Cotton 168; Z. marginata Gaskoin 1848? related to Z. rosselli Cotton 1948, B. C. Cotton 168.

TONNACEA

†Argobuccium [sie = Argobuccinum Horrmannsen (ex Klein)] (Fusitriton) ripponense natorianum subsp. Kita-Akaisi. Miocene of the Moniwa Shell Bed, S. Nomura Rep. Tôhoku Univ. 21 1 1940 p. 40 Pl. III (III) figs.

Bursa awatii sp. nov. Coromandel coast, India, H. C. Ray Rec. Indian Mus. 46 1949 p. 100 pl. iii f. 3-5.

†Cassidea breistrofferi sp. nov. Albian, S.E. France, G. Delpey Trav. Lab. Géol. Univ. Grenoble 23 1942 p. 93 pl. ii f. 21, 22.

Cymatium rehderi sp. nov. Dominica, A. H. VERRILL Nautilus, Philad. 63 1950 pl. 9 f. 1, 1a.

†Galeodea (Cassidaria) kouriatehui sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 106 pl. ix f. 7.

Fusitriton murrayi from west coast to Agulhas, fig., H. S. KOCH 434.

Morio echinophora L. monstrosity ruggeri m. nov., G. S. COEN Acta pont. Acad. Scient. 1950 p. 197 pl. 1.

†Oniscia (Oniscidea) chavani sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 107 pl. ix f. 8.

†Shichiheia gen. nov. Cassididae genotype Shichiheia etchuensis sp. nov. Miocene, Kami-Shin, Kurose-dani-Mura, Nei-Gun, Toyama-Ken, Japan, K. HATAI & S. NISIYAMA J. Paleont. 23 1 1949 p. 93 pl. 24 f. 1, 2, 7.

†Tatara gen. nov. Cymatiidae type Cymatium pahiensis Marshall & Mur-dock 1921 Eocene New Zealand, C. A. FLEMING Trans. R. Soc. N.Z. 78 2-3 1950 pp. 247, 248 pl. 24 f. 12.

Tonna Brunnick 1771 placed on official list. Opinions Etc. 7; T. perdix (L.) spawning and development, J. M. OSTERGAARD 617.

Triton nodifer Lk. observations on the egg mass, P. Bougis 101.

PTENOGLOSSA

EPITONIACEA

†Acirsa (Hemiacirsa) dautzenbergi sp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 137.

† Dentiscala turonensis sp. nov. (Boury MS.) Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 136.

Opalia (Dentiscala) burryi sp. nov. 4½ m. off Carysfort Light, Key Largo, Florida, 92-100 fms. p. 235 pl. 102 f. 1-3; O. (Nodiscala) eolis sp. nov. off Looe Key, Lower Florida Keys 70-90 fms. W. J. Clench & Ruth D. TURNER Johnsonia 2 29 1950.

†Scala borgesi sp. nov. Aptian from Chalala, near Lourenço Marques, J. V. L. RENNIE Bol. Serv. Min. Geol. Moçambique 9 1947 pp. 35, 73 pl. v figs 60, 61.

AGLOSSA

PYRAMIDELLACEA

†Actaeopyramis cossmanni sp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 62 pl. ii f. 27-32.

†Adelactaeon consobrinus Peyrot nov. sp. [sp. nov.?] Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 313.

†Anisocycla cossinanni sp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 72.

Beachystomia rissoides H., figs., W. E. ANKEL 39.

†Fusoidella nom. nov. Fusoidea Trias Kokeu 1898 non Reis 1897 "Monotype F. orbignyana Münster [Fusus]" W. Wenz Handb. Paläozool. 3 6, 1 1938

†Odontostomia turonensis p. 54 pl. ii f. 44; O. inedita p. 55 spp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Odostomia plicata Mont. W. E. ANKEL 39; O. eulimoides Hanley on Chlamys varia (L.), B. S. KISCH 427.

†Pyrgostylus pictavicensis p. 69; P. dollfusi p. 70; P. lecointrei p. 71 spp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Pyrgulina (Parthenina) dautzenbergi p. 57 pl. iii f. 12, 17; P. (Chrysallida) pulcherrima p. 58; P. (C.) falunica p. 58 pl. iv f. 36 spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Ramina nom. nov. = Rama J. Böhm 1895 non Bleeker 1858, type R. ptychitica (Kittl.) "[Macrochilina]" W. Wenz Handb. Paläozool. 3 1, 6 1938 p. 370.

†Syrnola (Pachysyrnola) ligeriensis sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 52 pl. 1 f. 39, 40.

†Toxoconcha (?) soreghinae sp. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 5 1948 p. 53 pl. ii f. a, b.

†Trajanella clansayesiensis sp. nov. Albian, S.E. France, M. Breistroffer Trav. Lab. Géol. Univ. Grenoble 23 1942 p. 106.

†Trajanella crassa sp. nov. Cretaceous, Somaliland, G. Travani Palaeontogr. ital. Pisa 45 1949 p. 17, pl. 1 (xii) f. 12.

†Turbonilla pseudocostellatoides nom. mut. = T. costellatoides Iv. & Peyr. p. 63; T. (Strioturbonilla) turonensis p. 67 pl. iii f. 29, 34 sp. nov. Helvetian Toursine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

STENOGLOSSA

(a) RHACHIOGLOSSA

Stenoglossa (Nucella) lapillus (L.), Ocenebra erinacea (L.) 302.

MURICACEA

Bassiella nom. nov. = Bassia Jousseaume 1880 non Q. & G. 1834, monotype, H. texaplex, B. stainforthi (Reeve) "[Murex]" Australia, W. Wenz Handb. Paläozool. 7 6, 1 Bd. 6 Tiel. 5 1941 p. 1089.

Busycotypus nom. nov. = Sycotypus Gill 1867 non Mörch 1852 type Busycon (B.) canaliculatum (Linné) "[Murex]" Miocene—Recent, W. Wenz Handb. Palaozool. 8 6, 1 1943 (Bd. 6 Teil. 5) p. 1219.

†Chicoreus kendengensis sp. nov. Marine Mollusca of the Kendeng Beds, East Java, C. O. VAN REGTEREN ALTENA Leidsche Geol. Meded. 15 1950 p. 206 text-figs. 1, 2.

†Coralliophila (Mipus) tomlini sp. nov. Marine Mollusca of the Kendeng Beds, East Java, C. O. van Regteren Altena Leidsche Geol. Meded. 15 1950

p. 217 text-fig. 10; C. pontileviensis sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 201 pl. iv f. 5, 6.

†Hadriania falunica p. 192 pl. iv f. 67; H. (Pseudomurex) helveticus p. 194 pl. iv f. 54-56 spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Maxwellia gen. nov. Muricidae genotype Maxwellia gemma (Sowerby) [= Murex gemma Sowerby]. Maxwellia also includes Muricidea santarosana Dell., Murex fimbriatus Adams, Murex indentata Carpenter. J. L. Bally Jnr. Nautilus, Philad. 1950 64 1 pp. 9, 11.

Morula dumosa (Conrad) spawning and development, J. M. OSTERGAARD 617.

Murex pulcher consuela subsp. nov. 40-50 fms. off Soufriore, Dominica B.W.I, A. H. VERRILL Min. Conch. Club. S. Calif. 101 June 1950 pp. 6, 7 fig. p. 6; M. maculatus sp. nov. Dominica, A. H. VERRILL Nautilus, Philad. 63 1950 p. 126 pl. 9 f. 3.

Murex erinaceoides genus in some doubt, J. L. Bailly, Jnr. 50; M. trunculus structure of egg capsule, F. Dulzetto 206; M. trunculus liberation of Acetyoline, A. Jullien & J. Ripplinger 401; M. trunculus, fig., H. Staiger 769; M. argo, Clench & Farfaute, a specimen from a fish trap between 30 and 50 fms., off La Bines Point, Dominica, A. H. Verrill 842.

†Murex (Phyllonotus) rutteni sp. nov. Pliocene of Sekaenau Hill, E. Borneo, C. Beets Leidsche Geol. Meded. 15 1950 p. 308 f. 3-4; M. (Chicoreus) raouli nom. mut. p. 179 pl. iii f. 18, 19, 21, 22; M. pontileviensis Tournouer (sp. rank? olim turonensis var.) p. 182 Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Muricopsis dujardini sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 186-pl. iii f. 8-10.

Ocinebra erinaceus, fig., H. STAIGER 769.

†Ocenebra sub-lassaignci p. 189 pl. iv f. 62-69; O. (Ocenebrina) subscalaris p. 190 pl. iv f. 43-48: sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938. †Ocinebrina vandervlerki sp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. VAN REGTEREN ALTENA Leidsche Geol. Meded. 15 1950 p. 214 text-fig. 4.

Purpura lapillus, fig., H. Staiger 767; P. lapillus Haploid chromosome number in Oogenesis = 18, H. Staiger 770.

†Purpura (Polytropalicus) dautzenbergi sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 198.

†Purpuroidea gigas sp. nov. Cretaceous Somaliland, G. TAVANI Palaeontogr. ital. Pisa 45 1949 p. 16 pl. iii (xiv) f. 2.

Rapana thomasiana egg cases, fig., A. R. CAHN 122.

Thais bufo (Lk.) breeding habits, V. K. CHARI 134.

Urosalpinx cinerea "The American Whelk Tingle" a pest of the Oyster Beds, fig., Anon 11.

BUCCINACEA

†Antemetula beauforti sp. nov. f. 1 = Metula boettgeri "[non Martin]" Pannekoek 1936, Lower Miocene; A. ihlei sp. nov. f. 2 = Metula boettgeri "[non Martin]" Tesch 1915, Pliocene and Pleistocene, C. O. v. R. Altena Bijdr. Dierk. 28 1949 p. 386 text-figs.

†Atilia turonensis sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 212 pl. iv f. 23-28.

†Austrofusus (s.s.) solitaria sp. nov. Tertiary New Zealand, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1950 p. 34 f. 6.

†Austrosphaera gen. nov. Buccinidae genotype A. glabra sp. nov. Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. Furque & H. H. Comacho Riv. Asoc. Geol. Argentina 4 4 1949 p. 289 pl. iv f. 6-7.

†Buccinaria (Ootomella) javanensis sp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. VAN REGTEREN ALTENA Leidsche Geol. Meded. 15 1950 p. 224 text-fig. 15.

†Buccinulum oostinghi sp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. van Regteren Altena Leidsche Geol. Meded. 15 1950, p. 230 text-fig. 19. Busycon canaliculata and carica figs. of cells from the blood, W. C. George & J. H. Ferguson 287; B. carica growth in the presence of Carbonic anhydrage, K. M. Wilbur & K. G. Anderson 879.

Columbella rustica, fig., H. STAIGER 769.

†Columbella (Alia) ligeriana sp. nov. p. 204 pl. iv f. 45, 46 Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938; C. (Alia) turonensis emend. for turanica Mayer p. 203 Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Cominella bonnecarreri sp. nov. Eccene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 107 pl. ix f. 9.

Cyclope niritea (L.) growth stages, figs., B. S. Kisch 426.

†Cyrtochetus (Loxotaphrus) africanus sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 107 pl. ix f. 10.

†Euthria adunca Bronn. turonensis var. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 230 pl. iv f. 11-19.

Euthria cornea, fig., H. STAIGER 769.

Fulgoropsis subgen. nov. of Busycon subgenotype Busycon (F.) pyrum (Dillwyn) = Bulla pyrum Dillwyn 1817 Cat. i 485, E. S. Marks Nautilus, Philad. 64 1950 p. 34.

†Fusus (Levifusus?) palaeocenicus sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 108 pl. ix f. 13; F. (Aptixis) turonensis sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 235 pl. iv f. 16.

Hemifusus ternatanus egg cases, fig., A. R. CAHN 122.

Latirus kandai sp. nov. Japan, T. Kuroda Jap. J. Malac. 16 1/4 1950 p. 51 f. 3.

Madiella nom. nov. = Mada Jeffreys 1867 non Mul ant 1850, Mala Cossmann 1901 non Distant 1884 type Buccinum (M.) humphreysianum Bennet, recent, W. WENZ Handb. Paläozool. 8 6, 1 1943 (Bd. 6, Teil 5) p. 1203. Megalatractus aruanus Murex aruanus L. 1758 examples of this "largest living gastropod" occur at Cottesloe Rottnest Id. and Penguin Ids. in S.W. Australia. Hedley recorded it in 1905 from Exmouth Gulf and an egg case from Carnac Id. 7 m. S.W. of Freemantle: less elevated spires than Northern one and rounder outline of pire and body whorl: smaller size of Southern form.

†Mitrella (Mitrella) palabuanensis acolytha subsp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. van Regteren Altena Leidsche geol. Meded. 15 1950 p. 219 text-fig. 11; M. scripta L. miocenica var. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 205 pl. iv f. 24, 25.

Nassa reticulata in Walcheren canal, C. Brakman 106; N. reticulata in Zuid-Beveland, B. J. J. R. WALRECHT 856.

: Nassarius reticulatum (L.) and Patella vulgata L. stomach, A. Graham 302.

†Nassa (Hinia) reticulata L. ligeriana var. nov. p. 214 pl. iv f. 52, 58, 63; N. (Uzita) mantheia niensis sp. nov. p. 215, pl. iv f. 22, 29; N. (Hinia) turonensis emend. for turonense Desh. p. 219 Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Phos lannumi p. 80 pl. 5 f. 3 Guam Is.; Phos amoenus p. 81 pl. 5 f. 4 Mbega Is. Fiji spp. nov., J. S. Schwengal Nautilus, Philad. 63 3 1950.

Pisania maculosa, fig., H. STAIGER 769.

†Pseudoneptunea praevaricosa sp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. VAN REGTEREN ALTENA Leidsche geol. Meded. 15 1950 p. 222 text-figs. 13, 14.

†Pugilina (Hemifusus) elegantissima sp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. VAN REGTEREN ALTENA Leidsche geol. Meded. p. 238 text-fig. 24.

Siphonellona nom. nov. = Siphonella Verrill 1879 non Hagenow 1851, Neptunella Verrill 1873 non Meek 1864 type Sipho (S.) pygmaeus (Gould) "[Fusus]" recent N. Atlantic, W. Wenz Handb, Paläozool, 7 6, 1 (Bd. 6, Teil. 5) 1941 p. 1155. Streptochetus cancellatus sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 108 pl. ix f. 12.

Sycofulgur subgen. nov. of Busycon subgenotype Busycon (Sycofulgur) rugosum (Miocene) = Fulgur rugosus Conrad 1840 Proc. Acad. Nat. Sci. Philad. 1, 307, E. S. Marks Nautilus, Philad. 64 1950 p. 34.

†Tomlinia rapulum gracilis subsp. nov. Marine Mollusca of the Kendeng Beds, E. Java, C. O. van Regteren Altena Leidsche geol. Meded. 15 1950 p. 234 text-figs. 21, 22.

†Tritonidea? pontileviensis sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 227 pl. iv f. 44-47.

VOLUTACEA

Afrivoluta pringlei off Port Elizabeth, figd., H. S. Koch 434.

†Bivetiella nom. nov. = Bivetia Jousseaume 1887 p. 193 non p. 163 type C[ancellaria] (B.) similis Sowerby, Miocene, W. Wenz Handb. Paläozool. 8 6, 1 (Bd. 5, Teil. 5) p. 1356.

†? Closia aucklandica sp. nov. Tertiary New Zealand, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1950 p. 36 f. 9.

? Diconomorpha nom. nov. = Diploconus H. Douvillé 1929 non Caudèze 1860 type D. elegans (H. Douvillé) "[Diploconus]," W. WENZ Handb. Palaozool. 8 6, 1 1943 p. 1315.

†Lapparia (Pseudaulicina) simplex sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 109 pl. ix f. 15.

Marginella sinapi 6-9 fms. Sow and Pig Reef type; ocean beaches of Manly and Port Stephens p. 40 pl. vf. 15; M. parsobrina 30-35 fms. off Crookhaven test-fig. 1; M. humerica 12 fms, off Tacking Point, Port Macquarie p. 41 pl. v f. 17; M. quinqueplicata 5 fms. Twofold Bay (Roy Bell Coll.) p. 41 pl. v f. 22; M. haswelli 80 fms. 22 ms. E. of Narrabeen 3 exx. p. 42 pl. v f. 24; M. cuneata 5-20 fms. Twofold Bay (Roy Bell Coll.) recorded as M. dentiens nearer to M. jaffa; cotton from S. Australia which is smaller and has a tooth on outer

margin p. 43 pl. vi f. 31; M. laeviplicata 30-35 fms. off Crookhaven common on sandy to muddy bottom p. 44 pl. vi f. 35; M. nielseni 25-60 fms. off Bateman's Bay, weedy bottom, 3 exx. p. 45 pl. vi f. 40: M. rotunda 30-35 fms. off Crookhaven p. 45 pl. vi f. 48; M. amphora 8-10 fms. off Point Halliday p. 46 pl. vi f. 43; spp. nov. M. ochracea Angar v. crescere 8-10 fms. off Point Halliday common p. 14 pl. vi f. 34: M. angasi Crosse v. melania alive under rocks North Harbour, Port Jackson p. 46 pl. vi f. 42: vars. nov. New South Wales, C. F. Laseron Rec. Aust. Mus. 22 I 1948; M. hilli sp. nov. Chamela Bay, Mexico (Pacific), MAXWELL SMITH Nautilus, Philad. 64 1950 p. 61 pl. 4 f. 6.

Melo miltonis from Cape Thevenard 1-1½ fms., Gt. Australian Bight, B. C. COTTON 171.

Meracamelon cassandra Pfr. 1864 "occurs alive and in number" on the Murray River cliffs, B. C. Cotton 169.

Mitra fordi sp. nov. New Providence, Bahamas p. 12 pl. 1 f. 4; Mitra fluviimaris off Palm Beach, Florida pl. 13 pl. 1 f. 5 spp. nov., PLESBRY & MCGINTY Nautilus, Philad. 63 1949.

Mitra astricta Reeve, M. auriculoides Rve. Eggs and egg-capsules, figs., J. M. OSTERGAARD 617.

†Mitra miogallica p. 239 pl. v f. 36-39; M. dautzenbergi p. 241 pl. iv f. 65 spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Mitrolumna falunica p. 244 pl. v f. 9-17; M. turonensis p. 245 pl. v f. 10-16; M. (?) pictaviensis p. 245; spp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Olivancillaria (Agaronia) togoensis sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 110 pl. ix f. 18.

†Thala pictavensis sp. nov. Helvetian Touraine, A. PEYROT Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 246.

†Volutilithes (Neoathleta?) implicata sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 110 pl. ix f. 16. STENOGLOSSA

(β) Toxoglossa

CONACEA

Adanaclava adana sp. nov. Manjanillo, Mexico, P. Bartsch Nautilus, Philad. 63 1950 p. 87 pl. 6 f. 4.

†Asthenotoma falunica sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 280 pl. v f. 58-62.

†Bela (Buchozia) (?) dollfusi sp. nov. Helvetian Touraine, A. Peyror Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 278 pl. v f. 12-14.

†Clavatula asperulata Lk. ligeriana var. nov. p. 262 pl. v f. 35; C. turonensis p. 263; C. dujardini p. 26 pl. v f. 42–48 Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Conus gloria-maris in the world's collections, figs., W. S. S. v. B. JUTTING 407; C. tabilensis rathus Hwass, C. omaria Hwass, C. catus Hwass, C. hebraeus L., C. sumatrensis Hwass, C. abbreviatus Nuttall, Eggs and Egg capsules, fig., J. M. OSTERGAARD 617.

†Conus moniwaensis sp. nov. Moniwa, Miocene of the Moniwa Shell Bed, S. Nomura Sci. Rep. Tôhoku Univ. 21 1 1940 p. 44 pl. ii (ii) fig. 16; C. (Lithoconus) ligeriana p. 257 pl. v f. 31 40; C. (Dendroconus) gravis p. 260 pl. v, f. 37-38: spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Crassispira (Crassispirella) kandai sp. nov. Japan, T. Kuroda Jap. J. Malac. 16 1950 p. 50 f. 1, 2.

Dallspira gen. nov. Turridae p. 92 genotype Dallspira dalli sp. nov. p. 93 Bella Vista, Panama; Dallspira lowei sp. nov. San Juan del Sur, Nicaragua p. 94 pl. 6 f. 1, P. Bartsch Nautilus, Philad. 63 1950.

†Daphnella (Raphitoma) miranda p. 296 pl. v f. 6-13; D. (R.) quadrata p. 297 pl. v f. 59-61; D. (R.) minutissime striata p. 298 pl. v f. 65, 66; D. (R.) angulata p. 299 pl. v f. 57-63; D. (Bellardiella) peusohistrix p. 300 pl. v f. 1, 8; D. (Raphitoma) p. 301 pl. v f. 5: spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

†Drillia consanguinea p. 271; D. (Crassipira) detrita p. 273 pl. iv f. 64: spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938.

Imaclava pilsbryi sp. nov. Punta Pinasco, Sonora, Mexico, P. Bartsch Nautilus, Philad. 63 1950 p. 88 pl. 6 f. 6.

†Mangelia turonensis p. 283 pl. v f. 51-54; M. (Clathurella) dollfusi p. 288 pl. v f. 18-27; M. (C.) dautzenbergi p. 289 pl. v f. 50-55; M. (C.) ligerianus p. 291; M. (C.) turonensis p. 292 [sed vide p. 283] pl. v f. 51-54; M. (Atoma) inopinatus p. 292; M. (Mangiliela) lepidus p. 293: spp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Sep. 1938.

"Mangelia" Mediterranean forms, O. Priolo 671.

Philbertia purpurea (Montagu) eggs and planetonic larvae, figs., A. Franc 268.

Pilsbryspira gen. nov. Turridas p. 90 genotype Pilsbryspira pilsbryi sp. nov. p. 91 pl. 6 f. 2 Taboga Island, Panama, P. Bartsch Nautilus, Philad. 63 1950.

†Pseudoinquisitor powelli sp. nov. Tertiary, New Zealand, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1950 p. 34 f. 10.

Striospira gen. nov. Turridae genotype Striospira lucasensis sp. nov. Cape San Lucas p. 95; Striospira tabogaensis sp. nov. Taboga Island p. 96, P. Bartsch Nautilus, Philad. 63 1950.

†Terebrellina nom. nov. = Terebrella Palmer 1937 non Maltzan 1886 type Terebra (T.) mirula Gregorio, Eosene— Oligocene, W. WENZ Handb. Paläozool. 8 6, 1 1941 Bd. 6 Tiel. 5 p. 1486.

Tomellana nom. nov. = Tomella Swainson 1840 non Robineau-Desvoidy 1830 type (Herrmannsen 1849) Perrona (T.) lineata (Lamarck) "[Pleurotoma]," W. Wenz Handb. Paläozool. 8 6, 1 1943 (Bd. 6 Tiel. 5) p. 1383.

Zonulispira gen. nov. Turridae genotype Pleurotoma zonulata Reeve p. 89; Z. reigeni sp. nov. Mazatlan p. 90 pl. 6 f. 5, P. Bartsch Nautilus, Philad. 63 1950.

Opisthobranchiata

BULLACEA

†Acera togoensis sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 111 pl. ix f. 21; A. perstriata p. 3 f. 1; A. depressa p. 4 f. 3: spp. nov. Cretaceous Somalillani, G. Tavanı Palaeontogr. ital. Pisa 45 1949 pl. i (xii).

Arthessa elioti gen. et. sp. nov. Zanzibar, T. J. EVANS Proc. Malac. Soc. London 28 1950 pp. 104, 105 f. 4.

Atys semistriatus Pease spawning and development, J. M. OSTERGAARD 617.

Bulla L. 1758, type fixed as Bulla ampulla L. 1758, Opinions, Etc. 4.

Bullina scabra solida Pilsbry spawning and development, J. M. OSTERGAARD 617.

†Bullinella (Cylichnina) togocusis sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 111 pl. ix f. 22.

†Cylindrites archiaci nom. nov. Conus? minimus d'Archiac 1843 (non Linné), L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 87.

Cylindrobullina witchelli sp. nov. p. 87 = Actaeonina olivaeformis (Dunker) Morris & Lycett 1851 pl. viii f. 4 (non Koch and Dunker sp.); C. lacockensis sp. nov. p. 87 = Actaeonina olivaeformis (Dunker) Lycett 1863 pl. xli f. 4 only (non Koch and Dunker sp.); C. blakei nom. nov. p. 88 = Actaeonina elongata Blake 1905 non Cylindrites elongatus Moore 1861, L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950.

Haminoea crocata Reeve spawning and development, J. M. OSTERGAARD 617.

Hydatina verrili sp. nov. Dominica, H. A. PILSBRY Nautilus, Philad. 63 1949 p. 15 pl. 1 f. 10.

Hydatina amplustre (L.), H. physis (L.) spawning and development, J. M. OSTERGAARD 617.

†Maoriscaphander manukauensis gen. et. sp. nov. [monotypic] Tertiary New Zealand, R. K. Dell Dom. Mus. Rec, Zool, Wellington N.Z. 1950 1 p. 86 f. 5, 8. †Tornatellaea africana sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 111 pl. ix f. 20.

†Tornatina (Retusa) pseudotruncatula sp. nov. Helvetian Touraine, A. Peyrot Act. Soc. Linn. Bordeaux 89 Suppl. 1938 p. 317.

Volvatella Pease, a review of the genus, T. J. Evans 222.

APLYSIACEA

Aplysiella Fischer 1872 & Petalifera Grey 1827—relative status, Opinions, Etc. 9.

Aplysia validated, Opinions, Etc. 2.

Dolabrifera olivacea Pease, spawning and development, J. M. OSTERGAARD 617.

Notarchus striatus Q. & G., spawning and development, J. M. OSTERGAARD 617.

Petalifera Gray 1847 & Aplysiella Fischer 1872, relative status, Opinions, Etc. 9.

PTEROPODA

Carolinia tridentata Forskal, gametogenesis in the hermaphrodite gonad, G. VITAGLIANO 849.

Conularia loricata and affinities of Conularia, H. & G. TERMIER 804.

Prionoglossa nom. nov. = Notobranchaea p. p. Meisenheimer 1905, Bonnevie 1913, Pruvot 1926, 1942, J. J. Тезсн Dana Report 36 1950 p. 27.

Nudibranchiata

ELYSIACEA

Limapontia historical and descriptive and ecological notes, figs., H. E. QUICK 679.

DORIDACEA

Artachaea anatomy, radulae, figs., K. M. White 877.

Thecacera darwini sp. nov. S. American Pacific, A. Pruvot-Fol J. Conchyliol. 90 1 1950 p. 49 f. 2-4.

Hoplodoris anatomy, radulae, figs., K. M. White 877.

Platydoris anatomy and radulae, figs., K. M. WHITE 877.

AEOLIDIACEA

Aeolis papillosa feeding, radulae, figs., W. Schäfer 731.

Eolis papilosa L., L. ARVY 43.

Melibe pilosa Pease, spawning and development, J. M. OSTERGAARD 617.

Tethys validated, Opinions, Etc. 2; T. Aplysia grandis Pease; T. bipes Pease; T. elongata Pease, spawning and development, J. M. Ostergaard 617; T. gigantea, norfolkensis in S. Australia, G. Pattison 632.

Tethys (Aplysia) willcoxi Heilprin in Narragansett Bay, D. J. ZINN 903.

PLEUROBRACHACEA

Umbraculum sinicum (Gmelin) spawning and development, J. M. ÖSTER-GAARD 617.

Umbrella mediterranea Lk. observations on the egg mass, P. Bougis 101.

Pulmonata

ELLOBIACEA

Apodosis gen. nov. p. 9, for Apodosis novimundi sp. nov. p. 10 pl. 1 f. 1 Clifton Bluff, New Providence, Bahamas Pilsbry & McGinty Nautilus, Philad. 63 1949.

Auriculastra nana sp. nov. Lover's Lake, extreme west of St. George's Island, F. Haas Proc. Malac. Soc. London 28 1950 p. 197 pl. 22 f. 1-2.

Bullapex subgen. nov. of Laemodonta subgenotype Plecotrema cubensis L. Pfeiffer Mal. Bl. 1 153 " 1954" [1854], F. HAAS Proc. Malac. Soc. London 28 1950 p. 199 pl. 22 f. 6-8.

Carychium variation, figs., G. MANDAHL-BARTH 534.

Ellobiidae of Bermuda, F. HAAS 313.

Melampus coffeus (L.) 1758 f. 5 A. N. TEN BROEK 113.

Pedipes insularis sp. nov. Bermuda F. Haas Proc. Malac. Soc. London 28 1950 p. 197 pl. 22 f. 3

SIPHONARIACEA

Benhamina obliquata in New Zealand, Ecological study, C. Borland 100,

[1950]

Mollusca

†Hercynella petasoida p. 87 pl. vii f. 1, 2; H. hillarensis p. 90 pl. vii f. 3 spp. nov. Yeringian, Lower Devonian Victoria, E. B. GILL Proc. roy. Soc. Vict. N.S. 59, 2 1950.

Siphonaria pectinata (L.) geographical variation, B. Hubendick 355; S. normalis omara Rve., spawning and development, J. M. Ostergaard 619.

LYMNAEACEA

Ancylastrum costulatum Chromosomes figs., J. Le Calvez & P. Certain 483.

Ancylus fluviatilis Müll. egg capsules, figs., P. Bondesen 96; A. fluviatilis Müll. E. W. Kaiser 412.

Australorbis glabratus and its control by toxic organic chemicals, L. A. JACKOWSKI & M. A. STIREWALT 379; A. glabratus experiment on Schistosoma infection, SCHREIBER & SCHUBERT 747.

Australorbis and Schistosomiasis geographical distribution of molluscan hosts, W. H. WRIGHT 888.

Biomphalaria boissyi susceptibility to Schistosoma mansoni infection, E. T. ABDEL-MALEK 19; B. smithi Preston 1910, figs. and ecological notes, J. Schwetz 752.

Bulimus limosus (L.), L. FORCART 261.

Bulinus (Isidora) forskali Ehr. var. cylindrica var. nov. Lake Stefania, C. Piersanti Miss. Biol. Sagan-Omo Roma Zool. 6 1941 p. 275 f. 38.

Bulinus and Schistosomiasis geographical distribution of Molluscan hosts, tables, W. H. Wright 888.

Drepanotrema and Schistosomiasis geographical distribution of Molluscan hosts, tables, W. H. Wright 888.

†Fossariopsis binodosa carinata var. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 48 pl. 1 f. 12 a, b.

Fukuia infection by Schistosoma japonicum, experiments, Hunter, Abbott, Pan & Stray 369.

Gyraulus rossmaessleri Schmidt, notes and figs., U. Steusloff 781.

Helisoma anceps (Menke) 1830 (notes), H. A. Pilsbry 655. Limnaea [Lymnaea] canaliculata p. 60 f. 14-15; L. gibbula p. 70 f. 48-49; L. scabra p. 72 f. 56-57; L. circolare p. 80 f. 92-93: spp. nov. Sicily, A. Cassara Atti Accad. Palermo Sci. lett. Arti (4) 7 l 1948.

Limnaea [= Lymnaea] truncatula as host of Fasciola, and distribution on Lundy Island, Devon, Anon 3; L. stagnalis L. induced rotation of cleavage spindles, J. Faber 224; L. stagnalis, F. Kopsch 439; L. limosa Chromosomes, figs., J. Le Calvez & P. Certain 483; L. [Lymnaea] stagnalis, pereger for Aquaria, W. H. Macev 515; L. and the significance of freshwater pulmonates, H. Precht & E. Otto 668; L. stagnalis L. egg maturation, C. P. Raven 689; L. stagnalis L. Embryology, C. P. Raven 691.

Lymnaea stagnalis influence of hypertonicity on the eggs, C. P. RAVEN & W. H. v. d. Elst 694.

Lymnaea stagnalis L. effects of temperatures and Lithium chloride, G. Blaauw-Jensen 83; L. limosa (L.) mean-photographs for study of morphologic variation, B. Hubendick 357; L. stagnalis Nucleic acids and phosphatases in development, A. Minganti 568; L. spp. experiments on effects of temperature, H. Precht & E. Otto 669; L. stagnalis L. Influence of distilled water and Lithium chloride on the eggs at the 2-cell stage, C. P. Raven & W. v. Zeist 693; L. stagnalis and effects of Lithium, C. P. Raven 690.

Physa acuta regeneration of the head, figs., G. Feliksiak 233; P. acuta Drap. in Berlin, E. Frömming 273; P. fontinalis Chromosomes, figs., J. Le Calvez & P. Certain; P. heterostropha (Say) a review, C. B. Wartz 890.

Physopsis and Schistosomiasis geographical distribution of Molluscan hosts, tables, W. H. WRIGHT 888.

Planorbis and Schistosomiasis geographical distribution of Molluscan hosts, tables, W. H. WRIGHT 888.

Planorbis corneus for aquaria, W. H. MACEY 515; P. corneus var. rubra possible instance of reversion to type, L. W. STRATTON 788.

Plesiophysa ornata (Haas) Anatomy, figs., B. Hubendick 356.

: Pyrgophysa forskahlii Ehresemberg, figs., A. Pinto 660.

†Vorticifex [= Vortifex] tryoni planus subsp. nov. pp. 181, 184, 191 pl. 1 f. 16; V. menetoides sp. nov. pp. 181, 184, 191 pl. 1 f. 15, 15a; V. globosus sp. nov. pp. 181, 184, 192 pl. 1 f. 14, 14a: Truckee formation? Pliocene, T.-C. YEN Amer. J. Sci. 1950 248 3.

ONCHIDIACEA

Onchidella pachyderma? from Landana Angola, figs., H. WATSON 861.

Oncidiella celtica Cuv. histological note, M. Gabe & M. Prenant 283.

VAGINULACEA

Semperula wallacei Issel 1874 Synonomy Vaginula Anatomy, figs. Veromicella, H. HOFFMANN 343.

Valiguna isseli sp. nov. [nom. nov.] Borneo = Vaginula bleekeri Issel 1874 nec Keferstein 1865 = Semperula idae pars Hoffmann 1925, H. Hoffmann Zool. Anz. 136 1941 p. 234, 236, text-fig. 3.

SUCCINEACEA

Austrosuccinea archeyi life history, A. W. B. POWELL 666.

Catinellinae subfam. nov. of Succineidae for Catinella, Quickella, Mediappendix, Quickia, N. H. Odhner Proc. Malac. Soc. London 28 1950 p. 200.

†Oxyloma navarrei sp. nov. Yarmouthian, Kansas, A. B. Leonard Palaeont. Contr. Univ. Kansas 1950 Mollusca Art. 3 p. 23 pl. 4 fig. 4.

Quickia gen. nov. of Succinudae genotype Succinea concisa Morelet 1848, N. H. Odhner Proc. Malac. Soc. London 28 1950 p. 206.

Succinea keelingensis sp. nov. Cocos-Keeling Id., R. T. Abbott Bull. Raffles Mus. Singapore 1950 22 p. 87 text-figs 1-7 (p. 88).

Succinea sarsi Esmark the valid name for S. elegans Ellis British Snails and Quick, Proc. Malac. Soc. 20 1933 299 [A. E. ELLIS] 218; S. putris infected by Leucochloridium, A. E. ELLIS 215; S. putris infection by Leucochloridium, L. SZIDAT 796.

VERTIGINACEA

Balea perversa L. habitat, fig., J. G. Kuiper 459.

Boysidia ringens sp. nov. Mount Keriang, Kedah, Malay, W. S. S. v. B. JUTTING Bull. Raffles Mus. Singapore 1950 21 p. 11 f. 3.

Buliminus zavattarii sp. nov. Mega, C. Piersanti Miss. Biol. Sagan-Omo Roma Zool. 6 1941 p. 269 f. 12.

†Boettgeriola nom. nov. = Boettgeria Peyrot (in Cossmann & Peyrot) 1931 non O. Boettger 1863 type Borsonia (B.) gallica Peyrot Miocene, W. Wenz Handb. Paliozool. 8 6, 1 1943 (Bd. 6 Tiel. 5) p. 14, 24.

Chondrula seductilis ff. and var. v. bidentata, v. unidentata, f. major, f. minor, f. cylindrica bidentata, f. cylindrica minor nov. Bulgaria, J. РЕТКВОК Sborn. nar. Mus. Praze, 6В 1 1950 pp. 10, 11; C. valkanovi sp. nov. Bulgaria C. v. media, C. v. minor, C. v. edentata formae nov. Bulgaria, J. РЕТКВОК Sborn. nar. Mus. Praze 6В 1 1950 p. 12.

Clausilia dubia Drap. figs., J. G. Kuiper 459; Clausilia of the Lower Rhine, U. Steusloff 780; C. rolphii Turton habitat and occurrence in Hertfordshire, maps, L. W. Stratton 787.

Cochlicopa variation, figs., G. MANDAHL-BARTH 534.

Gyliotrachela transitans venusta subsp. nov. Gunong Pondok p. 28 f. 16; G. t. helioscopia subsp. nov. Kota Tongkat, Pahang p. 30 f. 17; G. modesta sp. nov. Gua Musang, Kelantan p. 31 f. 18; G. luctans sp. nov. Gunong Pondok, Perak p. 33 f. 19; G. emergens sp. nov. Bukit Chuping, Perlis p. 34 f. 20; G. troglodytes sp. nov. Gua Bama, Pahang p. 35 f. 21: Malay shells, W. S. S. v. B. JUTTING Bull. Raffles Mus. Singapore 1950 21.

Hypselostoma megaphonum sp. nov. Bukit Charas, Pahang p. 21 f. 11; H. elephas sp. nov. Bukit Tenggek, Pahang p. 23 f. 12; H. perigyra sp. nov. Bukit, Takun, Selangor p. 25, f. 14; Malay shells, W. S. S. v. B. JUTTING Bull, Raffles Mus. Singapore 21 1950.

Laciniaria biplicata dextrorsa an abnormality, E. Degner 186; L. biplicata (Montagu) in Somerset, A. H. Turner 826.

Lauria spec. nov. in caves of Western Transcaucasus: no description, Y. A. BIRSHTEIN Zool. Journ. Moscow 29 1950 p. 356 82.

Lauria cylindrica Costa, fig. p. 637, A. Thienemann 808.

Orcula doliolum turcica curta forma nov. Bulgaria, J. РЕТВВОК Sborn. nar. Mus. Praze 6В 1 1950 р. 4.

Pagodulina pagodula (Des Moulins) in Dep. Dordogne and varieties of, P. pagodula, L. FORCART 263.

Paraboysidia kelantanensis rafflesi subsp. nov. Kota Tongkat, Pahang p. 13 f. 5; P. k. tenuidentata subsp. nov. Kramat Pulai, Perak p. 15 fig. 6; P. frequens Kota Tongkat, Pahang sp. nov. p. 16 fig. 7; P. serpa sp. nov. Baling, Kedah p. 18 fig. 8; Malay shells, W. S. S. v. B. JUTTING Bull. Raffles Mus. Singapore 1950 21.

Phaedusa (Euphaedusa) aculus angkanensis subsp. nov. Doi Ang Ka, Siam, F. E. Loosjes Proc. U.S. nat. Mus. 100 3269 1950 p. 544 f. 53.

†Pupilla ticaensis sp. nov. Pleistocene, Bulgaria, J. Petrbok Sborn, nar. Mus. Praze 6B 1 1950 p. 4.

Pupoides coenopictus Hutton, E. FISCHER-PIETTE 245.

Serrulina inferna Tzv. spec. nov. in Caves of Western Transcaucasus: no description; S. serena Tzv. spec. nov. in Caves of Western Transcaucasus: no description; S. birsteini Tzv. spec. nov. in Caves of Western Transcaucasus: no description, Y. A. BIRSHTEIN Zool. Journ. Moscow 29 1950 4 p. 356.

Systenostoma depressa sp. nov. Tonkin, S. Jaeckel, Snr. Arch. Mollusk. 1950 79 1/3 p. 15 pl. 1 f. 1.

Vallonia excentrica Sterki, its validity, B. Huberdick 359; V. excentrica probably but a form of V. pulchella, L. Hubercht 364; V. excentrica Sterki, on the status, M. K. Jacobson 382; V. costata, pulchella, excentrica, figs., G. Mandahl-Barth 534; V. enniensis Gredler, figs., H. P. Plate 661.

Vertigo genesii geyeri Lindholm ronnebyensis Westerland, from Rügen Island, H. Plathe 662; V. pygmaea Drap., figs., and notes, K. Steusloff 781.

Zaptyx (Zaptyx) annae p. 539 f. 51; Z. (Zaptyx) rehderi p. 541 f. 52 spp. nov. Calayan Island, Babuyanes group. Luzón, Philippines, F. F. Loosjes Proc. U.S. nat. Mus. 100 3269 1950.

†Zebrina detrita curta f. nov. Holocene, Bulgaria, J. Petersok Sborn. nar. Mus. Praze 6B 1 1950 p. 6; Z. detrita longissima forma n. Bulgaria, J. Petersok Sborn. nar. Mus. Praze 6B 1 1950 p. 6.

ACHATINACEA

Archachatina (Tholachatina) sand-groundi pp. 4 202 pl. 2 f. 3 pl. 6 f. 4 pl. 20 f. 4 pl. 57 f. 3 Mt. Selinda, Chirinda Forest, Southern Rhodesia; A. (T.) meadi pp. 4 204 pl. 23 f. 5 pl. 77 f. 1 Ngosi Volcano in the Rungwe Mountains, Tanganyika Territory; A. (T.) weberi pp. 4 205 pl. 9 f. 1 pl. 10 f. 1, 4 pl. 20 f. 1 from below Lomuleng Imatong Mountains, Anglo-Egyptian Sudan: spp. nov. J. C. Bequaret Bull. Mus. comp. Zool. Harv. 105 1950.

Achatina invasion map, C. G. AGUAYO 24; A. perdix in the Cameroons, measurements, F. Dörries 202; A. fulica abnormality of the 'vas deferens,' W. Fernando 235; Achatina note, F. S. Harper 321; A. fulica life history and feeding habits on Saipan, figs., W. H. Lange 470; A. fulica dispersal, R. Merle 561a; A. fulica its rapid distribution, W. S. Rees 705.

Achatinidae. Comparative genital anatomy of some African species, figs. A. R. Mead 552; Achatinidae of Africa, genital anatomy, A. R. Mead 552.

Curvella tonkiniana sp. nov. Tonkin, S. Jaeckel Snr. Arch. Mollusk. 79 1950 p. 16 pl. 1 f. 2, 3.

Glessula ceylanica anatomy of the Vesicula seminalis, figs., W. Fernando 236.

Tholachatina subgen. nov. of Archachatina subgenotype Achatina zebra var. granulata Krauss 1848 = Achatina granulata, J. C. BEQUAERT Bull. Mus. comp. Zool. Harv. 105 1950 p. 202.

†Undularia (Protorcula) subpunctata monocarinata var. nov. Cortina d'Ampezzo, Leonardi & Fiscon Mem. Mus. Stor. nat. Venez. Trident. 8 3 1948 p. 53 pl. ii f. 12.

OLEACINACEA

Testacella haliotidea and scutulum method of ingestive earth worms, H. F. BARNES 61; Testacella in Bedford, H. F. BARNES 61; Testacella Drap. (first valid describer) type species is T. haliolidea Drap., A. E. ELLIS 216.

Pseudosubulina cheatumi sp. nov. Casa Grand Peak, Chisos Mts., Texas, H. A. Pilsbry Nautilus, Philad. 64 1950 p. 55.

Varicella lewisi p. 47 pl. 3 f. 6; V. (Melaniella) caymanbracensis p. 48 pl. 3 f. 5: spp. nov. Cayman Brac, H. A. PILSBRY Nautilus, Philad. 63 1949.

ZONITACEA

Agriolimax dubius sp. nov. Palermo (Basl. Mus.), H. Hoffmann Zool. Anz. Leipzig 136 1941 p. 235 test-figs. 9, 10.

Agriolimax agrestis (L.) spermatogenesis, fig., O. Tuzet & S. Sanchez 827.

Ariolimax attacking Philomycus, G. R. Webb 866.

Arion circumscriptus a new intermediate host of Aclurostragylus abstrasus, K. M. BLAISDELL 84; A. empiricorum Fér. variation, E. FRÖMMING 274; A. rufus L., reproductive organs and delay in maturity, figs., P. LAVIOLETTE 477; A. rufus evolution of the heimaphrodite gland, P. LAVIOLETTE 479; A. rufus L., regeneration of the gonad after castration, P. LAVIOLETTE 480; A. hortensis, subfuscus in Nova Scotia, ORD & WATTS 612; A. subfuscus and hortensis mating behaviour, figs., G. R. Webb 863.

Arionidae and Limacidae, Gonodial functions, P. LAVIOLETTE 481.

Cavellia oconnori sp. nov. Flora Camp, Mt. Arthur at 3,000 ft. beneath bark of fallen rotten tree, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. p. 27 f. 9, 10.

Deroceras reticulatum-laeve in Nova Scotia, ORD & WATTS 612.

†Deroceras aenigma sp. nov. Yarmouthian, Iowa, Nebraska, Kansas and Texas, A. B. Leonard Palaeont. Contr. Univ. Kansas 1950 Mollusca Art. 3 p. 38 pl. 5 fig. E.

Eumelus Rafinesque 1820 (seems closely allied to Meghimatium); E. lividus proposed as genotype, figs.; E. wetherbyi ragsdalei subsp. nov. 4 m. E. of Lindsay Church, 6 m. E. of Calico Rock, State Route 56 Izard Co. Arkansas, G. R. Webb Trans. Amer. mier. Soc. 1950 69 p. 62 pl. 1f. 2b 4e 8b pl. 2 f. 11.

Epistyla, evidently a mis-spelling of Epistylia, Swainson 1840 type E. conica Sw, by monotypy [vide etiam Sagda], H. B. Baker 58; E. conica is a synonym of Sagda (Epistylia) cookiana = Helix cookiana Gmelin 1790 [vide Sagda], H. B. Baker 58.

Gastrodonta fonticula Wurtz 'type' collection and paratypes, C. B. Wurtz 891.

Gastrodonta fonticula Wurtz additional records, K. G. MACMILLAN 521.

Lacteoluna caymanbracensis sp. nov. Cayman Brac, H. A. Pilsbry Nautilus, Philad. 63 1949 p. 42 pl. 3 f. 1.

Limacidae of the Canary Islands, C. O. v. R. ALTENA 37; Limacidae—gonadial functions, P. LAVIOLETTE 481.

Limax in the Canary Islands, C. O. v. R. Altena 37; L. cinereoniger Wolf albino, C. R. Boettger 88; L. flavus L. postembryonic development, E. Frömming 276.

Mesodon andreeosae normalis (Pils.) in Kentucky, L. Hubricht 362; M. appressus sculptior Chadwick in Maryland, R. W. Jackson 381.

Milax sowerbii (Fér) description of the spermatophore and functional movements, figs., H. E. Quick 678; M. gagates Drap. spermatogenesis, fig., O. Tuzet & S. Sanchez 827.

Oxychilus (Polita) colchospelaeus Tzvetkov spec. nov. in caves of Western Transcaucasus. No description, Y. A. BIRSHTEIN Zool. Journ. Moscow 29 1950 p. 356; O. (Retinella) subreticulata Tzv. spec. nov. in caves of Western Transcaucasus. No description, Y. A. BIRSHTEIN Zool. Journ. Moscow 29 1950 p. 356.

Oxychilus alliarius Müll. radula, figd., A. D. J. Meeuse 554.

Pallifera habitats and notes, L. Hubricht 361.

Phrixgnathusl aqueus p. 55 figs. 1, 5, 6; P. flemingi p. 57 f. 2, 3, 4 spp. nov. Snares Islands, New Zealand, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1950 1.

Polygyra septemvolva Say, sexology, figs.—alliance to stenotrema? G. R. Webb 868; P. hippocrepis and its author Louis Pfeiffer, H. E. Wheeler 875.

Polygyridae of Pittsylvania County, Virginia, L. Hubricht 363; Polygyridae of San Francisco Bay Counties, W. M. Ingram & C. Lotz 375.

Proserpinula lewisi sp. nov. Cayman Brac, H. A. Pilsbry Nautilus, Philad. 63 1949 p. 42 pl. 3 f. 2.

Pseudolibania (Carpathica) amisena sp. nov. Anatolia p. 113 plate f. 3-5; P. (C.) cretica nom. nov. p. 114, L. FORCART J. Conchyliol. 90 2 1950.

Sagda Beck 1837 fig. 2 left hand shell Fér. "Histoire" pl. 51B fig. 2 selected as type of S. alveolata Beck, H. B. BAKER Nautilus, Philad. 64 1950 p. 36.

Semilimax kotulae West in Allgäu, S.W. Germany, L. Hasslein 326.

Stenotrema hirsutum Say, ecological aspects, C. B. Lee 486; S. fraternum, S. leai—finding of a vestige of a flagellum in, G. R. Webb 868.

Triodopsis tennesseensis burchi subsp.
nov. 3 m. W. of Danville, Pittsylvania
Co. Virginia, L. Hubricht Nautilus,
Philad. 64 1950 p. 8; T. hopetonensis
claibornensis subsp. nov. Tennessee,
L. Lutz Nautilus, Philad. 63 1950 p. 121
pl. 5 f. 5, 5b.

Triodopsis soelneri (Henderson) distribution, L. Hubricht 365.

Yamatochlamys gen. nov. Zonitidae type Microcystina vaga Pilsbry & Hirase, Kuroda Venus Tokyo 14 1/4 1946 p. 23.

Zonites micula Mousson 1657 = Kaliella amblia Möllendorff 1897 and the sp. should now be called *Liardetia micula* (Mousson 1857), W. S. S. v. B. JUTTING 406.

Zonitoides excavatus Bean in Germany C. R. BOETTGER 89; Z. excavatus (Bean) range in Britain and N.W. Europe, map, L. A. W. C. VENMANS 837.

ARIOPHANTACEA

Elaphroconcha patens anatomy of genital organs, figs., W. S. S. v. B JUTTING 409.

Hemiplecta anatomy of genital organs, figs., W. S. S. v. B. JUTTING 409.

Liardetia dendrophila sp. nov. Helicarionidae, E. Java, Teugger Mts. W. S. S. v. B. Jutting Treubia Buitenzorg 20 1950 pp. 385 407 fig. 24; L. reticulata p. 403 f. 22 W. Java, Mt. Gedeh 6,600 ft. near waterfalls of Tjibeureum, Mt. Gedeh 1,700 m.; L. dendrophila p. 407 f. 24, E. Java, Teugger Mts. (holotype 62076) Senckenberg Mus. spp. nov. Java, W. S. S. v. B. Jutting Treubia Buitenzorg 20 3 1950.

Liardetia micula (Mousson 1857) vide sub Zonites micula W. S. S. v. B. Jutting 406.

Microcystina gratilla sp. nov. W. Java, near waterfall of the Tjianten, near Leuwiliang 300 m., W. S. S. v. B. JUTTING Treubia Buitenzorg 20 3 1950 p. 448 f. 68, 69.

Nipponochlamys gen. nov. Zonitidae type Macrochlamys semisericata Pilsbry (Naut. 1932, 16; 54), Kuroda Venus Tokyo 14 1/4 194 p. 22.

Urazirochlamys subgen. of Pseudhelicarion, Kuroda Venus Tokyo 14 1-4 1946 p. 24.

Urocyclus (Parmarionopsis) elbannoensis sp. nov. El Banno, C. Piersanti Miss. Biol. Sagan-Omo Roma Zool. 6 1941 p. 263 f. 1, 1A.

ACAVACEA

Helicophanta geayi sp. nov. Madagascar, E. Fischer-Piette J. Conchyliol. 30 2 1950 p. 83 pl. 'Helicophanta' 1 f. 5-8 and text-figs. 1 and 2.

Hedleyella falconeri Southern Queensland and New South Wales to the Hunter R., fig., J. Allan 30.

Pedinogyra hayii Southern Queensland coastal areas, fig., J. ALLAN 30.

Pygmipanda larreyi Northern New South Wales; P. kershawi Victoria and southern New South Wales, figs., J. Allan 30.

BULIMULACEA

Bostryx metagyra Peru sp. nov., H. A. Pilsbry & A. O. Olsson Notulae Naturae, Philad. No. 215 1949 p. 9 f. 13.

Cerion incanum a few at large from Tides Hotel, Redington Beach, St. Petersburg, Florida, so a colony may be started nearby, H. B. & B. B. BAKER 59.

Coelostemma freytagi sp. nov. 29 m. W. of Jiménez, Chihuahua, Mexico, P. Bartsch J. Wash. Acad. Sci. 40 1950 p. 265 fig.

Discobostryx subgen. nov. of Bostryx subgenotype B. (D.) planissimus sp. nov. Peru (?), H. A. PILSBRY & A. O. OLSSON Notulae Naturae, Philad. No. 215 1949 pp. 11, 12 figs. 13, 13a.

Drymaens virgulatus (Fér), Venmans & Verdcourt 838.

Holospira kriegeri sp. nov. Tamaulipas, R. J. Drake Nautilus, Philad, 64 1950 p. 52 pl. 4 f. 9; H. roemeri brevissima subsp. nov. Texas, H. A. Pilsbry Nautilus, Philad. 64 1950 56 pl. 4 f. 1, 1a, 2.

Liguus fed on 'Carnation' malted milk, J. S. Schwengel 749.

Neopetraeus stelzneri hybrida Parodiz 1946 pl. 111 f. 11, Cerro Velazeo 2,700 m.; N. s. nonogastanus Parodiz 1946 pl. iii f. 1; N. s. scaber Parodiz 1946 pl. iii f. 2; Neopetraeus stelzneri tinogastanus forma nov. Tinogasta prov. of Catamarca p. 13; N. s. peristomatus paraconispirus forma nov. Sierra Gigante prov. of San Luis p. 16; N. s. conispirus minuta forma nov. Fiambala prov. of Catamarca p. 18, J. J. Parodiz Comun. zool. Mus. Hist. Nat. Montevideo 2 1948 46.

· Odontostomus (Cyclodontina) inflatus trahyrae subsp. nov. Trahyra Island, Brazil, S. JAECKEL Arch. Molluskenk. 79 1950 p. 131 f. 1.

Urocoptis (Gongylostoma) cyclostoma bonilensis subsp. nov. Sierra Bonilla, Habana Province, Cuba, S. JAECKEL Arch. Molluskenk. 79 1950 p. 132 f. 2.

†Xenothauma broggii p. 5 fig. 10, 10a, b, 11, 11a "Cerro Colorado" Huacho, Pleistocene or later; X. nobilis p. 7 fig. 9, 9a spp. nov. Peru, H. A. Pilsbey & A. O. Olsson Notulae Naturae, Philad. No. 215 1949.

HELICACEA

Albea candeli p. 216 pl. 1 f. 1-4; A. pardoi p. 217 spp. nov. Sahara, F. Lilabador J. Conchyliol. Paris 90 3 1950.

Annakelea richmondiana, fig., J. Allan 30.

Arianta arbustorum variation tables, F. A. Schilder.

Bentosites coxi mid Queensland, fig., J. Allan 30.

Benthosites bloomfieldi mid Queensland, fig., J. Allan 30.

Bradybaena fruticum, C. R. Boettger 92.

Caracolus sagemon Beck, figs., L. H. RIVERO 714.

Cepaea hortensis Müll, analysis of a remarkable population, C. R. Boettger 87; C. nemoralis L., C. R. Boettger 92; C. nemoralis selection, A. J. Cain & P. M. Sheffard 123; C. nemoralis on selection of shells, as regards ornament, by enemies, M. Lamotte 469; C. hortensis nemoralis tables of variation, F. A. Schilder.

Disclua err. pro Discula, G. Mandahl-Barth Abh. Senckenb. naturf. Ges. No. 469 1943 p. 33.

Discula (Discula) polymorpha minor pl. 9 f. 2 pl. 10 f. 4 pl. 11 f. 1 II. de Chão; D. (D.) discina maxima pl. 9 f. 6 pl. 10 f. 8 pl. 11 f. 2 II. de Ferro: Madeiran Helicidan, G. Mandahl-Barth Abh. Senckenb. naturf. Ges. No. 469 1943 p. 33.

Eobania vermiculata (Müll.) Cyrenaica, H. Kaltenbach 413.

Eremina anatomy, figs., C. M STEENBERG 774.

Faustella 'n. nom' = Actinella (pars.) [subgen. nov.] of Actinella subgenotype A. (Faustella) fausta (Lowe 1831), G. Mandahl-Barth Abh. Senckenb. naturf. Ges. No. 469 1945 p. 25.

Hadra bipartita Cape York to Cooktown, fig., J. Allan 30.

Helicella (Candidula) najerensis p. 29 pl. 1 f. 3-5 text-fig. 3 Nájera; H. (C.) rocandioi p. 34 pl. 1 f. 9-12 text-fig. 5 Hansilla; H. (Xerotricha) gasulli p. 58 pl. ii f. 22-24 text-fig. 13 Antezuera; H. (X.) silosensis p. 61 f. 16-18 text-fig.

15 La Yecla, S. Domingo de Silos; H. (Pseudoxerotricha) zujarensis p. 63 pl. ii f. 19-21 text-fig. 16 Zujar, Granada: spp. nov. Spain, A. DE O. ZÁRATE Y LÓPEZ BOL R. Soc. esp. Hist. nat. 48 Biol. 1 1950.

Helicella (Jacosta) gineria sp. nov. Sahara, M. V. y Lopez J. Conchyliol. Paris 90 3 1950 p. 213 text-fig. 506; H. (Xeroclausa) meda Porro, O. Priolo 670; Helicella (Candidula) anatomy and systematic position, A. O. DE ZÁRATE y LÓPEZ 898.

Helicodonta obvoluta (Müll.) fig. p. 638, A, Thienemann 808.

Helicidae of the San Francisco Bay Counties, W. M. INGRAM & C. LOTZ 375.

Helicigona (Arianta) arbustorum (L.) genital organ anomalies and deformations, fig., S. Feliksiak 234.

Helix (Helix) nucula semidesertorum f. 10-11; H. (H.) n. incultarum f. 9 formae nov. Cyrenaica, H. Kaltenbach 1950 79 p. 62 pl. 10.

Helix pomatia experiment with hemocyanine, Y. Derrien, J. Roche & T. LAURENT-TABUSSE 194; H. [Bulimus] limosus L. 1758 what is it? L. FOCART 261; H. pomatia, E. FRÖM-MING 275; Helix lung experiments, M. GERSCH 290; H. pomatia, H. aspersa intestinal cells, G. GRANAGLIA 303; H. pomatia electrical experiments on the heart, fig., A. JULLIEN & J. RIPPLINGER 398; H. pomatia fibres of the cardiac nerve, A. Jullien & J. Ripplinger 404; H. (Helix) nucula L. Pfeiffer, figs., H. Kaltenbach 413; H. (Cryptomphalus) aspersa Müll. Cyrenaica, H. Kaltenbach 413; H. pomatia flavones and mantle, fig., V. Kubišta 456; H. aspersa L. albino from G. Leonard Sydney, fig., D. F. McMichael 519; H. aspersa alleged occurrence in Kitchen Middens in Cheshire, N. F. McMILLAN 523; H. vermiculata Müll. cerebral ganglia, D. QUATTRINI 677; H. pomitia and the Golgi apparatus, figs., K. Zeiger 900.

Helminthoglyptidae of The San Francisco Bay Counties, W. M. INGRAM & C. LOTZ 375.

Hygromia limbata and Hygromia cinctella in S. Devon, figs., A. Comfort 162.

Fruticicola (Acusta) sieboldiana (Pfr.) daily rhythmic activity graphs, K. MATUTANI & S. MORI 547.

Landouria monticola sp. nov. Pleurodontidae, Central Java, W. S. S. v. B. JUTTING Traubia Buitenzorg 20 3 1950 pp. 386 469 f. 85.

Lejeania megaensis sp. nov. f. 32 Mega; L. strigelloides Poll. v omochroma var. nov. f. 31 Rive del Sagan, C. Piersanti Miss. Biol. Sagan-Omo Roma Zool. 6 1941 p. 273.

Leptostictea subgen, nov. of Caseolus subgenotype Caseolus (Leptostictea) leptostictus (Lowe 1831), G. MANDAHL-BARTH Abh. Senckenb. naturf. Ges. No. 469 1943 p. 21.

Meridolum gulosa Illawarra district N.S.W., jervisensis, N.S.W. coastal regions, figs., J. Allan 30.

†Micrarionta (Xerarionta) agnesae sp. nov. San Clemente Island, G. P. Kanakoff Bull. S. Calif. Acad. Sci. 49 3 1950 p. 85 pl. 27 [p. 84].

Papuina lambei elevata p. 29; P. l. massaitensis p. 30; P. chancei bainingiana p. 31 f. la; P. c. eruangaensis p. 32 f. lb; P. weigmanni parvula p. 35: vars. nov. Bismarck Archipelago, I. Rensch Zool. Anz. 131 1940.

Parrhagada woodwardi frequently on trees near the Limestone Caves N. and of Napier Range, fig., J. Allan 30.

Posorites fucata a S. Queensland coastal species, fig., J. ALLAN 30.

Pseudoxerotricha subgen. nov. of Helicella [subgenotype] Helicella (Pseudoxerotricha) zujarensis sp. nov. Zujar, Granada, A. O. de Zárate y López Bol. R. Soc. esp. Hist. nat. 48 Biol. 1 1950 p. 63 pl. ii f. 19–21 text-fig. 16.

Rhynchotrochus macgillivrayi trees on mainland of N. Queensland and the adjacent islands; R. bidwilli from smooth stemmed trees of sourthern Queensland and northern New South Wales, figs., J. Allan 30.

Sinumelon nullaborensis from the Nullabor Plains, J. Allan 30.

Sonorelix (Herpeteros) angelus sp. nov. Los Angeles, California, W. D. Gregg Bull. S. Calif. Acad. Sci. 47 3 1949 p. 100 pl. 23.

Sphincterochila candidissima maxima Pgt.; S. c. syrtica Syrte nr. Beurat subsp. nov. p. 156 pl. 13 f. 2-4; S. cyrenaica tocraensis Tocra, Cyrenaica subsp. nov. p. 159 pl. 13 f. 16; S. mixia Cyrenaica 500 m. N. of Martino sp. nov. p. 161 pl. 13 f. 17-22 new N.E. African mollusca, H. KALTENBACH Arch. Molluskenk. 79 1950.

Steinbergia gen. nov. Helicidae, Geometrinae, genotype Sternbergia duplex sp. nov. Porto Santo, G. Mandahl-Barth Abh. Senckenb. naturf. Ges. No. 469 1943 pp. 2 16.

Steenbergia duplex duplex p. 16 pl. 2 f. 4, 6 pl. 5 f. 3, 4, 7 Porto Santo; S. duplex desertae p. 17 pl. 5 f. 5, 8 Deserta Grande: subspp. nov., G. Mandahl-Barth Abh. Senckenb. naturf. Ges. No. 469 1943.

Trichia hispida L. T. sericea Drap. occurrence L. Hösslein 325.

Xerotrichina [ferr. pro] Xerotricha A. O. de Zárate y López Bol. R. Soc. esp. Hist. nat. 48 Biol. 1 1950 p. 61 textfig. 14.

STREPTAXACEA

Gulella somaliensis Smith v. megaensis var. nov. f. 3; G. ringens sp. nov. f. 4 Mega and El Banno region, C. PIERSANTI Miss. Biol. Sagan-Omo Roma Zool. 6 1941 p. 266.

Haplotrema attempted defence and mode of eating, G. R. Webb 866.

Indoartemon fuchsianus tonkiniana subsp. nov. Tonkin, S. Jaeckel Snr. Arch. Mollusk. 1900 79 1/3 p. 18 pl. 1 f. 4.

Platycochlium gen. nov. Streptaxidae type Platycochlium sarawakense sp. nov. Gunong Kapor, Bau District, Sarawak, F. F. Laidlaw Sarawak Mus. J. 5 2 1950 p. 370 f. 1.

Streptaxis (Edentulina) onycea sp. nov. Borana, C. Piersanti Miss. Biol. Sagan-Omo Roma Zool. 6 1941 p. 267 f. 2.

SCAPHOPODA

Dentalium entale Desh. ovogenesis, fig., L. Arvy 42; D. entale Deshayes Gaines Radula gain, L. Gabe & M. Prenant 282.

†Dentalium ligeriense p. 8 pl. 1 f. 46-47; D. dujardini p. 10 spp. nov. Helvetian Ligerian Basin Touraine, A. Peyrot Act. Sci. Linn. Bordeaux 89 Sep. 1938.

†Scaphopoda of the Moniwa Shell Bed, Sendai, S. Nomura 604.

Pelecypoda or Lamellibranchia

Lamellibranch larvae, its identification and classification, C. B. Rees 702.

Lamellibranchiata, growth as regard nutrition and environmental conditions, W. R. Coe 150.

Lamellibranchs from the Quaternary beds of the Sassen area of Spitzbergen, R. W. Feyling-Hassen & F. A. Jørsted 237; Lamellibranchs of Lake Tanganika—forms, E. Leloup 491.

†Pelecypoda of the Moniwa Shell Bed, Sendai, S. NOMURA 604.

NUCULACEA

†Ctenodonta (Ctenodonta) terrum p. 192 f. 1 a-c; C. (C.) perarcuata p. 193 f. 2 a-c spp. nov. lower Coblentz, Europe, G. Solle Senckenbergiana 31 3-4 1950.

†Malletia furquensis sp. nov. Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. Furque & H. H. Camacho Riv. Asoc. Geol. Argentina 4 4 1949 p. 282 pl. iii f. 10.

Protobranchia Nucula hanleyi Winkworth 302.

†Nucula strigillata azizcensis forma nov. Trias Gepara, Libya, L. Coggi Ann. Mus. Libico Stor. nat. 2 1940 p. 144 pl. xviii f. 2 a-e; N. truncata sp. nov. Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. FURQUE & H. H. CAMACHO Riv. Asoc. Geol. Argentina 4 4 1949 p. 281 pl. ii f. 1; N. warsarensis nom. nov. for Nucula cancellata Vredenburg 1928 non Meek & Hayden 1856 nec Jeffrey 1881, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 86; N. kokozuraensis sp. nov. Miocene, northern entrance to Kokozura Nakoso-Machi, Ishiki-Gun, Fukushima-Ken, Japan, K. HATAI & S. NISIYAMA J. Paleont. 23 1 1949 p. 37 pl. 23 f. 1-5; Nucula (Palaeonucula) aff. nodifera sp. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949 p. 129 pl. 1 f. 15 a, b.

†Nuculana (Saccella) redunca f. 1; N. (Jupiteria) provoluta f. 2 spp. nov. Tertiary, New Zealand, R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1 1950 p. 31; N. (Saccella) pahiensis p. 240 pl. 24 f. 2, 3; N. (Jupiteria) ferrari p. 240 pl. 24 f. 1: spp. nov. Paki Greensand, North Auckland, C. A. FLEMING Trans. R. Soc. N.Z. 78 2-3 1950; N. (Nuculana) karihaensis sp. nov. Miocene, bridge leading to Takayanagi, Ishiguro-Mura, Kariha-Gum, Niigata-Ken, Japan, K. Hatai & S. NISIYAMA J. Paleont. 23 1 1949 p. 87 pl. 24 f. 3, 4; Nuculana moniwaensis sp. nov. Miocene, Moniwa, Shell Bed, Moniwa, Japan, S. Nomura Sci. Rep. Tôhoku Univ. 21. 1 1940 p. 14 pl. i (i) fig. 14.

†Nuculopsis (Palaeonucula) finlayi sp. nov. Jurassic of Eathie (Cromarty), Scotland, C. O. Waterston Trans. roy. Soc. Edinb. 62 1 1951 p. 39 pl. i fig. 4.

Ovaleda powelli sp. nov. off Kijking Island, Northern New Zealand in 98 fms., R. K. Dell Dom, Mus. Rec. Zool, Wellington N.Z. 1950 p. 22 f. 1, 2.

ARCACEA

†Anadara (Anadara) kakehataensis p. 88 pl. 23 f. 8-10; A. (A.) kurosedaniensis p. 89 pl. 23 f. 11, 12: spp. nov. Miocene, Kakehata, Unohana-Mura, Nei-Gun, Toyama-Ken, Japan, K. HATAI & S. NISIYAMA J. Paleont. 23 1 1949.

†Arca aviculoides Wisn. sp. nov. 1906 Lower Cretaceous in the Northern Flysch Carpathians, B. Koboszynska Trav. Serv. géol. Pologne 6 1949 p. 53; A. cyrenaica sp. nov. Cretaceous Cyrenaica, E. Naldini Palaeontogr. ital. Pisa 45 1949 p. 95 pl. i f. 5.

†Barbatia (Barbatia) uetsukiensis sp. nov. Miocene, Dainieki-Saka, Uetsuki-Mura, Katsuta-Gun, Okayama-Ken, Japan, K. Hattai & S. Nisiyama J. Paleont. 23 1 1949 p. 89 pl. 23 f. 6, 7; B. assawonanensis sp. nov. Cretaceous, 4875–4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines and Water Resources Bull. 2. 1948 p. 133 pl. iii figs. 9–11.

†Cucullaea (Indogrammatodon) alternicosta sp. nov. 5 kilometres north-east of Antaingoaika. Jurassic of south-east Madagascar, M. NICOLAI Ann. Paléont. 36 1950 p. 156 pl. ii fig. 1.

†Eonavicula minuta var. distorta var. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949 p. 136 pl. 1 f. 30.

Glycymeris glycymeris (L.) 302.

Glycymeridae evolution from a cucullaeid stock probably during late Jurassic times, D. NICOL 598.

†Glycymeris nakosoensis sp. nov. oligocene, Nippon Coal Mining Coy., Nakoso-Machi, Ishiki-Gun, Fukushima-Ken, Japan, K. Hatai & S. Nisiyama J. Paleont. 23 1 1949 p. 88 pl. 23 f. 15, 16.

†Grammatodon (Indogrammatodon) sp. nov. p. 133 pl. 1 f. 25; G (I.) virgatus var. trigona var. nov. p. 132 pl. 1 f. 22 Batonan fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949.

†Parallelodon infrequens sp. nov. Shikoku, Japan, Т. Ковауаян & К. Іонікаwа J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950 p. 239 pl. iv f. 12.

†Pectunculus subtogoensis sp. nov. Eocene Togo, R. FURON Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 101 pl. viii f. 12.

†Trinacria amedeoi sp. nov. paleogene Sirta, C. Rossi Ann. Mus. Libico Stor. nat. 3 1942 p. 165 pl. ix f. 7 a-f.

MYTILACEA

†Brachidontes stephensoni sp. nov. Cretaceous, 4875–4885 in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 p. 135 pl. iii figs. 17-19.

†Hoernesia munièri sp. nov. Astartian sand Cordebugle, A. Chavan Jour. de Conchyliol. 90 3 1950 p. 208 figs. 1, 2.

Joachymia subgen. nov. of Pterochaenia subgenotype Avicula falcata Barrande, B. RÜŸIČKA Přis. Sborn. Ostrav. Kraje 10 3 1949 pp. 102, 112, 115.

†Modiola umbertoi sp. nov. Eocene, Libyan Sahara, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 99 pl. vii f. 1-3.

Modiolaria Commensal with Ascidians, A. Bourdillon 102.

†Modiolopsis parallelus sp. nov. Ordovician of Ichang, China, S. C. Hsu & C. T. Ma Contr. Nat. Res. Inst. Geol. Acad. Sinica 8 1948 p. 44 pl. ix f. 19-20. Mytilus edulis experiments on the effects of sperm extract on the eggs, W. E. Berg 78; M. edulis L. Ascorbic acid distribution, R. J. Daniel 176; M. edulis L. 302; M. biological problems, figs. & tables, L. V. Haraughy 320; M. bionomics and fishery in India, S. Jones 397; M. galloprovencialis Lk. Ecology notes, G. Kolosvary 437; M. edulis L. its byssus and the secretion thereof, O. Ramera 695; M. edulis uptake of radioactive phosphate, R. R. Ronkin 716; M. edulis on the ligament, E. R. Trueman 825.

†Mytilus ogavaensis sp. nov. Oligocene, Ogawa, Kawabe-Mura, Ishiki-Gun, Fukushima-Ken, Japan, K. Hatat & S. Nisiyama J. Paleont. 23 1 1949 p. 89 pl. 24 f. 17; M. tenuiformis sp. nov. p. 206 pl. 1 f. 7; M. t. punctatus var. nov. p. 207 pl. 1 f. 8; M. (Falcimytilus) nasai sp. nov. p. 208 pl. 1 f. 2-3; M. (F.) n. nagaides var. nov. p. 209 pl. 1 f. 4; M. (F.) n. hirataides var. nov. p. 209 pl. 1 f. 5 Trias Shikoku, Japan, T. Kobayashi & K. Ichikawa J. Fac. Sei. Tokyo Univ. Sec. II Geol. Etc. 7 3-5 1950; M. highoohiae sp. nov. Pliocene, Humboldt Co. Calif., Y. T. Mandra J. Paleont. 23 1 1949 p. 104 fig. 1.

†Volsella yokoyamai sp. nov. Oligocene northern entrance to Kokozura, Nakoso-Machi, Ishiki-Gun, Fukushima-Ken, Japan, K. Hatai & S. Nisiyama J. Paleont. 23 1 1949 90 pl. 23 f. 13, 14; V. paronaiformis sp. nov. Trias Shikoku, Japan, T. Kobayashi & K. Ichikawa J. Fac. Sci. Tokyo Univ. Sec. II p. 210 pl. 1 f. 1.

PTERIACEA

Atrina janjukiensis sp. nov. Middle Miocene, Gippsland, Victoria, I. Crespin Proc. roy. Soc. Victoria N.S. 60 1950 p. 150 pl. xvii f. 18–20.

†Dvorecia subgen. nov. of Pterochaenia subgenotype Avicula contempta Barrande 1881, Siluro-Devonian Bohemia, H. RŬRŸIČKA Přis. Sborn Ostrav. Kraje 10 3 1949 p. 104 116.

†Meleagrinella leeana sp. nov. Jurassic of Eathic (Cromarty), Scotland, C. D. WATERSTON Trans. roy. Soc. Edinb. 62 1 p. 41 pl. i fig. 5.

†Oxytoma subzitteli p. 221 pl ii f. 7 a, b, 8; O. yeharai p. 222 pl. ii f. 1, 2 pl. iii f. 13 a, b; O. kashiwaiensis p. 223 pl. iii f. 1–3; O. pulchra p. 224 pl. iii f. 4; O. sujimabara p. 224 pl. iii f. 5–7; O. sedaka p. 225 pl. iii f. 8–12; "O." dieneri p. 226 pl. ii f. 9: spp. nov. Trias Shikoku, Japan, T. Kobayashi & K. Існікама J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 1 3–5 1950.

†Perna guerini sp. nov. Jurassic of South-West Madagascar, M. NICOLAI Ann. Paléont. 36 1950 p. 161 pl. ii figs. 2–3.

Pinctada vulgaris acid-soluble pigments, A. Comfort 161.

†Pseudomonotis (Eumarphotis) telleri tuberclata subsp. nov. Trias Fukien, P. Chen Quart. J. Taiwan Mus. 3 2 1950 p. 92 pl. i f. 17-20.

PECTINACEA

Eopecten H. Douville 1897 rice Velata Quenstedt 1856, note on use of names, L. R. Cox & W. J. Arkell p. 95 174.

†Fortipecten subgen. nov. of Pecten subgenotype Pecten takahashii Yokoyama, Neogene, Japan, H. Yabe & K. M. Hatar Sci. Rep. Tôhoku Univ. 21 2 1940 pp. 147, 148, 160 pes. 34–35.

†Lentipecten victoriensis sp. nov. Middle Miocene, Gippland, Victoria, I. Crespin Proc. roy. Soc. Vict. N.S. 60 1950 p. 151 pl. xv f. 8-11.

Lima hians (Gmel.) 302.

Lima and locomotion, S. L. Bally, Jr. 49.

Pecten maximus (L.) Chamys opercularis (L.) 302; P. yessoensis Jay spawning cycles, G. Yamanoto 894.

Pectinidae an elementary discussion on the family, G. Grau 305; Pectinidae of Mutsu Bay breeding production of spat and growth, C. NISHEOKA & others 602.

†Plicatula huberti sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 101 pl. viii f. 13.

ANOMIACEA

Anomia ephippium settlement on fibrous glass surfaces, H. BARNES & H. T. POWELL 62.

†Anomia urbismarina sp. nov. Cretaceous 4875-4885 in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull, 2 1948 p. 134 pl. iii figs. 24, 25.

OSTREACEA

†Chalmasia morelleti sp. nov. Sarmatic Czechoslovakia, V. Pokorný Rozpr. České Akad. (2) 58 3 1949 pp. 1, 3 pl. 1 f. 4.

Crassostrea virginica (Gmel.) an analysis of certain dimensional relationships tables, G. L. Newcombe 593.

†Cubitostrea sellaeformis (Conrad) the successional evolution of the off branch of this stock, H. B. STENZEL 777.

Dioeciostrea Orton a synonym Gryphaea, G. GUNTER 308.

†Exogyra aff. praevirgula p. 124 pl. 1 f. 3; E. ? agipi p. 124 pl. 1 f. 4 spp. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949.

†Gryphaea coxi sp. nov. p. 166 pl. iii f. 6-9; G. coxi var. lata var. nov. p. 167 pl. iii f. 10 Jurassic of South-West Madagascar, M. NICOLAI Ann. Paléont. 36 1950.

†Gryphaea Lk. 1801 type species, Opinions, Etc. 5; G. type angulata Lk. t.s.d. Children 1823 non arcuata (Dall 1898) arcuata Lk. is type of Liogryphaea P. Fischer 1886, G. Ranson 682; G. on the genotype G. angulata Lk. t.s.d. Children 1823, G. Ranson 686; G. growth studies in fossils, T. S. Westall 873.

Lopha cristagalli fouling naval mines, F. E. ALLAN 32.

Monoeciostrea Orton = Ostrea, G. Gunter 308.

Ostrea quirites fouling naval mines, F. E. Allen 32; O. bresia and nomades as fouling agents in Queensland waters, F. E. ALLAN & E. J. F. WOOD 33; O. gigas, Thunberg, rivularis Gould, denselamellosa Liscke, nippona Seki, echinata Q. & G. spp. of Japan, A. R. CAHN 122; O. shell disease in French re-laid oysters, H. A. Cole 156; O. edulis L. setting behaviour of the larvae, figs. and tables, H. A. Cole & E. W. K. Jones 157; O. and naturally occurring organic substances affecting feeding, A. Collier, S. Ray & W. MAGNITZKY 158; O. virginica and effect of sodium acid pyrophosphate, F. M. DAUGHERTY 180; O. interspecific hybridization, H. C. Davis 184; O. biological studies, figs., L. V. HARAUGHY 320; O. virginica—effect of silts upon,

S. C. HSIAO 352; O. metabolism of spermatozoa, G. F. Humphrey 367; O. experiments with reference to glycolysis in oyster muscle, G. F. Humphrey 368; O. virginica summer growth in Florida waters, table, R. M. INGLE 372; O. production in Essex rivers in 1947-48, E. W. K. Jones 396; O. culture and nutrition, P. KORRINGER 441; O. spawning at low temperatures, V. L. LOOSANOFF & H. C. DAVIS 504; Ostrea, G. L. NEWCOMBE 594; O. circumpicta Pils. experiments on oxygen consumption, S. Nomura 603; O. edulis, circumpicta, gigas heart action and oxygen consumption, S. Nomura 603: Ostrea—Prodisoconch and classification, G. Ranson 683: Ostrea classification, G. RANSON 687; O. edulis from the Bay of Naples-studies on sex, P. SAKSENA 725; O. edulis influence of temp. and fluctuation in Europe, R. Špärck 765; O. virginica Gwebin experiments with indian ink injections, L. A. STAUBER 771; O. commercialis culture methods and effect, J. M. Thomson 809; O. virginica growth in the presence of Carbonic anhydrase, K. M. Wilbur & N. G. Anderson 879; O. indicators of pollution of, J. E. WILSON & C. S. McCleskey 885.

†Ostrea (Liostrea) zimmiwariensis nom. nov. for Ostrea (Flemingostrea) haydoni Cossmann & Pissarro 1927 non White 1884; O. (Liostrea) mendenburgi nom. nov. for Ostrea orientalis Dillwyn non Mayer-Eymar 1874, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 86; O. cayorensis sp. nov. Ecoene of Senegal, A. Gorodiski Bull. Soc. Géol. Fr. 5 20 7-9 1950, p. 360 pl. xix f. 6-15; O. desioi sp. nov. Miocene, Libya, C. Rossi Ann. Mus. libico Stor. nat. 2 1940 p. 245 pl. xx f. 1-2.

†Ostrea sturtiana Tate? = O. arenicola Tate, B. C. Cotton 173.

Placuna placenta (L.) the source of pearls in Baroda, S. T. Moses 582.

†Pycnodonta brongniarti libyca var. nov. Paleogene Sirta, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 155 pl. viii f. 2a-b pl. ix f. 1a-b.

Ostreidae living genera Ostrea, Crassostrea, Pycnodonta, G. Gunter 308; Ostreidae ecology and distribution, influence of salinity and temperatures, G. Ranson 684.

TRIGONIACEA

†Ischyrinia elongata sp. nov. Diluvien of North Germany, A. MÜLDNER Z. Geschiebeforsch. 18 2 1942 p. 94 f. 7-8 (p. 230). Ischyrinia first record in the Diluvien of North Germany, A. MÜLDNER 585.

†Trigonia (Lyriodon) dainellii var. subpullus p. 140 pl. ii f. 8, 9; T. (L.) dainellii var. orbicolaris p. 141 pl. ii f. 14, 15; T. (L.) migliorinii var. obliqua p. 143 pl. ii f. 22: vars. nov. Batonian fossils E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949.

UNIONACEA

Anodonta cygnea temperature and hydration experiments, M. Florkin 253; A. cygnea chemical contents, M. Florkin & G. Duchateau 254; A. cygnea (L.) Ensis siliqua (Schum.) 302; A. ligament colouration due to Quinone-tanning of proteins, E. R. Trueman 824.

†Anodonta splendens katharinae subsp. nov. Ortenburg Bayern, H. Modell Arch. Mollusk. 79 1950 p. 30 pl. 7 f. 17.

†Anodontophora kochigataniensis sp. nov. p. 231 pl. iv f. 1-4; A. k. hiratai var. nov. p. 232 pl. iv f. 5; A. carinata sp. nov. p. 233 pl. iv f. 6 a, b Shikoku, Japan, T. Kobayashi & K. Ichikawa J. Fac. Sci. Tokyo Univ. Sect. II. Geol. Etc. 7 1950.

†Anthraconaia salteri variation, figs., J. Weir 869.

†Anthracosia aquilina, atra planitrimida, acutella, concinna fulva, nitida LEITCH 488.

†Carbonicola and enclosed Naiadites, figs., J. Weir 869.

Hyridella australis Lk. shell movements, I. D. HISCOCK 340.

†Hyriopsis bogatchevi sp. nov. Tertiary Levantine? H. Modell Arch, Mollusk. 79 1950 p. 32 pl. 7 f. 21.

Lamellidens marginalis and antithiamine factor, K. K. REDDI 701.

†Ligumia spinnhirni sp. nov. Tertiary North America, H. Modell Arch. Mollusk. 79 1950 p. 42 pl. 8 f. 18 pl. 9 f. 5.

†Megalodus in a new faunule Bleiberg-Hăráten, H. Flügel 258. †Nephronaias annavaleskae p. 40 pl. 8 f. 16 pl. 9 f. 1; N. blumei p. 40 pl. 8 f. 17 pl. 9 f. 2; N. haasi p. 41 pl. 8 f. 14 pl. 9 f. 3 spp. nov. Tertiary Elliptioniae, North America, H. Moddell Arch. Mollusk. 79 1950.

†Palindonaia gen. nov. genotype solandri J. de Sow.; P. s. emszti subsp. nov. Oligoeene, Hungary, H. MODELL Arch. Mollusk. 79 1950 pp. 34, 35 textfig. 4.

†Potomida littoralis eyerdami nom. nov. p. 26 pl. 6 f. 9-11 Icksberg; P. loewenecki sp. nov. p. 31 pl. 7 f. 19 Stanitza; P. tanaica sp. nov. p. 31 pl. 7 f. 20 Stanitza: Tertiary, H. Modell Arch. Mollusk. 79 1950.

Pressidens walpolei (Hanley 1871) P. resupinatus Martens 1902, A. Zilch 901.

†Ptychobranchus langeckeri sp. nov. Tertiary North America, H. Modell Arch. Mollusk. 79 1950 p. 41 pl. 8 f. 15 pl. 9 f. 4.

Schleschiella gen. nov. Unionidae genotype Unio burroughianus Lea, H. MODELL Arch. Mollusk. 79 1950 p. 140.

†Sinanodonta subundata soosi subsp. nov. Macot, Bustenari, Jud. Prahova, H. Modell, Arch. Mollusk. 79 1950 p. 30 pl. 7 f. 18.

Unio requienii Mich. figs. pl. x p. 664, A. Thienemann 808.

†Unio ullerichi sp. nov. Europe p. 28 pl. 6 f. 12; U. brusinaiformis sp. nov. Levant p. 33 pl. 7 f. 23; U. crassus jaeckeli subsp. nov. Stanitza p. 32 pl. 7 f. 23 Tertiary, H. MODELL Arch. Mollusk. 79 1950; U. vectensis kormosi subsp. nov. Oligocene Czolnok, Kom, H. MODELL Arch. Mollusk. 79 1950 p. 34 text-fig. 3.

Unionidae reproduction, G. Bresse 111; Unionidae blood volume statistics, C. L. Prosser & S. J. F. Weinstein 673; Unionidae of the Mississippi River, H. & A. v. d. Schalle 734.

†Vanderschaliea kolasii boeckbi subsp. nov. Tertiary, H. Modell Arch. Mollusk. 79 1950 p. 35 text-fig. 1.

ASTARTACEA

†Astarte (Coelastarte) coxi sp. nov. Aptian from Chalala near Lourenço Marques, T. V. L. RENNIE Bol. Serv. Min. Geol. Moçambique 9 1947 pp. 25, 64 pl. iv figs. 34, 38; A. eathiensis sp. nov. Jurassic of Eathie (Cromarty), Scotland, C. O. WATERSTON Trans. roy. Soc. Edinb. 62 1 1951 p. 41 pl. i fig. 1.

†Crassatella tengaronensis sp. nov. Miocene of Eastern Borneo, C. Beets Leidsche geol. Meded. 15 1950 p. 271 f. 8-10; C. chalalensis sp. nov. Aptian from Chalala near Lourenço Marques, T. V. L. Rennie Bol. Serv. Geol. Moçambique § 1947 pp. 27, 66 pl. iv figs. 46, 47.

†Myophoriopsis (Pseudocorbula?) orbicularis sp. nov. Trias, Japan, K. Ichikawa J. Fac. Sci. Tokyo Univ. Sect. II geol. etc., 7 3-5 1950 p. 249 pl. v f. 10-11.

CARDITACEA

†*Cardita balboi* sp. nov. Miocene Libya, C. Rossi Ann. Mus. libico Stor. nat. **2** 1940 p. 232 pl. xx f. 9–15.

†Myoconcha trapezoides sp. nov. p. 213 pl. i f. 12-13; M. t. postereoexpansa var. nov. Trias Shikohu, Japan, I. Kobayasha & K. Ichikawa J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950.

†Trapezium jobanicum sp. nov. Oligocene, Nippon Coal Mining Co., Nakoso-Machi, İshiki-Gun, Fukushima-Ken, Japan, J. Paleont. 23 1 1949 p. 90 pl. 24 f. 8, 9.

†Venericardia healyi p. 243 pl. 24 f. 11; V. (Venericor) bartrumi p. 244 pl. 24 f. 13: spp. nov. Pahi Greensand, N. Auckland, C. A. Fleming Trans. Roy. Soc. N.Z. 78 2-3 1950.

SPHAERIACEA

Corbicula fluminalis Notes and references, U. Steusloff 783.

Musculium species of Lake Athabaska and Great Slave Lake, N.W. Canada, H. B. HERRINGTON 334a.

Pisidium species of Lake Athabaska and Great Slave Lake, N.W. Canada, H. B. Herrington 334a.

Pisidium spec. nov. in caves of Western Transcaucasus. No description, T. A. Birshtein Zool, Journ. Moscow 29 1950 p. 356 82.

†Pisidium vincentianum and P. lapponicum environs of Geneva, J. FAVRE & A. JAYET 231.

Polymesoda arctata (Desh.) 1854 fig. 5, A. N. Ten Broek 113.

Sphaeriidae some wrong identifications, H. B. HERRINGTON 334.

Sphaerium species in Lake Athabaska and Great Slave Lake, N.W. Canada, H. B. Herrington 334a.

ISOCARDIACEA

†Isocardia subplanidorsata sp. nov. Cretaceous of Vilseck, Germany, L. von Krumbeck Z. dtsch. geol. Ges. 93 1 1941 v. 13 pl. 1 f. 7.

CYPRINACEA

†Acantholeaia gen. nov. Leaiadidae genotype A. regoi sp. nov. Permian of São Paulo, Brazil, MARQUES F. F. DE ALMEIDA Notas Prelim. Est. Serv. Geol. Min. Brasil 51 1950 p. 4 pls. 1–4 text-figs 2–4.

†Anisocardia balboi sp. nov. Paleogene Sirta, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 176 pl. x f. 4 a-e; A. loweana var. ovalis var. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949 p. 150 pl. iii f. 7.

†Cypricardella insolens sp. nov. Lower Coblentz, Europe, G. Solle Senckenbergiana 31 1950 p. 194 f. 3 a-b.

Cyprina islandica (L.) occurrence in the Mediterranean, M. Paulus 635.

†Eomiodon maretesta sp. nov. Cretaceous, 4875–4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948 p. 139 pl. iii figs. 27–30.

†Roudaireia elongata sp. nov. Cretaceous, Cyrenaica, E. NALDENI Palaeontogr. ital. Pisa 45 1949 p. 97 pl. 1 f. 10.

DREISSENACEA

Congeria variation, A. Papp 622.

Dreissena variation, A. Papp 622.

LUCINACEA

†Codakia kitamurai sp. nov. Shukunohora, Hiyoshi-Mura, Toki-Gun, Gifu-Ken, Japan, K. Hatai & S. Nisiyama J. Paleont. 23 1949 p. 91 pl. 24 f. 5, 6.

†Corbis hislopi nom. nov. for Corbis elliptica Hislop 1860 non Archiac & Haime 1854, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 86; Corbis subdavidsoni sp. nov. Eocene Toga, R. Fukon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 100 pl. viii f. 10 a-b.

†Diplodonta chiesai sp. nov. Paleogene Sirta, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 170 pl. ix f. 11 a-d.

Divaricella divaricata (L.) extremely rare in Scilly, T. G. W. FOWLER 266.

Fimbria fimbriata (L.) figs. and synonymy, Caroline Ids., Fiji, Hawaiian group, Java, Marianas and Marshall Islands, Palau Ids., Philippines, D. NICOL 599; F. sowerbii (Reeve) figs. and synonymy Japan, Kyushu, Osima, Osawi, D. NICOL 599.

Fimbriidae fam. nov. for the genus Fimbria Megerle von Mühlfeld 1811 with genotype Fimbria magna M. v. Mühlfeld 1811 = Venus fimbriata L. 1758, D. NICOL J. Wash. Acad. Sci. 1950 80 3 f. 82 599.

Genaxinus cookianus sp. nov. 27 fms. off Cape Farewell Lighthouse, N.Z., C. A. Fleming Trans. Roy. Soc. N.Z. 78 1950 p. 252 pl. 25 f. 6, 8.

†Loripinus (? Eophysema) urapaca sp. nov. Pahi Greensand, North Auckland, C. A. Fleming Trans. Roy. Soc. N.Z. 78 1950 p. 245 pl. 24 f. 6, 7.

†Lucinoma otukai sp. nov. Miocene, Fukuda, Sehimoto-Mura, Taga-Gun, Ibaragi-Ken, Japan, K. Hatai & S. Nisiyama J. Paleont. 23 1949 p. 91 pl. 24 f. 10.

Maorithyas gen. nov. Thyasiridae type M. marama sp. nov. 12 fms. Wet Jacket Arm, N.Z., C. A. FLEMING Trans. Roy. Soc. N.Z. 78 1950 p. 253 pl. 25 f. 2.

†Sakawanella p. 245 gen. nov. Tancrediidae genotype Sakawanella triadica p. 246 pl. v f. 1–7 sp. nov. Trias, Japan, K. Ichikawa J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3–5 1950.

†Schafhautlia mellingi japonica subsp. nov. Trias, Japan, K. Ichikawa J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950 p. 250 pl. v f. 8a, b.

†Sphaera madascariensis var. crasserugulosa p. 156, pl. iii f. 19; S. m. var.

elongata p. 156 pl. iii f. 15, 16 vars. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949.

Thyasira peroniana waikanae subsp. nov. Waikanae Beach, Wellington, N.Z., C. H. Fleming Trans. Roy. Soc. N.Z. 78 1950 p. 252 pl. 25 f. 3.

Thyasiridae of New Zealand, C. A. Fleming 250.

Tropicorbis and Schistosomiasis geographical distribution of Molluscan hosts, tables, W. H. WRIGHT 888.

ERYCINACEA

Ephippodonta (Ephippodontina) murakamii subgen. et sp. nov., Kuroda Venus 14 1/4 p. 41.

Ephippodontina subgen. nov. of Ephippodonta for murakamii sp. nov., T. Kuroda Venus 14 1/4 1946 p. 41.

Galeomma (Paralepida) takii sp. nov., T. Kuroda Venus 14 1/4 1946 p. 39.

CHAMACEA

Chama divaricata and broderipi fouling naval mines, F. E. Allan 32.

†Durania cornu-pastoris in State of Mozelos, Mexico, F. K. G. MULLERRIED 586.

†Mitrocaprina corbarica sp. nov. from the Senonian of Corbières, France, G. MENNESSIER Bull. Mus. Hist. nat. Paris (2) 22 4 1950 p. 531 text-figs.

CARDIACEA

Cardiidae and English Eocene and Oligocene species, W. E. TREMLETT 822.

Cardium edule L. variations, M. P. Mars 542.

†Cardium (Cerastoderma?) goisiense sp. nov. Miocene, Moniwa Shell Bed, Goisi, Japan, S. Nomura Sci. Dep. Tõhoku Univ. 21 1 1940 p. 25 pl. iii (iii) fig. 23; C. desioi sp. nov. Eocene, Libyan Sahara, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 101 pl. vii f. 3; C. (Trachycardium) mamillatum sp. nov. Eocene, Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 p. 100 pl. viii f. 9; C. (Loxocardium) bouei Desh. bartonensis var. nov. = C. obliquum Lk. 1805, non Spengler 1799, p. 125 pl. 18 f. 16 a-c; C. (Plagiocardium) etheridgei sp. nov. Hampshire Basin, Hamstead p. 126 pl. 18 f. 17 a, b;

[1950]

88

C. (Orthocardium) goniophorum sp. nov. ex Edwards MS. Hampshire Basin, Barton & Higheliff p. 129 pl. 19 f. 19 a-d; C. (Orthocardium) porulosum Sol. higheliffensis var. nov. Hampshire Basin, Higheliff p. 130 pl. 19 f. 21—English Eocene and Oligocene Cardiidae, W. E. TREMLETT Proc. Malac. Soc. London 28 1950.

†Clinocardium chikagawaense sp. nov. sea-cliff at the outlet of the Chikagawa R., Aomori, Japan, T. Kotaka Short Pap. Inst. Geol. Paleont. Tôhoku Univ. No. 2 1950 p. 46 pl. 5.

Corculum cardissa (L.) Habitat, Shell, and development and its association with Zooxanthellae, S. KAWAGUTI 420.

†Discors kyetubokensis nom. nov. for Cardium subfragile Boettger 1875 non Orbigny 1850, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 86.

Nemocardium history of the genus and list of species with localities, A. M. KEEN 421.

†Nemocardium nitidulum p. 118 pl. 15 f. 5 a-c ex Edwards MS. London Basin N. superbum p. 122 pl. 17 f. 10, 11 a, b Hampshire Basin, Bracklesham Bay spp. nov., W. E. TREMLETT Proc. Malac. Soc. London 28 1950.

†Nemocardium marinum sp. nov. Cretaceous, 4875–4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 1948 p. 137 pl. iii figs. 13, 14.

†Orthocardium subgen. nov. of Cardium, subgenotype Cardium porulosum Solander, Middle and Upper Eocene, W. E. TREMLETT Proc. Malac. Soc. London 28 1950 p. 128 pl. 19 f. 22 a-c.

†Protocardia bizeti sp. nov. Astartian sands Cordebugle, A. Chavan J. Conchyl. 90 3 1950 p. 211 f. 3, 4.

Trachycardium (Ovicardium) gippslandicum sp. nov. Lower Pliocene, Victoria, J. Crespin Proc. roy. Soc. Vict. N.S. 60 1950 p. 154 pl. xiv f. 3, 4.

Tridacna elongata, T. squamosa morphological and biological characteristics, K. Mansour 536.

†Ringicardium schoelleri sp. nov. Neogene Aquitaine, A. Magna J. Conchyliol. 90 1950 p. 123.

VENERACEA

Antigona langfordi sp. nov., KURODA Venus 14 1/4 1946 p. 32 f. 1, 2.

Callista politissima sp. nov., KURODA Venus 14 1/4 1946 p. 35 f. 5, 6.

†*Eocallista merlai* sp. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949 p. 152 pl. iii f. 8.

†Meretrix (Tivelina?) inornata sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 99 pl. viii f. 8; M. chalcedonica var. pygmaea var. nov. Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. Furque & H. H. Comacho Riv. Asoc. Geol. Argentina 4 4 1949 p. 286 pl. iii f. 4; M. syrtica sp. nov. Paleogene Sirta, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 179 pl. x f. 11 a-h.

†Oncophora dubiosa Hoern var. stavropolensis var. nov. no description, Stavropol, Northern Caucasus, N. S. Volkova C. R. Acad. Sci. Moscou N.S. 73 1950 p. 787.

Tapes [= Paphia] decussatus (L.) relative commensals and parasites, H. VILELA 846.

†Tapes (?) vilseckensis pl. 2 f. 3; T. (?) aff. vilseckensis pl. 2 f. 4 spp. nov. p. 16 Cretaceous of Vilseck, Germany, L. VON KRUMBECK Z. dtsch. geol. Ges. 93 1 1941.

†Tapes carnonensis sp. nov. Grey roquilliere Carnon, M. Paulus Malac. Mar. & saumatre lit. estuaires et étong. 1949 p. 33.

Tivela stultorum population studies and growth rates of, W. R. Coe & J. E. Fitch 151; T. stultorum Mawe, The Pismo Clam—biology and economics, J. E. Fitch 247.

Venerupis dashamii sp. nov. Coramandel coast, India, H. C. RAY Rec. Indian Mus. 46 1949 p. 119 pl. iii f. 6, 7.

Venus L. 1758 type fixed as Venus verrucosa L. 1758, Opinions, Etc. 3; V. mercenaria laboratory larvae breeding and winter spawning, V. L. LOOSANOFF & H. C. DAVIS 503.

†Venus policarpiana sp. nov. Upper Cretaceous of the Atlantic Coast of Tierra del Fuego, G. Furque & H. H. Camacho Riv. Asoc. Geol. Argentina 4 4 1949 p. 285 pl. iii f. 1-2.

MACTRACEA

Mactra (Micromactra) fonsecana sp. nov. from Potosi and Monypenny Point, Nicaragua, G. of Fonseca, L. G. HERTLEIN & A. M. STRONG Zoologica N.Y. 35 1950 p. 232 pl. ii f. 16, 19 & 20.

Mactra sachalinensis artificial insemination of eggs, K. Okada 609; M. local and rhythmic movement, figs., J. Pasteels 628.

†Spisula polynyma nagakoensis subsp. nov. Oligocene west of Nagako, Nishiki-Mura, Ishiki-Gun, Fukushima-Ken, Japan, K. Hatai & S. Nisiyama J. Paleont. 23 1949 p. 92 pl. 24 f. 18.

TELLINACEA

†Amphidesma (Paphies) anteaustrale sp. nov. Tertiary New Zealand, R. K. Dell Dom. Mus. Rec. Zool, Wellington N.Z. 1950 1 p. 32 f. 3, 4.

†" Angulus" pahiensis sp. nov. Pahi Greensand, North Auckland, C. A. FLEMING Trans. Roy. Soc. N.Z. 78 1950 p. 245 pl. 24 f. 5.

†Finlayella marshalli sp. nov. Pahi Greensand, North Auckland, C. A. FLEMING Trans. Roy. Soc. N.Z. 78 1950 p. 246 pl. 24 f. 4.

†Macoma (?) cotteri nom. nov. for Tellina salinensis Cotter 1923 non Meyer 1871, F. E. EAMES Proc. Malac. Soc. London 28 1950 p. 86.

†Psammocola balboi sp. nov. Eocene Libyan Sahara, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 105 pl. vii f. 6-7.

†Quenstedtia gortanii sp. nov. Batonian fossils, E. Africa, S. Venzo Palaeontogr. ital. Pisa 45 1949 p. 159 pl. iii f. 27.

Tellina interrupta wood, A. Blok 86; T. tenuis da Costa population dispersion, N. A. Holme 347.

†Tellina (Cyclotellina) veneriformis p. 98 pl. viii f. 3; T. (Elliptotellina) kouriatchyi p. 98 pl. viii f. 4 spp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948; T. (Linearia?) seugustensis sp. nov. Cretaceous of Vilseck, Germany, L. von KRUMBECK Z. dtsch. geol. Ges. 93 1 1941 p. 18 pl. 1 f. 11 pl. 2 f. 2; T. tibestica sp. nov. Eocene Libyan Sahara, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 104 pl. vii f. 5.

SOLENACEA

Cultellus biological studies, figs., L. v. Haraughy 320.

†" Cultellus"? ellipsoidalis sp. nov. Shikohu, Japan, Т. Ковеуазні & К. Існікаwa J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950 p. 237 pl. iv f. 9 a-b.

Solen crockeri sp. nov. Monypenny Point, Nicaragua, G. of Fonseca 6 fms. on mud, Hertlein & Strong Zoologica N.Y. 35 1950 p. 225 pl. 1 f. 3 5 & 7.

SAXICAVACEA

Hiatella versus Saxicava, H. Dodge 198, 199.

Panopea smithae sp. nov. off Eastern Otago 70 fms. N.Z., A W. B. POWELL Rec. Auckland Inst. Mus. 4 1 1950 p. 78 pl. 7 f. 5 text-figs. 4-6.

†Panopea wanganuica sp. nov, Pliocene Landguard Bluff, N.Z. A. W. B. POWELL Rec. Auckland Inst. Mus. 4 1 1950 p. 80 pl. 7 f. 6 text-figs. 7, 8.

Saxicava to give way for Hiatella, H. Dodge 199.

MYACEA

†Aucellina ritcheri sp. nov. Cretaceous of Tierra del Fuego, H. H. Самасно Riv. Asoc. Geol. Argentina 4 4 1949 p. 252 pl. 1 f. 7.

†Corbula atlantica sp. nov. Eocene Togo, R. Furon Mém. Mus. Hist. nat. Paris N.S. 27 4 1948 pl. viii f. 2; C. angulata minutissima var. nov. Eocene Libyan Sahara, C. Rossi Ann. Mus. libico Stor. nat. 3 1942 p. 107 pl. vii f. 8–9.

†Corbulomya sokolowi, spec. nov. nom. nud. upper Oligocene, Tashtehenak and Novo-Nikolaevka rivers, 10 km. west from the town Melitopol, Russia, N. N. Karlov C.R. Acad. Sci. Moscou N.S. 75 1950 p. 745.

Cruptomya fossil species, C. Beets 67.

Mya arenaria on the siphon and its anatomy, W. Schäfer 732; M. arenaria stranding, figs., W. Schäfer. 733.

90

†Posydoniella rugata (Jackson) from the Carboniferous of Spain, P. H. SAMPELAYO 726.

†Pleuromya forsbergi nipponica subsp. nov. Shikoku, Japan, Т. Ковачаян & К. Існікаwa J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950 p. 235 pl. iv f. 8 a-c.

†Ursirevus oceanus p. 141 pl. iii figs. 1-4; U. atlanticus p. 142 pl. iii figs. 5-7 spp. nov. Cretaceous 4875-4885 ft. in the Maryland Esso Well, H. A. Vokes Maryland Dept. Geol. Mines & Water Resources Bull. 2 1948.

GASTROCHAENACEA

Panope princetoniana nom. nov. for P. regularis (Ortm.), H. H. CAMACHO 124

†Panope kalimnensis sp. nov. Lower Pliocene (Kalimnan stage) Gippsland Victoria, I. CRESPICE Proc. Roy. Soc. Vict. N.S. 60 1950 p. 155 pl. xvii f. 19, 20.

ADESMACEA

Pholadidca loscombiana (Turt.) Barnea parva (Pen.) A. Graham 302.

PANDORACEA

†Goniomya substerni sp. nov. Cretaceous of Vilseck, Germany, L. von Krumbeck Z. dtsch. geol. Ges. 93 1 1941 p. 19 f. 8.

†Offadesma marwicki sp. nov. Pahi Greensand, North Auckland, C. A. Fleming Trans. Roy. Soc. N.Z. 78 1950 p. 246 pl. 24 f. 10.

Pholadomya from Japan, T. NAGAO 589.

†Pholadomya lineata nom. nud., J. Langer 471.

POROMYACEA

Cuspidaria aupouria sp. nov. off Cape North, New Zealand, in 75 fms., R. K. Dell Dom. Mus. Rec. Zool. Wellington N.Z. 1950 1 p. 21 f. 3, 4. †Leinzia gen. nov. (near Solemomorpha) genotype Leinzia similis Holdhaus. Anhembi, State of São Paulo, Southern Brazil, J. C. Mendes Bol. Serv. Geol. Min. Brasil 133 1949 p. 11.

†Leinzia froesi p. 23 pl. 1 fig. 1; L. gigantea p. 26 pl. 1 fig. 2: spp. nov. Anhembi, State of São Paulo in southern Brazil, J. C. Mendes Bol. Serv. Geol. Min. Brasil 133 1949.

Verticordia aequacostata sp. nov. Angel de La Guardia Island, Gulf of California, A. D. Howard Nautilus, Philad. 63 1950 p. 109 pl. 7.

Cephalopoda

TETRABRANCHIATA

Cephalopoda types in the Oceanographic Museum at Monaco, G. Belloc 74; Studies on Spermatophores, M. Hamon 317; Cephalopoda studies, A. Kühn 457; A reflex regulation of the peripheria venous system in Cephalopoda, H. Mistin 569.

NAUTILACEA

†Haydenoceras acutum gen. et sp. nov. Devonian U.S.A., R. H. FLOWER J. Paleont. 23 1949 pp. 75, 76 pl. 18 f. 1-3 text-figs. 1, 2.

†Hercoglossa popensei sp. nov. Paleocene 2½ m. N.W. of Panta Canoas Santa Catarina Landing Baja California, Miller & Downs J. Paleont. 24 1950 p. 6 pl. 5 f. 1, 2.

†Limomia hesperia sp. nov. Upper Eocene Cowlitz formation by bend of Cowlitz R., Lewis Co., Washington, Miller & Downs J. Paleont. 24 1950 p. 4 pl. 3 f. 3, 4.

SEPIACEA

Rossia macrosoma fig. of spermatophore, M. Hamon 317.

Sepia Lobus verticalis and frontalis superior, figs., B. B. BOYCOTT & J. Z. YOUNG 105; S. officinalis shell sculpture, figs., H. DATHE 179; S. gland extract, G. GIULIANO 296; S. officinalis records from Danish waters, J. KNUDSEN 429; S. officinalis fig. of spermatophore, M. HAMON 317; S. officinalis L., A. PRUVOT-FOL 674.

Sepiola atlantica figs. of spermatophore, M. Hamon 317. †Voltzia gen. nov. Sepiidae genotype V. palmeri sp. nov. Argovian, Upper Jurassic Jagua formation, Jagua Vieja, near Viñales, Pinar del Rio, Cuba, W. E. SCHEVILL J. Paleont. 24 1950 p. 99 pl. 23 f. 1-3.

LOLIGINACEA

Alloteuthis africana sp. nov. Mbizi 50-60 m., W. Adam Bull. Mus. Hist. nat. Belg. 26 45 1950 p. 1.

Alloteuthis media (L.) A. subulata (L.)—The digestive mechanism, A. M. BIDDER 79.

Doryteuthis plei (Blainville 1823) notes on Caribbean specimens and figures, W. J. Rees 706.

Loligo forbesii (Steust.) L. vulgaris Lk.—digestive mechanism, A. M. Bidder 79; L. brevis Blv., pealii La Sueur. in Texas waters, G. Gunter 309; L. pealii lipids of nerve, J. D. McColl & R. J. Rossiter 514; L. pealli effects of X-radiations, R. Rugh 720.

Pholidoteuthis gen. nov. genotype Pholidoteuthis boschmai sp. nov. loc. 5° 58′ 0 S., 121° 32′ 0 E., W. ADAM Proc. K. ned. Akad Wet. 53 10 p. 1952 pls. i-iii.

Sepioteuthis sepioidea Gebigny occurring in the Caribbean examples, W. J. Rees 706.

ARCHITEUTHACEA

Architeuthis sp. a giant specimen stranded near Aberdeen, figs., B. B. RAE 680.

Illex illecebrosus food of Beluga, figs., V. D. VLADYKOV 850.

Ommastrephes caroli (Furtado) stranded at Looe, Cornwall, figs. and tables of measurements, W. J. Rees 703.

VAMPYROTEUTHACEA

Vampycomorpha infernalis Chun. life history, figs., G. E. PICKFORD 644.

OCTOPODACEA

Bathypolypus obesus as food of Beluga, fig., V. D. Vladykov 850.

Eledone caparti sp. nov. Mbizi sta. 13 20/viii/1948, W. Adam Bull. Mus. Hist. nat. Belg. 26 45 1950 p. 7. Eledone moschata, E. cirrhosa figs. of spermatophores, M. Hamon 317.

Octopus vulgaris sagital section of the whole central nervous system, figs., B. B. BOYCOTT & J. Z. YOUNG 105; O. vulgaris fig. of spermatophore, M. HAMON 317; O. vulgaris eggs from the Western Atlantic and notes thereon, G. E. PICKFORD 642; O. vulgaris Lk. and O. hummelincki Adam in the Cayman Ids., G. E. PICKFORD 643; O. vulgaris distribution in British waters, W. J. REES 704; O. hummelincki Adam, O. macropus Risso, O. vulgaris Lk. O. sp., O. briareus Robson, from the Caribbean, notes thereon and figures, W. J. REES 706.

Tremoctopus violaceus notes on ontogenesis, G. de F. Sacarrão 724.

BELEMNITACEA

†Acrocoelites subtriscissus p. 160 pl. 11 f. 6, 8; A. subgracilis p. 161 pl. 8 f. 5-7; A. graciliformis pl. 7 f. 7, 9; A. dillbergensis p. 161 pl. 5 f. 22-24; A. subspinaeformis p. 162 pl. 5 f. 25-27: spp. nov. Lias of Upper Bavaria, H. Kolb Z. dtsch. geol. Ges. 94 3-4 1942.

†Actinocamax manitobensis var. trehernensis p. 10 pl. ii f. 3 pl. iii f. 3; A. m. var. lawrencii p. 11 pl. ii f. 1, 2 vars. nov. Treherne. Upper Cretaceous of Manitoba, J. A. Jeletzky Bull. Geol. Surv. Can. 15 1950.

Actinocamax species, value as guide fossils; A. from Upper Cretaceous of Manitoba, Canada, J. A. Jeletzky 387.

Bellemnitella comparative table of species, Vasilenko & Razmislova 834.

†Dactyloteuthis subtubularis sp. nov. Lias of Northern Bavaria, H. Kolb Z. dtsch. geol. Ges. 94 3-4 1942 p. 156 pl. 7 f. 10 pl. 8 f. 9.

AMMONITACEA

Ammonites Tetra- or Di- branchiata, O. Haas 314.

†Acanthoplites mustahilensis sp. nov. Cretaceous Somaliland, G. TAVANI Palaeontogr. ital. Pisa 45 1949 p. 33 pl. v (xvi) f. 3.

†Agathiceras sundaicum Han. in the ? Lower Permian Bilhiton Island, P. KRUIZINGA 452. †Amoeboceras (Amoebites) sp. nov.? Jurassic of Eathie (Cromarty), Scotland, C. D. WATERSTON Trans. roy. Soc. Edinb. 62 I 1951 p. 43 pl. ii fig. 2.

†Ancyloceras libycum sp. nov. Cretaceous Tripolitania, PARONA & ZUFFARDI-COMERCI Ann. Mus. libico Stor. nat. 2 1940 p. 161 f. 20, 21.

Baculites, G. TEMBROCK 803.

†Boesites serotinus spec. nov. (nomnud.), V. E. RUSHENTZEV C. R. Acad-Sci. Moscou N.S. 71 1950 p. 1103.

†Cheloniceras migliorinii p. 43 pl. v (xvi) f. 1, pl. ix (xx) f. 1, 3; C. seebeeii p. 43 pl. viii (xix) f. 2, pl. xi (xxii) f. 4; C. crocodilum p. 44 pl. ix (xx) f. 5; C. pustulosum p. 45 pl. x (xxi) f. 3, pl. xi (xxii) f. 3; C. rude p. 45 pl. v (xvi) f. 2, pl. vi (xvii) f. 1, 2, pl. xi (xxii) f. 5 spp. nov.; C. rude crassicostata var. nov. p. 46 pl. ix (xx) f. 2. Cretaceous Somaliland, G. Tavani Palaeontogr. ital. Pisa 45 1949.

†Derneroceras crispiforme Kayser, figs., H. Schmidt 744.

†Diademoceras palmeri gen. et sp. nov. Cherry Valley limestone [Devonian] New York, R. H. FLOWER J. Paleont. 23 1949 p. 74 pl. 18 f. 7 pl. 19 f. 2-3.

†Donjuaniceras subgen. nov. of Peroniceras de Gross sub-genotype D. longispinata sp. nov. Cretaceous of Colombia, É. BASSE Bull. Soc. géol. Fr. 5 20 4-6 1950 pp. 245-247 pl. xi f. 1-4.

†Donjuaniceras acutospinata sp. nov. Cretaceous of Colombia, É. BASSE Bull. Soc. géol. Fr. 5 20 4-6 1950 p. 247 pl. xi f. 5-6.

†Douvilleiceras variabile p. 37 pl. x (xxi) f. 1, 2; D. cheloniceratiforme p. 38 pl. viii (xix) f. 6 spp. nov. Cretaceous Somaliland, G. Tavani Palaeontogr., ital. Pisa 45 1949.

†Eoparalegoceras inflatum sp. nov. Colomb-Béchar Carboniferous of South Oran, Africa, G. Delépine Ann. Soc. géol. Nord 70 1950 p. 180 pl. vi f. 1-6.

Gastrioceras nomenclature, K. Chao 133.

†Hamites fuggeri sp. nov. Eocene near Salzburg, W. Schwarzacher Ber. Reichstelle Bodenforsch. 1943 9-12 pp. 157-160 1 text-fig. 748. †Hastites forthensis p. 150 pl. 5 f. 7-9; H. bergensis p. 151 pl. 5 f. 10-14; H. compactus p. 151 pl. 5 f. 15-17 spp. nov. Lias of Northern Bavaria, H. KOLB Z. dtsch. geol. Ges. 94 3-4 1942.

†Leopoldia trivialis p. 255 pl. i f. 3, pl. ii f. 3-4; L. elauta p. 257 pl. i f. 2-4, pl. iii f. 3-4; L. lycoris p. 258 pl. iii f. 1-2; L. incondita pl. ii f. 1-2 spp. nov.; L. elauta var. tumida p. 258 pl. i f. 1 var. nov. Mesozoic of Neuquen, S. America, A. F. Leanza & A. Giovine Riv. Asoc. Geol. Argentina 4 4 1949.

†Medlicottia semota spec. nov. (nom. nud.), V. E. RUSHENTZEV C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103.

†Mesoteuthis banzensis p. 163 pl. 11 f. 1-2b, 7; M. triscissiformis p. 164 pl. 11 f. 3 a-b, 9 spp. nov. Lias of Northern Bavaria, H. Kolb Z. dtsch. geol. Ges. 94 3-4 1942.

†Metalegoceras noinskyi spec. nov. (nom. nud.) and M. gerassimovi spec. nov. nom. nud. ,V. E. Rushentzev C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103.

†*Muiroceras tuberculosum* **gen. et sp. nov.** Devonian U.S.A., R. H. FLOWER J. Paleont. 23 1 1949 p. 77 pl. 18 f. 4–6 pl. 20 f. 1–4.

†Paragastrioceras ultugenense specnov. (nom. nud.), V. E. RUSHENTZEV C.R. Acad. Sci. Moscou 71 1950 p. 1103.

†Parahoplites rudis p. 31 pls. vii, viii, x; P. (Pseudothurmannia) incertus p. 31 pl. xi spp. nov. Cretaceous Somaliland, G. Tavani Palaeontogr. ital. Pisa 45 1949.

Paroniceras of the Toarcian of Aveyron, C. & O. RENZ 710.

†Parapachydiscus 'n. sp.' Cretaceous Libya, E. Allerici Ann. Mus. libico Stor. nat. 2 1940 p. 181 figs.

†Pericyclus impressus in Tournai pl. 6 f. 7–8, G. Delépine 187.

†Perisphinctes (Perisphinctes) ozikaensis sp. nov. Nr. Makinohama. In Tokyo University. The occurrence of Perisphinctes (s.s.) from the Ozika peninsula, A. Fukada J. Fac. Sci. Hokkaido Univ. Geol. & Min. 4 7 3 1950 p. 212 pl. i f. 1; P. (s.s.) from the Ozika peninsula in the southern Kitukami mountainland, A. Fukada 278; Perisphinctes (P.) aff. ozikaensis in the Ozika peninsula pl. i f. 2; A.

Fukada 278; P. cubanensis O'Connell; P. plicatiloides O'Connell, impressions of soft parts and conclusions, C. De la Torre 816.

†Pervinquieria fallax sp. nov. p. 137. P. f. pachysoides, P. f. kilianiformis vars. nov. p. 140 Albian Salazac, M. Breistroffer Trav. Lab. Géol. Univ. Grenoble 22 1940.

†Pleurohoplites (Callihoplites) faraudi nom. nov. = C. glossonotus em. Spath p. 119; P. (C.) multifidus sp. nov. p. 120 Albian Salazac, M. BREISTROFFER Trav. Lab. Géol. Univ. Grenoble 22 1940.

†Prionocycloceras sp. nov. (indetermined) Cretaceous of Colombia, É. Basse Bull. Soc. géol. Fr. 5 20 4-6 1950 p. 249 pl. ix f. 7.

†Procerites progracilis nom. nov. Ammonites gracilis Morris & Lycett 1851 (non Münster in Zieten 1830), L. R. Cox & W. J. Arkell Mon. Pal. Soc. London Jan. 1950 p. 94.

†Propopanoceras simense spec. nov. (nom. nud.), V. E. RUSHENTZEV C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103; Propopanoceras postsimense spec. nov. (nom. nud.), V. E. RUSHENTZEV C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103.

†Pseudogastrioceras liui (Grabau) notes and description, figs., К. Снао 133.

†Ptychoceras on the genus, O. DE VILLOUTREYS 847.

†Puzosia furnitana cantabrigaensis nov. var. Vraconian Salazae, M. Breistroffer Trav. Lab. Géol. Univ. Grenoble 22 1940 p. 116.

†Salpingoteuthis subbrevis pl. 10 fs. 7, 15-16; S. blomenhofensis pl. 6 fs. 9-10 pl. 7 f. 3 spp. nov. Lias of Northern Bavaria, H. Kolb Z. dtsch. geol. Ges. 94 3-4 1942 p. 154.

†Sakmarites ajdaralensis spec. nov. (nom. nud.); S. inflatus spec. nov. (nom. nud.), V. E. RUSHENTZEV C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103.

†Subprionotropis gen. nov. genotype S. colombianus sp. nov. Cretaceous of Mutiscua, Colombia, É. Basse Bull. Soc. Géol. Fr. 5 20 4-6 1950 p. 250 pl xi. f. 8-10.

†Sudeticeras aff. ordinatum Long Preston, pl. i f. 6; S. adeps Dinckley, Yorkshire pl. ii f. 5, pl. iii f. 13: spp.

nov. Distribution of the genus Sudeticeras in Lancashire and Yorkshire, E. W. J. Moore J. Manchr. geol. Ass. 2 1 1950 p. 44; S. procerum p. 42 (no fig.); S. ordinatum p. 42 pl. iii f. 8-10: spp. nov. Dinckley, Yorkshire. Distribution of the genus Sudeticeras in Lancashire and Yorkshire, E. W. J. MOORE J. Manchr. geol. Ass. 2 1 1950; S. newtonense sp. nov. Long Preston Yorkshire. Distribution of the genus Sudeticeras in Lancashire and Yorkshire, E. W. J. Moore J. Manchr. geol. Ass. 2 1 1950 p. 45 pl. i f. 1-2, pl. iii f. 12; S. delépnei p. 38 pl. iii f. 2; S. subtilis p. 39 pl. iii f.3. spp. nov. Barnoldswick, Yorkshire. The genus Sudeticeras in Lancashire and Yorkshire, E. W. J. Moore J. Manchr. geol. Ass. 2 1 1950; S. distribution of the genus in Lancashire and Yorkshire, E. W. J. Moore 576.

†Thalassoceras multifidum sp. nov. (nom. nud.), V. E. Rushentzev C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103.

†*Tissotia marchettii* **sp. nov.** Cretaceous Cyrenaica, E. NALDINI Palaeontogr. ital. Pisa **45** 1949 p. 105 pl. 1 f. 1.

†Tumidoceras gen. nov. genotype T. lentum sp. nov. top of section of the Pennsylvanian Rly. Sta., Bay View, Michigan p. 78 pl. 20 f. 2, 3 with T. magnum p. 79 pl. 18 f. sp. nov. gravel point formation U.S.A., R. H. Flower J. Paleont. 23 1949.

†Turrilites orfellensis sp. nov. Cretaceous Tripolitania, Parona & Zuffardi-Comerci Ann. Mus. libico Stor. nat. 2 1940 p. 163 f. 22.

† Uraloceras simense spec. nov. (nom. nud.), V. E. Rushentzev C.R. Acad. Sci. Moscou N.S. 71 1950 p. 1103.

INCERTAE SEDIS

Pachymelon (Palomelon) smithi sp. nov. Eastern Otago 70 fms. N.Z., A. W. B. POWELL Rec. Auckland Inst. Mus. 4 1 1950 p. 81 pl. 7 f. 1, 2.

†Pleurophorus oblongatus sp. nov. p. 212 pl. i f. 10; P. o. compressus var. nov. p. 212 pl. 1 f. 9 Trias Shikoku, Japan, I. Kobayashi & K. Ichikawa J. Fac. Sci. Tokyo Univ. Sect. II Geol. etc. 7 3-5 1950.

Petroderma thaanumi gen. et sp. nov. [descrd. in Japanese], Kuroda Venus 14 1/4 1946 p. 29.

